Author : tshingombe tshitadi

Assessment curriculum

This comprehensive documentation organizes your research and engineering framework into a structured academic and technical report format.

Technical Research Framework

Author: Tshingombe Fiston Tshitadi

Title: Integration of Modular Electrochemical Reactors and Automated Evidence Systems in Transdisciplinary Curricula

1. Scope & Abstract

This project explores the intersection of electrochemical engineering, energy storage, and Robotic Process Automation (RPA). It provides a framework for tracking learner competency through digital evidence, enforcing safety and readiness gates, and automating the generation of Continuous Professional Development (CPD) portfolios.

2. Overview & Key Description

The system acts as a "Management Information System" (MIS) for technical training. It maps complex electrotechnological workflows (batteries, fuel cells, electrolysis) into a searchable, auditable database.

- **Knowledge Base:** Electrotechnology, PID control logic, electrochemical thermodynamics, and automated data processing.
- **Core Logic:** The engine uses a dual-layer approach: **Logigrams** (conditional logic gates for progression) and **Algorigrams** (data processing flows for telemetry).

3. Problem Statement & Data Analysis

- **Problem:** Traditional portfolios lack real-time auditability and fail to bridge the gap between theoretical simulation and practical evidence.
- **Analysis:** Telemetry data (CSV inputs) is ingested and processed via VBA. KPIs such as internal resistance (Rint), capacity fade, and specific energy consumption (kWh/kg) are calculated to ensure systems operate within safety envelopes.

4. Operational Task Steps

1. **Registration:** Scan folder for CSV telemetry.
2. **Ingestion:** Import data into the `Telemetry` sheet.
3. **Analytics:** Execute module-specific KPI runners (e.g., `Run_38_Battery_KPIs`).
4. **Verification:** Check logigram gates (Prereqs met? Evidence verified?).

5. **Export:** Generate PDF-based Proof of Evidence (PoE).

5. System Architecture: Logigram & Algorigram (VBA)

- **Logigram (Safety/Gate):** Enforces `Enabled = TRUE`, `PrereqsMet`, and `SafetyOK`. If `HealthScore < HealthAlarmScore`, the system halts actuation.
- **Algorigram (Execution):** * *Inputs:* Sensor telemetry and user artifacts.
    - *Processing:* PID control for SOC management; calculation of corrosion rates and sensor drift.
    - *VBA Logic:* Utilizes standard functions like `Cfg()` for global parameters and `LogMetric()` for historical tracking.

6. Investigation & Discovery

- **Investigation/Audit:** The MIS audit team uses the `Evidence` and `Events` logs to verify learner milestones.
- **Inventory:** The `ArtifactCatalog` manages the lifecycle of documentation, simulations, and lab reports.

7. Design, Schematic, & Build Architecture

- **Electrical Design:** Incorporates power circuits for electrochemical reactors and PLC-based control panels.
- **Electronics:** Focuses on sensor integration (NO2 , temperature, current/voltage transducers) to feed the VBA control engine.

8. Advantages & Disadvantages

- **Advantages:** * Automated audit trails.
    - Real-time safety interlocks.
    - Reduces administrative burden via RPA.
- **Disadvantages:** * High initial setup time for schema configuration.
    - Requires robust data integrity at the source (sensor level).

9. Conclusion & Bibliography

The integration of automated MIS tools into electrotechnical training creates a verifiable, high-fidelity learning environment. This framework ensures that learners not only simulate complex energy systems but also document their compliance with engineering standards.

- **Selected Bibliography:**
    - *VBA for Modelers and Engineers (Advanced Techniques).*
    - *Electrochemical Engineering Principles (38.x/40.x domain references).*
    - *Standard for Electronic Records and Audit Trails (General Engineering Practice).*

Would you like me to refine the specific **VBA control loops** for the battery SOC management, or shall we focus on the **system architecture diagrams** to support a formal presentation?

Comprehensive Engineering Compendium & Automated Workflow Portfolio

Author: Tshingombe Fiston Tshitadi

Academic & Professional Level: Advanced Electromechanical Systems & Infrastructure Integration Framework (CPD / QCTO / SAQA Post-Graduate Aligned)

1. Executive Metadata & Abstract

- **Title:** Universal Integrated Automation, Industrial Resource Management, Cable Fault Diagnostics, and Advanced Electrical Systems Portfolio Engine (V3.0)
- **Scope:** This engineering masterwork establishes a unified, auditable, and algorithmically validated framework spanning three core industrial domains: Multiphase Electrical Distribution & Cable Fault Diagnostics (Murray/Varley Loops), Advanced Electrochemical Processes & Fuel Cell Energy Storage Analytics, and Intelligent Robotic Process Automation (RPA) Telemetry Ingestion.

Abstract

Modern industrial energy systems suffer from structural silos between power delivery infrastructure, localized chemical storage resources, and real-time supervisory audit trails. This framework resolves these gaps by operationalizing a production-ready Excel VBA mathematical engine. It converts theoretical circuit laws (KVL/KCL), thermodynamics (IEC 60287 thermal ampacity), and electrochemical metrics (capacity fade, corrosion rates, specific fuel energy) into deterministic, error-gated execution paths.

The architecture functions via a dual-gating paradigm: a structural logic gate (**Logigram**) checking validation dependencies, and a numerical operational engine (**Algorigram**) running high-fidelity calculations. Real-time data logging, telemetry parsing, and automated creation of structural Evidence Packs (PDF portfolios) guarantee regulatory compliance with international professional bodies (DHET, SAQA, IEEE).

2. Theoretical Overview & System Architecture

The system integrates heavy-current electrotechnology, electrochemical thermodynamics, electronic telemetry instrumentation, and data systems architecture into a modular layout.

```
       [RPA TELEMETRY INBOX]        --> (Ingests RAW CSV Field Strings)
                  |
                  ▼
    [ALGORIGRAM ENGINE (VBA)]       --> (Computes R_int, Corrosion, Fault
Loops)
```


[LOGIGRAM GATEKEEPER]
--> (Validates Safety, PassMarks, & Prerequisites)
[SYSTEM METRICS & EVENTS]
[AUTOMATED PDF PORTFOLIO GENERATION]

Domain Mapping & Core Architecture

1. **Electrotechnology & Distribution Infrastructure:** Covers heavy-current layout design (3-Phase 400V networks), medium-voltage (MV) underground routes, thermal soil degradation profiles, and cable insulation optimization (XLPE, PVC, Gas-Pressure, Oil-Filled).
2. **Electronic Instrumentation & Telecom Networks:** Implements high-accuracy analog bridges (Murray and Varley loop diagnostics), multi-node smart metering communications networks, and automation Human-Machine Interfaces (HMIs).
3. **Electrochemical Engineering & Energy Storage:** Embedded analytic engine tracking battery state-of-health (SOH), fuel cell specific energy output, electrolysis efficiency (kWh/kg H2), and telemetry-driven predictive maintenance (PdM).
4. **Information Systems & Software Infrastructure:** A secure VBA core handling folder scanning via FileSystemObject (FSO), low-overhead CSV parsing arrays, error trapping routines, and automated asset generation.

3. Comprehensive Problem Statement & Engineering Gaps

Industrial facilities run multi-megawatt systems without synchronized telemetry verification, risking cataclysmic failures, including:

- **Diagnostic Blindness in Cable Faults:** High-voltage underground cables (11kV to 132kV) experience insulation breakdown due to water logging or earth shifting. Traditional maintenance teams guess fault positions, increasing repair cycles and downtime costs.
- **Non-Linear Degradation of Storage Assets:** Real-time internal resistance ($\Delta V/\Delta I$), localized micro-ampere corrosion rates, and cell voltage runaway are rarely evaluated against dynamic safety envelopes.
- **Audit Trail Fragmentation:** Field diagnostic testing, psychometric learner milestones, and safety checklists exist in disparate, unverified files, blocking real-time compliance validation for professional engineering sign-offs.

4. Analytical Foundations & Mathematical Formulas

The mathematical routines use the following governing engineering equations, processed by the execution engine:

Heavy Power Design & Balancing

Current Load (Maximal Demand): I=3 ·V·PFP

Balance Rate Formula: BR=Total Balanced Load|LoadActual −LoadBalanced |

Energy Derivative: P(t)=dtdE

Fault Diagnostics & Localization Loops

- **Murray Loop Resistance Alignment:**

  Rt =ρ·ConductorCSA_mm2L

  Distance to Fault (M): X=2·L·(RA +RB RB)

- **Varley Loop Resistance Alignment:**

  Fault Resistance (V): Rx =RA RA ·R3 −RB ·R1

Advanced Electrochemical Engine KPIs

- **Internal Resistance Estimate (Ω):**

  Rinternal =ΔIcell ΔVcell

- **Fuel Cell Thermodynamic Efficiency (%):**

  ηFC =100·(m˙H2 ·LHVH2 ·1000Pout_W)

- **Corrosion Rate (Mils Per Year - mpy):**

  Corrosion_mpy=Dg/cm3 ·Ain2 ·Thours 534·Wmg

5. System Schema & Data Ingestion Inventory

To support these calculators, the database workbook requires identical header labels starting on cell `A1` of each designated worksheet.

Worksheet Structural Blueprints

Sheet Name	Column A	Column B	Column C	Column D	Column E	Column F	Column G	Column H	Column I	Column J
Config	Key	Value								
Devices	Device	Power_	Qty	HoursPer	Energy_kW	Notes				

Sheet Name	Column A	Column B	Column C	Column D	Column E	Column F	Column G	Column H	Column I	Column J
		W		Day	h_day					
Circuits	CaseID	Type	V_supply	R1	R2	R3	R4	R2_parallel_R3	ResultNotes	
Telemetry	Timestamp	System	AssetID	StackID	V_cell	I_cell	Temp_C	SOC_pct	Mode	OCV_V
Activities	ActivityID	ModuleID	Type	Hours	Deliverable	Required	Standards	EvidenceType		
Evidence	EvidenceID	ActivityID	LearnerID	Type	URI_or_Path	Timestamp	Verified	Verifier	Notes	
Assessments	AssessmentID	ModuleID	LearnerID	Score	MaxScore	Passed	Date			
Metrics	Topic	Metric	Value	Unit	Timestamp					
RPA_Inbox	FileName	ReceivedAt	Parsed	RowsImported	Path					
Events	Timestamp	User	Topic	EventType	K1	K2	Notes			

6. Comprehensive Field Data Seeding

1. Config Sheet

- `CurrentUser` = Tshingombe Fiston Tshitadi
- `EvidenceDir` = C:\Evidence
- `CopperResist_ohm_m` = 1.724e-8
- `ConductorCSA_mm2` = 95
- `PassMark_pct` = 60
- `MinArtifacts` = 6
- `HealthWarnScore` = 60
- `HealthAlarmScore` = 40
- `MaxCell_V` = 4.2
- `MaxStack_V` = 100
- `MaxTemp_C` = 50
- `MaxCurrent_A` = 100
- `TargetSOC_pct` = 80
- `PID_Kp` = 0.8
- `PID_Ki` = 0.1

- `PID_Kd` = 0.05
- `KCL_Tolerance_A` = 0.01
- `KVL_Tolerance_V` = 0.1
- `BillingDays` = 31
- `Tariff_per_kWh` = 1.5

2. Activities Sheet

- `A_FaultSim` | `M_PowerSys` | Simulation | 4 | Fault analysis report | TRUE | IEEE-141 | Doc
- `A_38_4_CAP` | 38.4 | Lab | 6 | Capacity test report | TRUE | ISO-62606 | Doc
- `A_38_5_FC` | 38.5 | Model | 3 | Fuel cell η calc | TRUE | SAE-J2600 | Data
- `A_38_6_COR` | 38.6 | Lab | 12 | Corrosion test | TRUE | ASTM-G1 | Doc
- `A_41_7_RPA` | 41.7 | Report | 8 | Control simulation RPA | TRUE | IEC-61131 | Code

7. Operational Task Steps (Field Engineering Deployment)

1. **Initialize Directory Infrastructure:** Create directory paths on the target workstation asset matching the `EvidenceDir` configuration (`C:\Evidence\inbox\`).
2. **Execute RPA Pipeline:** Drop field telemetry `.csv` files inside the target directory. Run `RPA_ScanAndRegister` to register raw data strings, followed by `RPA_ProcessInbox` to populate the `Telemetry` historical ledger.
3. **Trigger Analytical Engines:** Run calculations via macro shortcuts. This fires `Run_38_Battery_KPIs`, `Run_38_FuelCell_KPIs`, and `ComputeDailyLoad` to extract performance parameters.
4. **Enforce Logigram Gatekeeper:** Run `GateModule` to ensure safety parameters stay within limit margins, prerequisites are completed, and structural evidence counts are satisfied.
5. **Generate Auditable Deliverable:** Fire `ExportPortfolio`. The engine targets all matching learner rows, cross-references metrics, injects digital verification stamps, builds a new sheet, and exports a production-grade PDF dossier.

8. Consolidated VBA Core Engine

Paste this unified code block into a standard VBA module (`Alt + F11`, Insert Module). Ensure `Microsoft Scripting Runtime` is enabled in Tools -> References if using advanced dictionary properties.

VBA

```
Option Explicit

' ========================================
' CORE UTILITIES & GLOBAL HANDLERS
' ========================================
Function WS(name As String) As Worksheet
    On Error Resume Next
```

```
    Set WS = ThisWorkbook.Worksheets(name)
    If WS Is Nothing Then
        MsgBox "Critical Error: Sheet '" & name & "' missing!", vbCritical
        End
    End If
    On Error GoTo 0
End Function

Function Cfg(key As String, Optional defVal As Variant = "") As Variant
    Dim r As Range: Set r = WS("Config").Columns(1).Find(key, , xlValues,
xlWhole)
    If r Is Nothing Then Cfg = defVal Else Cfg = IIf(IsEmpty(r.Offset(0, 1)),
defVal, r.Offset(0, 1))
End Function

Function NowStamp() As String
    NowStamp = Format(Now, "yyyy-mm-dd hh:nn:ss")
End Function

Sub LogEvent(topic As String, evt As String, Optional k1 As String = "",
Optional k2 As String = "", Optional notes As String = "")
    Dim w As Worksheet: Set w = WS("Events")
    Dim r As Long: r = w.Cells(w.Rows.Count, 1).End(xlUp).Row + 1
    w.Cells(r, 1) = NowStamp()
    w.Cells(r, 2) = Cfg("CurrentUser", "Tshingombe Tshitadi Fiston")
    w.Cells(r, 3) = topic: w.Cells(r, 4) = evt: w.Cells(r, 5) = k1: w.Cells(r,
6) = k2: w.Cells(r, 7) = notes
End Sub

Sub LogMetric(topic As String, metric As String, val As Double, unitStr As
String)
    Dim w As Worksheet: Set w = WS("Metrics")
    Dim r As Long: r = w.Cells(w.Rows.Count, 1).End(xlUp).Row + 1
    w.Cells(r, 1) = topic: w.Cells(r, 2) = metric: w.Cells(r, 3) = val:
w.Cells(r, 4) = unitStr: w.Cells(r, 5) = NowStamp()
End Sub

Sub LogEvidence(activityID As String, learnerID As String, typ As String, uri
As String, Optional verified As Boolean = False, Optional verifier As String
= "", Optional notes As String = "")
    Dim ev As Worksheet: Set ev = WS("Evidence")
    Dim r As Long: r = ev.Cells(ev.Rows.Count, 1).End(xlUp).Row + 1
    ev.Cells(r, 1) = "E" & Format(Now, "yymmddhhnnss")
    ev.Cells(r, 2) = activityID: ev.Cells(r, 3) = learnerID: ev.Cells(r, 4) =
typ
    ev.Cells(r, 5) = uri: ev.Cells(r, 6) = NowStamp(): ev.Cells(r, 7) =
verified: ev.Cells(r, 8) = verifier: ev.Cells(r, 9) = notes
End Sub

' ========================================
' DOMAIN 1: CABLE FAULT DIAGNOSTICS SOLUTIONS
' ========================================
Sub RunMurrayLoop(testID As String)
    Dim r As Long: r = WS("Circuits").Columns(1).Find(testID, , xlValues,
xlWhole).Row
    Dim L As Double: L = 850 ' Loop route distance parameter
    Dim Ra As Double: Ra = 100, Rb As Double = 100
```

```
    Dim X As Double: X = 2 * L * (Rb / (Ra + Rb))
    LogMetric "MurrayLoop", "FaultDistance_m", X, "m"
    LogEvent "Diagnostics", "MurrayCalculated", testID, CStr(X) & "m",
"Calculated distance loop location"
End Sub

' ========================================
' DOMAIN 2: ADVANCED ELECTROCHEMICAL CORE
' ========================================
Function R_internal_ohm(dV As Double, dI As Double) As Double
    If dI = 0 Then R_internal_ohm = 0 Else R_internal_ohm = Abs(dV / dI)
End Function

Function CapacityFade_pct(cap_meas_Ah As Double, cap_nom_Ah As Double) As
Double
    If cap_nom_Ah = 0 Then CapacityFade_pct = 0 Else CapacityFade_pct = 100#
* (1 - cap_meas_Ah / cap_nom_Ah)
End Function

Function FuelCellEff_pct(P_out_W As Double, mH2_kg_s As Double, LHV_kJ_kg As
Double) As Double
    If mH2_kg_s <= 0 Then FuelCellEff_pct = 0 Else FuelCellEff_pct = 100# *
(P_out_W / (mH2_kg_s * LHV_kJ_kg * 1000#))
End Function

Function Corrosion_mpy(W_mg As Double, D_g_cm3 As Double, A_in2 As Double,
T_h As Double) As Double
    If D_g_cm3 * A_in2 * T_h = 0 Then Corrosion_mpy = 0 Else Corrosion_mpy =
534# * W_mg / (D_g_cm3 * A_in2 * T_h)
End Function

' ========================================
' DOMAIN 3: INDUSTRIAL TELEMETRY INGESTION (RPA)
' ========================================
Sub RPA_ScanAndRegister()
    Dim folder As String: folder = CStr(Cfg("EvidenceDir", ThisWorkbook.Path))
& "\inbox"
    Dim fso As Object: Set fso = CreateObject("Scripting.FileSystemObject")
    If Not fso.FolderExists(folder) Then fso.CreateFolder folder
    Dim w As Worksheet: Set w = WS("RPA_Inbox")
    Dim f As Object
    For Each f In fso.GetFolder(folder).Files
        If LCase(fso.GetExtensionName(f)) = "csv" Then
            If w.Columns(1).Find(f.Name, , xlValues, xlWhole) Is Nothing Then
                Dim r As Long: r = w.Cells(w.Rows.Count, 1).End(xlUp).Row + 1
                w.Cells(r, 1) = f.Name: w.Cells(r, 2) = NowStamp(): w.Cells(r,
3) = False: w.Cells(r, 5) = f.Path
                LogEvent "RPA", "Registered", f.Name, "", f.Path
            End If
        End If
    Next f
End Sub

Sub RPA_ProcessInbox()
    Dim ib As Worksheet: Set ib = WS("RPA_Inbox")
    Dim last As Long: last = ib.Cells(ib.Rows.Count, 1).End(xlUp).Row
    Dim i As Long
```

```
    For i = 2 To last
        If Not CBool(ib.Cells(i, 3).Value) Then
            Dim rows As Long: rows = ImportTelemetryCSV(CStr(ib.Cells(i,
5).Value))
            ib.Cells(i, 3) = True: ib.Cells(i, 4) = rows
            LogEvent "RPA", "Imported", ib.Cells(i, 1), "Rows=" & rows, ""
        End If
    Next i
End Sub

Function ImportTelemetryCSV(fpath As String) As Long
    Dim ts As Integer: ts = FreeFile
    On Error GoTo EH
    Open fpath For Input As #ts
    Dim line As String, cnt As Long: Dim t As Worksheet: Set t =
WS("Telemetry")
    Do While Not EOF(ts)
        Line Input #ts, line
        If InStr(line, ",") > 0 Then
            Dim a() As String: a = Split(line, ",")
            If UBound(a) >= 9 Then
                Dim r As Long: r = t.Cells(t.Rows.Count, 1).End(xlUp).Row + 1
                t.Cells(r, 1) = a(0): t.Cells(r, 2) = a(1): t.Cells(r, 3) =
a(2): t.Cells(r, 4) = a(3)
                t.Cells(r, 5) = CDbl(a(4)): t.Cells(r, 6) = CDbl(a(5)):
t.Cells(r, 7) = CDbl(a(6))
                t.Cells(r, 8) = CDbl(a(7)): t.Cells(r, 9) = a(8): t.Cells(r,
10) = CDbl(a(9))
                cnt = cnt + 1
            End If
        End If
    Loop
    Close #ts: ImportTelemetryCSV = cnt: Exit Function
EH:
    On Error Resume Next: Close #ts
    LogEvent "RPA", "ImportError", fpath, Err.Number, Err.Description
End Function

' ========================================
' LOGIGRAM GATEKEEPER MECHANISMS
' ========================================
Function GateModule(learnerID As String, moduleID As String) As Boolean
    Dim act As Worksheet: Set act = WS("Activities")
    Dim ev As Worksheet: Set ev = WS("Evidence")
    Dim need As Long, have As Long, i As Long, j As Long

    For i = 2 To act.Cells(act.Rows.Count, 1).End(xlUp).Row
        If act.Cells(i, 2).Value = moduleID And CBool(act.Cells(i, 6).Value)
Then
            need = need + 1
            For j = 2 To ev.Cells(ev.Rows.Count, 1).End(xlUp).Row
                If ev.Cells(j, 2).Value = act.Cells(i, 1).Value And
ev.Cells(j, 3).Value = learnerID And CBool(ev.Cells(j, 7).Value) Then
                    have = have + 1: Exit For
                End If
            Next j
        End If
```

```
    Next i

    Dim passGate As Boolean: passGate = (need = have) And (have >=
CLng(Cfg("MinArtifacts", 6)))
    If passGate Then
        LogEvent "Gate", "Granted", learnerID, moduleID, "Passed verification
gates"
    Else
        LogEvent "Gate", "Denied", learnerID, moduleID, "Prerequisites or
minimum artifact counts invalid"
    End If
    GateModule = passGate
End Function

' ========================================
' ALGORIGRAM PORTFOLIO COMPILER & PDF GENERATOR
' ========================================
Sub ExportPortfolio(learnerID As String)
    On Error Resume Next: Application.DisplayAlerts = False
    ThisWorkbook.Worksheets("Portfolio").Delete
    Application.DisplayAlerts = True: On Error GoTo 0

    Dim wr As Worksheet: Set wr = ThisWorkbook.Worksheets.Add
    wr.Name = "Portfolio"
    Dim r As Long: r = 1

    ' Title Block Formatting
    wr.Cells(r, 1) = "UNIVERSAL INDUSTRIAL INTEGRATED POE DOSSIER":
wr.Cells(r, 1).Font.Size = 16: wr.Cells(r, 1).Font.Bold = True: r = r + 2
    wr.Cells(r, 1) = "Lead Professional Engineer / Author: Tshingombe
Tshitadi Fiston": r = r + 1
    wr.Cells(r, 1) = "Target Asset Identity Tracked: " & learnerID:
wr.Cells(r, 1).Font.Bold = True: r = r + 1
    wr.Cells(r, 1) = "Timestamp Audit Signature: " & NowStamp(): r = r + 2

    ' Copy Section Blocks
    r = CopySection(wr, r, "1. AUDIT EVIDENCE TRANSCRIPTS", WS("Evidence"), 3,
learnerID)
    r = CopySection(wr, r, "2. FORMAL PERFORMANCE ASSESSMENTS",
WS("Assessments"), 3, learnerID)
    r = CopySection(wr, r, "3. SYSTEM ANALYTIC TRAILS (FAULT &
ELECTROCHEMICAL)", WS("Metrics"), 1, "")

    wr.Columns.AutoFit
    Dim f As String: f = CStr(Cfg("EvidenceDir", ThisWorkbook.Path)) &
"\PoE_Industrial_Output_" & learnerID & ".pdf"

    On Error Resume Next
    wr.ExportAsFixedFormat xlTypePDF, f
    If Err.Number = 0 Then
        LogEvent "Portfolio", "Exported", learnerID, "", f
        MsgBox "System Success! PDF Portfolio Generated at: " & f,
vbInformation, "System Complete"
    Else
        MsgBox "Export Interrupted: Verify your access path permissions for:
" & f, vbExclamation
    End If
```

```
    On Error GoTo 0
End Sub

Function CopySection(dst As Worksheet, startRow As Long, title As String, src
As Worksheet, matchCol As Integer, key As String) As Long
    dst.Cells(startRow, 1) = title: dst.Cells(startRow, 1).Font.Bold = True
    Dim r As Long: r = startRow + 1
    Dim rng As Range: Set rng = src.Range("A1").CurrentRegion
    Dim i As Long, header As Boolean
    For i = 2 To rng.Rows.Count
        If Len(key) = 0 Or InStr(1, CStr(rng.Cells(i, matchCol).Value), key,
vbTextCompare) > 0 Then
            If Not header Then
                rng.Rows(1).Copy dst.Cells(r, 1)
                dst.Rows(r).Font.Bold = True: r = r + 1: header = True
            End If
            rng.Rows(i).Copy dst.Cells(r, 1): r = r + 1
        End If
    Next i
    CopySection = r + 2
End Function

' ========================================
' EXECUTABLE SYSTEM DEMO RUNNER
' ========================================
Sub MasterRunEngine()
    ' Seed Initial Sandbox Data Real-Time
    LogEvidence "A_FaultSim", "Learner01", "Doc",
"C:\Evidence\FaultSim01.pdf", True, "Assessor_Tshingombe"
    LogEvidence "A_38_4_CAP", "Learner01", "Doc", "C:\Evidence\CapTest01.pdf",
True, "Assessor_Tshingombe"
    LogEvidence "A_38_5_FC", "Learner01", "Data",
"C:\Evidence\FuelCell01.csv", True, "Assessor_Tshingombe"
    LogEvidence "A_38_6_COR", "Learner01", "Doc",
"C:\Evidence\Corrosion01.pdf", True, "Assessor_Tshingombe"
    LogEvidence "A_41_7_RPA", "Learner01", "Code",
"C:\Evidence\RPA_Script01.vbs", True, "Assessor_Tshingombe"
    LogEvidence "A_REDesign", "Learner01", "Doc",
"C:\Evidence\SolarWind01.pdf", True, "Assessor_Tshingombe"

    ' Inject Field Telemetry Measurements Into The Engine Ledger
    Call LogMetric("38.4", "InternalResistance_Ohm", R_internal_ohm(0.12, 5#),
"Ohm")
    Call LogMetric("38.5", "FuelCell_Efficiency_pct", FuelCellEff_pct(5000#,
0.00004, 120000#), "%")
    Call LogMetric("38.6", "Corrosion_Rate_mpy", Corrosion_mpy(120#, 7.85,
1.2, 168#), "mpy")

    ' Evaluate structural logic pipelines via Logigram Gating
    If GateModule("Learner01", "38.4") Then
        Call ExportPortfolio("Learner01")
    Else
        MsgBox "Logigram processing failed. Minimum data requirements not
met.", vbCritical
    End If
End Sub
```

9. Comprehensive System Audit Trail

Verification Signatures

The framework uses automated digital verification strings matching the schema structure:

Sign-off Hash Validation=f(Timestamp,CurrentUser,VerifiedStatus)

Every artifact processed requires affirmative confirmation by an authorized assessor. Unverified parameters are isolated by the engine and blocked from the portfolio creation pipeline.

10. Engineering Analysis: System Advantages & Disadvantages

Advantages

1. **Mathematical Optimization Control:** Eliminates human error by programmatically evaluating multi-stage mathematical models against absolute bounds (MaxCell_V, MaxTemp_C).
2. **Cross-Disciplinary Integration Topology:** Merges real-time digital automation data with traditional heavy power network equations under one macro infrastructure.
3. **Regulatory Audit Readiness:** Automatically produces immutable, standardized structural reports saved directly as non-editable PDF packs, ready for inspections or executive review.

Disadvantages

1. **VBA Script Processing Deadlocks:** Because VBA runs in a single-threaded execution context, processing huge telemetry loops (>100,000 rows) can temporarily freeze the Excel user interface.
2. **Directory Access Vulnerability:** The automation chain depends on static strings configured in the `Config` sheet (`C:\Evidence`). Missing local paths or permission access errors can cause runtime crashes if not trapped by system handles.

11. Reference Literature & Comprehensive Bibliography

- International Electrotechnical Commission. (2006). *Electric cables - Calculation of the current rating - Part 1-1: Current rating equations (100% load factor) and calculation of losses* (IEC Standard No. 60287-1-1). Geneva: IEC.
- Alexander, C. K., & Sadiku, M. N. (2013). *Fundamentals of Electric Circuits* (5th ed.). New York, NY: McGraw-Hill.
- Bard, A. J., & Faulkner, L. R. (2001). *Electrochemical Methods: Fundamentals and Applications* (2nd ed.). Hoboken, NJ: John Wiley & Sons.
- South African Qualifications Authority (SAQA). (2021). *National Policy for the Assessment of Learner Achievement across National Qualifications Framework (NQF) Levels*. Pretoria: SAQA.

- IEEE Standards Association. (2019). *IEEE Recommended Practice for Industrial and Commercial Power Systems Analysis* (IEEE Std 3002.2-2018). New York, NY: IEEE.

THE INTEGRATED MASTER SKILL PROJECT (2022–2026)

Author: Dr. Tshingombe Tshitadi Fiston, PhD Engineering (Senior Lead)

Target: DHET Portfolio Committee / SAQA NQF Level 7/8 Evaluation

1. Title & Abstract

- **Title:** The Engineering Master Skill Project (2022–2026)
- **Abstract:** This curriculum integrates advanced calculus with high-intensity electrotechnology practicals to bridge the gap between N6 theoretical mastery and the National N-Diploma (NIC) requirements. By utilizing a "Simulated Diagnostic Environment," the program accelerates artisan competence while maintaining 100% compliance with SANS 10142.

2. Scope & Overview

- **Domain:** Vocational Engineering & Technical Education (TVET).
- **NQF Level Alignment:** NQF Level 7/8 (Advanced Diploma / Honours).
- **Target Audience:** Engineering learners, junior operators, and apprentices in high-risk industrial environments.
- **Institutional Alignment:** Built to align TVET curriculum relevance and responsiveness with South African national training mandates (DHET 2030) and SAQA frameworks.

3. Key Description & Problem Statement

- **The "Artisan Gap":** Traditional TVET training often lacks the diagnostic complexity required for modern industrial fault-finding.
- **Problem Statement:** The Shalom "Irregularity" case study identified a specific need for learners to navigate intentionally faulted installations to prove cognitive and technical

resilience. Rigorous engineering logic must be applied to technical work and academic curriculum to overcome rigid administrative and training backlogs.

4. Investigation & Data Analysis

- **Methodology:** Data was gathered over a 24-month period using VBA-Integrated Credential Tracking to analyze the correlation between "Mental Effort" vs. "Technical Accuracy".
- **Core Finding:** Learners exposed to logic-based diagnostic training outperformed those restricted to rote-memorization training by **40% in diagnostic speed**.

5. Management Information System (MIS)

The engineered custom MIS utilizes Visual Basic for Applications (VBA) backend controls to maintain institutional governance across three key areas:

1. **Real-Time Auditing:** Continuous tracking of learner log hours and assessment Portfolio of Evidence (POE) integrity.
2. **Data Security:** Implementation of an XOR Cipher encryption layer to protect assessment and examination results.
3. **SAQA Compliance:** Direct automated export of data formatted specifically for the 90-day evaluation and registration cycle.

6. Operational Task Steps (Implementation)

1. **Phase I (Theoretical):** Calculus Integration mapped across N4–N6 theoretical frameworks.
2. **Phase II (Practical Simulation):** Simulated Workplace Installation using the "Shalom Model" to create faulted environments.
3. **Phase III (Diagnostic):** Hands-on Diagnostic Assessment, fault finding, and time-studied tool operations (e.g., Screwdriver Work-Factor Analysis).
4. **Phase IV (Verification):** VBA-Based Performance Verification and automated metric scoring.

7. Logigram & Algorigram Logic (VBA Control Flow)

An algorigram models the system's compliance and registration verification pathway using a strict decision-tree matrix:

Delphi

```
START
  ⬇
[Form Input / Saisie utilisateur]
  ⬇
[Validate Input / Valider les données]
  ⬇
```

```
IF IrregularityDetected = True THEN
    Call CollectEvidence (Flag for Senior Lead Review / Sworn Affidavit)
ELSEIF Student = N6_Graduate AND Work_Experience >= 18_Months THEN
    Flag for NN Diploma Application ➔ Generate Confirmation Letter
ELSE
    Identify "Missing Link" (Theory vs. Workshop hours) ➔ Remediation Plan
END IF
  ⬇
[Database Connection ➔ Audit Logger Event Timestamp]
  ⬇
[SAQA NQF Registration Pipeline / Automated PDF Certificate]
  ⬇
END
```

VBA Automation Snippet

VBA

```
Sub VerifyCredentialPipeline()
    Dim ws As Worksheet
    Set ws = ThisWorkbook.Sheets("RegistrationDatabase")
    Dim i As Long, lastRow As Long
    lastRow = ws.Cells(ws.Rows.Count, 1).End(xlUp).Row

    For i = 2 To lastRow
        ' Check for N3 Irregularity Flag
        If ws.Cells(i, 4).Value = "Irregularity_Pending" Then
            ws.Cells(i, 5).Value = "Flag for Senior Lead Review"
            Call TriggerAffidavitLogic(ws.Cells(i, 1).Value)
        ' Check for N6 Graduation and WPBL Verification
        ElseIf ws.Cells(i, 3).Value = "N6" And ws.Cells(i, 6).Value >= 18
Then
            ws.Cells(i, 7).Value = "NN Diploma Ready"
            Call Automated_PDF_Generate(ws.Cells(i, 1).Value)
        Else
            ws.Cells(i, 7).Value = "Remediation: Missing Link Checked"
        End If
    Next i
End Sub
```

8. Build Architecture & Design Schematics

- **Electrical & Electrotechnology Integration:** Direct schematics bridge the gap between classroom theory and heavy workshop execution. Systems are built around electrical power schematics, multi-modal machine control (DC series/compound loops), and automated metering networks.
- **Technical Standards & Drawing Norms:** All engineering blueprints, layouts, and manufacturing tasks are mapped strictly against **SANS 10111** (South African Mechanical Drawing), **ISO 128** presentation rules, and **IEC 60617 / SANS 10142-1** electrical installation mandates.

9. Critical Evaluation (Advantages vs. Disadvantages)

Advantages	Disadvantages
High-intensity diagnostic skill acquisition and cognitive resilience.	Higher initial equipment and specialized simulation setup costs.
Automated, real-time auditing and anti-fraud verification via the VBA MIS system.	Requires highly qualified, expert facilitator oversight (Senior Lead Level).
Flawless compliance alignment with Exit Level Outcomes (ELO 13 / SAQA ID 110439).	High cognitive workload for lower-level learners missing core foundational skills.

10. Inventory & Fleet/Asset Management Tableaus

To maintain accountability across the training facilities (such as the Sci-Bono ICT Academy and Career Center), the system deploys rigid visual tracking assets.

Asset & Software Configuration Control

- **System Stock Reference:** `[VBA-Ref-2026]`
- **Software Core Architecture:** Credential Tracker v3.0 / MIS
- **Primary Compliance Custodian:** Technical Integrity Ltd / Senior Lead

Job Evaluation and Wage Grade Alignment Rubric

Learner performance metrics inside the workshop feed directly into industrial wage grading matrix categories:

- **141 – 150 Points (Class F - Senior Operator):** Eligible for full Merit Award and high-security deployment.
- **121 – 140 Points (Class E - Junior Lead):** Demonstrates complex diagnostic capabilities.
- **101 – 120 Points (Class D - Artisan):** Competent for standard manufacturing flow and SANS compliance.

11. Literature Delivery & Audit Review

The pedagogical foundation of this portfolio is rooted in the *Technical Integrity White Paper*. It reviews modern electrotechnical industry standards, structural frameworks for Work-Integrated Learning (WIL/WPBL), and parses employer perceptions against rigid institutional tracking systems to guarantee absolute audit readiness.

12. Conclusion & Bibliographic References

Conclusion

The Engineering Master Skill Project transforms traditional, slow TVET instruction paths into a high-speed, data-driven framework of strategic governance. It mathematically establishes that

through VBA-led credential tracking, algorithmic transparency, and rigorous SANS engineering adherence, national artisan employment targets can be safely met with complete structural integrity.

Bibliographic References

1. **SANS 10142-1:** *The Wiring of Premises - Part 1: Low-voltage installations.*
2. **SANS 10111 / ISO 128:** *Engineering Drawing Standards and Presentation Codes.*
3. **DHET (2024):** *National Technical Vocational Education and Training Capacity Mandate.*
4. **SAQA Qualification ID 110439:** *Advanced Diploma in Technical Teaching (Exit Level Outcomes).*
5. **Tshitadi Fiston, T. (2026):** *Technical Integrity White Paper: Leveraging ICT and Algorigram Logic in Modern TVET Modernization.*

Engineering Portfolio Reference Framework & Operational Core

Author: Tshingombe Fiston Tshitadi

Title: Operational Integration Engine for Electrochemical Engineering, Energy Storage Systems, and Automated RPA Workflows

Scope: This framework establishes an end-to-end operational, computational, and compliance-driven architecture. It bridges industrial electrotechnology (battery energy storage systems, fuel cells, electrolysis) with advanced digital automation (Robotic Process Automation, PID control loops, ML-Lite health analytics) inside an audit-ready, continuous professional development (CPD) portfolio environment.

Abstract

Modern electrotechnological infrastructure requires rigorous synchronization between physical asset telemetry, real-time control algorithms, safety-critical interlocking thresholds, and educational accountability pathways. This engineering portfolio implements an automated environment leveraging Visual Basic for Applications (VBA) embedded within an advanced relational spreadsheet topology.

The engine ingests multi-domain sensor arrays from hydrogen electrolysis units, fuel cell stacks, and large-scale battery banks, subjects the telemetry to a cascade of deterministic and statistical analysis routines (calculating internal resistance, corrosion rates, efficiency loops, and degradation scores), maps metrics back to a specialized skills catalog, and compiles a stakeholder-ready, audit-compliant Portfolio of Evidence (PoE) in fixed PDF formats. By integrating automated safety gates (Logigrams) with functional script actions (Algograms), the platform transforms raw industrial data streams into high-integrity, compliance-validated, and structured engineering portfolios.

Overview & System Architecture

The application is structurally isolated into an operational data hierarchy managed through exact database schemas. It operates across three core technical domains:

1. **Domain 38 (Electrochemical Engineering):** Real-time monitoring, specific energy metrics, and safety envelopes for energy generation and chemical processing.
2. **Domain 40 (Energy Storage Systems):** State-of-Charge (SOC) tracking, capacity fade degradation, internal resistance estimation, and automated thermal throttling.
3. **Domain 41 (RPA & Industrial Automation):** Folder watches, file registry scanning, parsing algorithms, and dynamic system actuation.



Key Description & Core Engineering Knowledge

To manage complex electrotechnological workflows, this framework relies on five pillars of core technical knowledge:

- **Electrochemical Thermodynamics & Kinetics:** Evaluating real-world cell voltages (Vcell) against Open Circuit Voltage (OCV) profiles to isolate polarization losses, sensor drifts, and activation overpotentials.
- **Degradation Mechanics:** Measuring capacity fade (Ah) and internal resistance scaling ($\Delta V/\Delta I$) to monitor dendritic growth, state of health (SOH), and mechanical mass loss via corrosion rates (mpy).
- **Closed-Loop Automation Architecture:** Utilizing discrete-time Proportional-Integral-Derivative (PID) algorithms to modulate current demands (Iset) while preventing dangerous excursions outside the safe operating envelope.
- **Deterministic Gate Control (Boolean Logic):** Applying strict logical intersections ($\cap$) to evidence-tracking arrays to ensure that no individual can achieve module certification or trigger active hardware control without satisfying all underlying security, prerequisite, and performance constraints.
- **Robotic Process Automation (RPA):** Decoupling file-system discovery and structured schema manipulation from external platform dependecies by compiling clean, safe native I/O streams inside the operating environment.

Problem Statement

In traditional industrial asset-management and engineering-education frameworks, a significant structural disconnect persists between raw telemetry arrays generated at the physical asset boundary and the high-level governance structures used for safety validation, predictive maintenance, and continuous engineering certification. Operational telemetry often remains trapped in unparsed, disparate text assets, while portfolio evidence processing relies heavily on vulnerable manual human inputs.

This introduces critical vulnerabilities:

- Latency in safety trips during highly dynamic operations (such as thermal runaways or transient fault spikes).
- Unauthorized progression through advanced industrial modules without verified prerequisite compliance.
- Inaccuracies in health tracking due to a complete lack of statistical variance analysis on real-time loads.

Data Analysis Framework

The engine processes real-time multidimensional data vectors from the `Telemetry` system, running mathematical analysis blocks across multiple sheets:

1. Internal Resistance Tracking (Rinternal)

Monitors internal voltage steps relative to step changes in current demand:

Rinternal =ΔIΔV

2. Mass-Loss Corrosion Dynamics (Corrosionmpy)

Calculates corrosion penetration rate in mils per year (mpy) from standardized test samples, applying an industry-standard constant:

Corrosion (mpy)=D×A×T534×W

Where W=weight loss (mg), D=density (g/cm3), A=area (in2), and T=exposure time (hours).

3. Energy Transfer Efficiency (ηFC)

Calculates energy conversion performance by cross-referencing power output against the lower heating value (LHV) of hydrogen mass consumption (m˙H2):

ηFC =m˙H2 ×LHV×1000Pout ×100%

4. Advanced ML-Lite Predictive Health Analytics

Calculates dynamic degradation scores using sliding windows (N≥100 data points) by monitoring three core variables:

- **Load Volatility Metric (sVol):** Derived from current variance (σ2) calculations:

  σ2=N∑I2 −(N∑I)2⟹sVol =max(0,100−10σ2)

- **Thermal Stress Index (sHot):** Penalizes continuous operations within a 5∘C buffer zone of the ultimate system threshold (Tmax).
- **Overcurrent Saturation Counter (sOver):** Tracks operations operating beyond 90% of absolute design bounds (Imax).

The overall asset health score is determined via a multi-criteria optimization function:

HealthScore=0.50·sVol +0.25·sHot +0.25·sOver

Operational Task Steps

1. **System Initialization (Seeding):** Establish structural constants within the global `Config` sheet (e.g., matching the author identity CurrentUser=Tshingombe Fiston Tshitadi, configuring the primary directories, setting safety limits like MaxCell_V=4.2, and tuning PID parameters).
2. **Automated Directory Sweep (RPA Scan):** Execute the folder scanner over target subdirectories to automatically register raw, incoming `.csv` telemetry assets into the `RPA_Inbox` sheet.

3. **Telemetry Ingestion Execution:** Parse the registered data files using low-level I/O lines. This distributes timestamps, system designations, current indices, thermal readings, and cell voltages directly into the relational `Telemetry` matrix.
4. **Safety Interlocking & Throttling Evaluation:** Evaluate incoming data packets against the global safety envelope via the `SafetyOK` function. If a violation occurs, trigger a protective hardware shutdown event and log a high-priority incident alert.
5. **Analytics Execution:** Process the running data windows through the specialized analytics routines to populate the `Metrics` matrix with the latest calculated KPIs.
6. **Predictive Maintenance Health Scoring:** Run statistical evaluation loops over the stored historical records to update operational safety values. If a performance score falls below critical thresholds (HealthAlarmScore), automatically issue system-wide maintenance alerts and halt dangerous processes.
7. **Compliance Gate Validation:** Evaluate student records against active constraints prior to certification or administrative sign-off. This checks that all module prerequisites are complete, required evidence entries are present, and all structural files have been verified.
8. **Dynamic Document Compilation:** Assemble relevant lines from the evidence registers, calculated engineering KPIs, and examination sheets into a dedicated output workspace. Finally, print the verified summary down to a structured, audit-ready PDF document.

Logigram Gates (Process Workflow Architecture)




Safety Check: Telemetry in Safe Bounds?
LOG EVENT: "Gate Denied" Reason: Evidence Missing
YES
NO
[TERMINATE FLOW]
Health Gate: Current Score >= Alarm?
LOG EVENT: "Gate Denied" Reason: Safety Envelope Breached / Trip Activated
[TERMINATE FLOW]
YES
NO
GRANT ACCESS Log Event: "Granted"
LOG EVENT: "Gate Denied" Reason: Critical Asset Degradation Registered
[PROCEED TO TASK]
[TERMINATE FLOW]

Algorigram Flows (Functional Logic Routing)

1. Ingest & Asset Analytics Cycle

```
For Each Registered Unparsed File in RPA_Inbox:
    Open File Stream via Native Low-Level Handler
    Do While Not End-Of-File (EOF):
        Line Input -> Split Line Fields via Delimiter (",")
        Target Row = Find Next Empty Row in Telemetry Sheet
        Write Parsed Telemetry Data Fields into Sheet Structure
    End Loop
    Close File Stream
    Set Status Field = TRUE & Write Final Row Count

    Call SafetyOK(V_cell, V_stack, I_cell, Temp_C)
    If SafetyOK == FALSE Then
        Call LogEvent("Safety", "Breach", AssetID, CurrentValues)
        Call TripActuators(AssetID)
        Exit Sub
    End If

    Call RunCalculations(AssetID) -> Populate Metrics Matrix
Next File Entry
```

2. Closed-Loop Throttling Control Loop (PID Emulation)

```
Read System Target Vector (TargetSOC_pct)
Read Current Operational Metric Value (CurrentSOC_pct)
Error Signal (err) = TargetValue - CurrentValue
```

```
Calculate Time Delta (dt_s) Since Last Execution Loop
Proportional Term = PID_Kp * err
Integral Accumulator = IntegralAccumulator + (err * dt_s)
Derivative Rate = (err - PreviousErrorValue) / dt_s

CalculatedOutput = Proportional + (PID_Ki * IntegralAccumulator) + (PID_Kd *
DerivativeRate)
PreviousErrorValue = err

Clamp Control Signal:
If CalculatedOutput > MaxCurrent_A Then CalculatedOutput = MaxCurrent_A
If CalculatedOutput < -MaxCurrent_A Then CalculatedOutput = -MaxCurrent_A

Write Control Output Field into Active System Registry
```

Complete Production VBA Source Code

This unified, clean, option-explicit production script contains the full logic engine for managing database updates, evaluating safety limits, tracking performance metrics, parsing incoming files, and generating the dynamic portfolio summary:

VBA

```
Option Explicit

' ========================================
' CORE UTILITIES & SHEET ABSTRACTION LAYER
' ========================================

Function WS(name As String) As Worksheet
    Set WS = ThisWorkbook.Worksheets(name)
End Function

Function Cfg(key As String, Optional defVal As Variant = "") As Variant
    Dim r As Range
    Set r = WS("Config").Columns(1).Find(key, , xlValues, xlWhole)
    If r Is Nothing Then
        Cfg = defVal
    Else
        Cfg = IIf(IsEmpty(r.Offset(0, 1)), defVal, r.Offset(0, 1))
    End If
End Function

Function NowStamp() As String
    NowStamp = Format(Now, "yyyy-mm-dd hh:nn:ss")
End Function

Sub LogEvent(topic As String, evt As String, Optional k1 As String = "",
Optional k2 As String = "", Optional notes As String = "")
    Dim w As Worksheet: Set w = WS("Events")
    Dim r As Long: r = w.Cells(w.Rows.Count, 1).End(xlUp).Row + 1
    w.Cells(r, 1).Value = NowStamp()
    w.Cells(r, 2).Value = Cfg("CurrentUser", "User")
    w.Cells(r, 3).Value = topic
```

```
    w.Cells(r, 4).Value = evt
    w.Cells(r, 5).Value = k1
    w.Cells(r, 6).Value = k2
    w.Cells(r, 7).Value = notes
End Sub

Sub LogMetric(topic As String, metric As String, val As Double, unitStr As
String)
    Dim w As Worksheet: Set w = WS("Metrics")
    Dim r As Long: r = w.Cells(w.Rows.Count, 1).End(xlUp).Row + 1
    w.Cells(r, 1).Value = topic
    w.Cells(r, 2).Value = metric
    w.Cells(r, 3).Value = val
    w.Cells(r, 4).Value = unitStr
    w.Cells(r, 5).Value = NowStamp()
End Sub

Sub LogEvidence(activityID As String, learnerID As String, typ As String, uri
As String, Optional verified As Boolean = False, Optional verifier As String
= "", Optional notes As String = "")
    Dim ev As Worksheet: Set ev = WS("Evidence")
    Dim r As Long: r = ev.Cells(ev.Rows.Count, 1).End(xlUp).Row + 1
    ev.Cells(r, 1).Value = "E" & Format(Now, "yymmddhhnnss")
    ev.Cells(r, 2).Value = activityID
    ev.Cells(r, 3).Value = learnerID
    ev.Cells(r, 4).Value = typ
    ev.Cells(r, 5).Value = uri
    ev.Cells(r, 6).Value = NowStamp()
    ev.Cells(r, 7).Value = verified
    ev.Cells(r, 8).Value = verifier
    ev.Cells(r, 9).Value = notes
End Sub

' ========================================
' LOGIGRAM GATES & VALIDATION ROUTINES
' ========================================

Function PassedModule(learnerID As String, moduleID As String) As Boolean
    Dim a As Worksheet: Set a = WS("Assessments")
    Dim i As Long, passPct As Double: passPct = CDbl(Cfg("PassMark_pct", 60))
    For i = 2 To a.Cells(a.Rows.Count, 1).End(xlUp).Row
        If a.Cells(i, 2).Value = moduleID And a.Cells(i, 3).Value = learnerID
Then
            If a.Cells(i, 5).Value > 0 Then
                If (a.Cells(i, 4).Value / a.Cells(i, 5).Value) * 100# >=
passPct Then
                    PassedModule = True
                    Exit Function
                End If
            End If
        End If
    Next i
End Function

Function PrereqsMet(learnerID As String, moduleID As String) As Boolean
    Dim m As Worksheet: Set m = WS("Modules")
    Dim r As Range: Set r = m.Columns(1).Find(moduleID, , xlValues, xlWhole)
```

```
    If r Is Nothing Then Exit Function
    Dim csv As String: csv = CStr(r.Offset(0, 4).Value)
    If Len(Trim(csv)) = 0 Then
        PrereqsMet = True
        Exit Function
    End If
    Dim arr() As String: arr = Split(csv, ",")
    Dim i As Long
    For i = LBound(arr) To UBound(arr)
        If Not PassedModule(learnerID, Trim(arr(i))) Then
            PrereqsMet = False
            Exit Function
        End If
    Next i
    PrereqsMet = True
End Function

Function RequiredActivitiesHaveEvidence(moduleID As String, learnerID As
String) As Boolean
    Dim act As Worksheet: Set act = WS("Activities")
    Dim ev As Worksheet: Set ev = WS("Evidence")
    Dim need As Long, have As Long, i As Long, j As Long
    For i = 2 To act.Cells(act.Rows.Count, 1).End(xlUp).Row
        If act.Cells(i, 2).Value = moduleID And CBool(act.Cells(i, 6).Value)
Then
            |     need = need + 1
            For j = 2 To ev.Cells(ev.Rows.Count, 1).End(xlUp).Row
                If ev.Cells(j, 2).Value = act.Cells(i, 1).Value And
ev.Cells(j, 3).Value = learnerID And CBool(ev.Cells(j, 7).Value) Then
                    have = have + 1
                    Exit For
                End If
            Next j
        End If
    Next i
    RequiredActivitiesHaveEvidence = (need = have) And (need > 0)
End Function

Function GateModule(learnerID As String, moduleID As String) As Boolean
    Dim m As Worksheet: Set m = WS("Modules")
    Dim r As Range: Set r = m.Columns(1).Find(moduleID, , xlValues, xlWhole)
    If r Is Nothing Then
        LogEvent "Gate", "Error", learnerID, moduleID, "Module not found"
        Exit Function
    End If
    If Not CBool(r.Offset(0, 5).Value) Then ' Column 6: Enabled Flag
        LogEvent "Gate", "Denied", learnerID, moduleID, "Module disabled"
        Exit Function
    End If
    If Not PrereqsMet(learnerID, moduleID) Then
        LogEvent "Gate", "Denied", learnerID, moduleID, "Prereqs unmet"
        Exit Function
    End If
    If Not RequiredActivitiesHaveEvidence(moduleID, learnerID) Then
        LogEvent "Gate", "Denied", learnerID, moduleID, "Required evidence
missing"
        Exit Function
```

```
    End If
    LogEvent "Gate", "Granted", learnerID, moduleID, ""
    GateModule = True
End Function

' ========================================
' SAFETY SYSTEM & MATH CONTROLS
' ========================================

Function SafetyOK(V_cell As Double, V_stack As Double, I_cell As Double, T_C
As Double) As Boolean
    SafetyOK = (V_cell <= CDbl(Cfg("MaxCell_V", 4.2))) _
        And (V_stack <= CDbl(Cfg("MaxStack_V", 100))) _
        And (Abs(I_cell) <= CDbl(Cfg("MaxCurrent_A", 100))) _
        And (T_C <= CDbl(Cfg("MaxTemp_C", 50)))
End Function

Function StackVoltage(sys As String, stackID As Variant) As Double
    Dim t As Worksheet: Set t = WS("Telemetry")
    Dim last As Long: last = t.Cells(t.Rows.Count, 1).End(xlUp).Row
    Dim i As Long, sumv As Double
    For i = last To 2 Step -1
        If t.Cells(i, 2).Value = sys And t.Cells(i, 4).Value = stackID Then
            sumv = sumv + Val(t.Cells(i, 5).Value)
        End If
    Next i
    StackVoltage = sumv
End Function

Private prevErr As Double, integ As Double
Function PID_Iset(err As Double, dt_s As Double) As Double
    Dim Kp As Double: Kp = CDbl(Cfg("PID_Kp", 0.8))
    Dim Ki As Double: Ki = CDbl(Cfg("PID_Ki", 0.1))
    Dim Kd As Double: Kd = CDbl(Cfg("PID_Kd", 0.05))
    If dt_s <= 0 Then dt_s = 1.0
    integ = integ + err * dt_s
    Dim deriv As Double: deriv = (err - prevErr) / dt_s
    PID_Iset = Kp * err + Ki * integ + Kd * deriv
    prevErr = err
End Function

' ========================================
' ALGORIGRAM ANALYTICS LAYER (KPI ENGINES)
' ========================================

Function R_internal_ohm(dV As Double, dI As Double) As Double
    If dI = 0 Then R_internal_ohm = 0 Else R_internal_ohm = Abs(dV / dI)
End Function

Function CapacityFade_pct(cap_meas_Ah As Double, cap_nom_Ah As Double) As
Double
    If cap_nom_Ah = 0 Then CapacityFade_pct = 0 Else CapacityFade_pct = 100#
* (1# - cap_meas_Ah / cap_nom_Ah)
End Function

Function FuelCellEff_pct(P_out_W As Double, mH2_kg_s As Double, LHV_kJ_kg As
Double) As Double
```

```
    If mH2_kg_s <= 0 Then FuelCellEff_pct = 0 Else FuelCellEff_pct = 100# *
(P_out_W / (mH2_kg_s * LHV_kJ_kg * 1000#))
End Function

Function Corrosion_mpy(W_mg As Double, D_g_cm3 As Double, A_in2 As Double,
T_h As Double) As Double
    If D_g_cm3 * A_in2 * T_h = 0 Then Corrosion_mpy = 0 Else Corrosion_mpy =
534# * W_mg / (D_g_cm3 * A_in2 * T_h)
End Function

Function SensorDrift_pct(val_now As Double, val_ref As Double) As Double
    If val_ref = 0 Then SensorDrift_pct = 0 Else SensorDrift_pct = 100# *
(val_now - val_ref) / val_ref
End Function

Function Electrolysis_kWh_per_kg(E_kWh As Double, mH2_kg As Double) As Double
    If mH2_kg = 0 Then Electrolysis_kWh_per_kg = 0 Else
Electrolysis_kWh_per_kg = E_kWh / mH2_kg
End Function

' ========================================
' MACHINE LEARNING-LITE PREDICTIVE MAINTENANCE
' ========================================

Sub UpdateHealthScores()
    Dim t As Worksheet: Set t = WS("Telemetry")
    Dim last As Long: last = t.Cells(t.Rows.Count, 1).End(xlUp).Row
    If last < 5 Then Exit Sub

    Dim ids As Object: Set ids = CreateObject("Scripting.Dictionary")
    Dim i As Long, assetKey As String
    For i = 2 To last
        assetKey = CStr(t.Cells(i, 3).Value)
        If AssetKey <> "" Then
            If Not ids.exists(assetKey) Then ids.Add assetKey, 1
        End If
    Next i

    Dim k As Variant, score As Double, warn As Double, alarm As Double
    warn = CDbl(Cfg("HealthWarnScore", 60))
    alarm = CDbl(Cfg("HealthAlarmScore", 40))

    For Each k In ids.Keys
        score = HealthScoreForAsset(CStr(k), 100)
        LogMetric "Health", "Score_" & k, score, "score"
        If score < alarm Then
            LogEvent "Health", "Alarm", CStr(k), "", "Score=" & score
            LogEvidence "PM_Alert", CStr(k), "Log", "Alarm Critical Trigger:
" & score, False, "SystemEngine", "Auto"
        ElseIf score < warn Then
            LogEvent "Health", "Warning", CStr(k), "", "Score=" & score
        End If
    Next k
End Sub

Function HealthScoreForAsset(assetID As String, windowN As Long) As Double
    Dim t As Worksheet: Set t = WS("Telemetry")
```

```
    Dim last As Long: last = t.Cells(t.Rows.Count, 1).End(xlUp).Row
    Dim i As Long, n As Long, sumI As Double, sumI2 As Double, hot As Long,
overI As Long
    Dim Imax As Double: Imax = CDbl(Cfg("MaxCurrent_A", 100))
    Dim Tmax As Double: Tmax = CDbl(Cfg("MaxTemp_C", 50))

    For i = last To 2 Step -1
        If CStr(t.Cells(i, 3).Value) = assetID Then
            Dim currentVal As Double: currentVal = CDbl(t.Cells(i, 6).Value)
            Dim tempVal As Double: tempVal = CDbl(t.Cells(i, 7).Value)
            sumI = sumI + currentVal
            sumI2 = sumI2 + currentVal * currentVal
            If tempVal > (Tmax - 5#) Then hot = hot + 1
            If Abs(currentVal) > 0.9 * Imax Then overI = overI + 1
            n = n + 1
            If n >= windowN Then Exit For
        End If
    Next i

    If n = 0 Then
        HealthScoreForAsset = 100#
        Exit Function
    End If

    Dim meanI As Double: meanI = sumI / n
    Dim varI As Double: varI = Application.Max(0, (sumI2 / n) - meanI ^ 2)
    Dim volI As Double: volI = Sqr(varI)

    Dim sVol As Double: sVol = Application.Max(0, 100# - 10# * volI)
    Dim sHot As Double: sHot = Application.Max(0, 100# - 5# * hot)
    Dim sOver As Double: sOver = Application.Max(0, 100# - 10# * overI)

    HealthScoreForAsset = Round(0.5 * sVol + 0.25 * sHot + 0.25 * sOver, 1)
End Function

' ========================================
' AUTOMATED INDUSTRIAL RPA INGEST ENGINE
' ========================================

Sub RPA_ScanAndRegister()
    Dim folder As String: folder = CStr(Cfg("EvidenceDir", ThisWorkbook.Path))
& "\inbox"
    Dim fso As Object: Set fso = CreateObject("Scripting.FileSystemObject")
    If Not fso.FolderExists(folder) Then fso.CreateFolder folder
    Dim w As Worksheet: Set w = WS("RPA_Inbox")
    Dim f As Object
    For Each f In fso.GetFolder(folder).Files
        If LCase(fso.GetExtensionName(f)) = "csv" Then
            If w.Columns(1).Find(f.Name, , xlValues, xlWhole) Is Nothing Then
                Dim r As Long: r = w.Cells(w.Rows.Count, 1).End(xlUp).Row + 1
                w.Cells(r, 1).Value = f.Name
                w.Cells(r, 2).Value = NowStamp()
                w.Cells(r, 3).Value = False
                w.Cells(r, 4).Value = 0
                w.Cells(r, 5).Value = f.Path
                LogEvent "RPA", "Registered", f.Name, "", f.Path
            End If
```

```
        End If
    Next f
End Sub

Sub RPA_ProcessInbox()
    Dim ib As Worksheet: Set ib = WS("RPA_Inbox")
    Dim last As Long: last = ib.Cells(ib.Rows.Count, 1).End(xlUp).Row
    Dim i As Long
    For i = 2 To last
        If Not CBool(ib.Cells(i, 3).Value) Then
            Dim importedRows As Long: importedRows =
ImportTelemetryCSV(CStr(ib.Cells(i, 5).Value))
            ib.Cells(i, 3).Value = True
            ib.Cells(i, 4).Value = importedRows
            LogEvent "RPA", "Imported", ib.Cells(i, 1).Value, "Rows=" &
importedRows, ""
        End If
    Next i
End Sub

Function ImportTelemetryCSV(fpath As String) As Long
    Dim ts As Integer: ts = FreeFile
    On Error GoTo EH
    Open fpath For Input As #ts
    Dim lineStr As String, cnt As Long
    Dim t As Worksheet: Set t = WS("Telemetry")
    Do While Not EOF(ts)
        Line Input #ts, lineStr
        If InStr(lineStr, ",") > 0 Then
            Dim a() As String: a = Split(lineStr, ",")
            If UBound(a) >= 9 Then
                Dim r As Long: r = t.Cells(t.Rows.Count, 1).End(xlUp).Row + 1
                t.Cells(r, 1).Value = a(0) ' Timestamp
                t.Cells(r, 2).Value = a(1) ' System
                t.Cells(r, 3).Value = a(2) ' AssetID
                t.Cells(r, 4).Value = a(3) ' StackID
                t.Cells(r, 5).Value = CDbl(a(4)) ' V_cell
                t.Cells(r, 6).Value = CDbl(a(5)) ' I_cell
                t.Cells(r, 7).Value = CDbl(a(6)) ' Temp_C
                t.Cells(r, 8).Value = CDbl(a(7)) ' SOC_pct
                t.Cells(r, 9).Value = a(8)       ' Mode
                t.Cells(r, 10).Value = CDbl(a(9)) ' OCV_V
                cnt = cnt + 1
            End If
        End If
    Loop
    Close #ts
    ImportTelemetryCSV = cnt
    Exit Function
EH:
    Close #ts
    LogEvent "RPA", "ImportError", fpath, CStr(Err.Number), Err.Description
    ImportTelemetryCSV = 0
End Function

' ========================================
' THEMATIC MODULE RUNNERS
```

```
' ========================================

Sub Run_38_Battery_KPIs(assetID As String, cap_meas_Ah As Double, cap_nom_Ah
As Double, dV As Double, dI As Double)
    Dim Rint As Double: Rint = R_internal_ohm(dV, dI)
    Dim fade As Double: fade = CapacityFade_pct(cap_meas_Ah, cap_nom_Ah)
    LogMetric "38.4", "Rint_ohm_" & assetID, Rint, "Ohm"
    LogMetric "38.4", "CapacityFade_pct_" & assetID, fade, "%"
End Sub

Sub Run_38_FuelCell_KPIs(stackID As String, P_out_W As Double, mH2_kg_s As
Double, Optional LHV_kJ_kg As Double = 120000)
    Dim eff As Double: eff = FuelCellEff_pct(P_out_W, mH2_kg_s, LHV_kJ_kg)
    LogMetric "38.5", "Efficiency_pct_" & stackID, eff, "%"
End Sub

Sub Run_38_Corrosion_KPIs(sampleID As String, W_mg As Double, D As Double,
A_in2 As Double, T_h As Double)
    Dim mpy As Double: mpy = Corrosion_mpy(W_mg, D, A_in2, T_h)
    LogMetric "38.6", "Corrosion_mpy_" & sampleID, mpy, "mpy"
End Sub

' ========================================
' AUDIT REPORT EXPORTER & COMPILED DELIVERY
' ========================================

Sub ExportPortfolio(learnerID As String)
    On Error Resume Next
    Application.DisplayAlerts = False
    ThisWorkbook.Worksheets("Portfolio").Delete
    Application.DisplayAlerts = True
    On Error GoTo 0

    Dim wr As Worksheet: Set wr = ThisWorkbook.Worksheets.Add
    wr.Name = "Portfolio"
    Dim r As Long: r = 1

    wr.Cells(r, 1).Value = "Electrochemical Engineering & Energy Storage
Portfolio Engine"
    wr.Cells(r, 1).Font.Bold = True
    wr.Cells(r, 1).Font.Size = 14
    r = r + 2

    wr.Cells(r, 1).Value = "Learner Validation ID:"
    wr.Cells(r, 2).Value = learnerID
    wr.Cells(r, 2).Font.Bold = True
    r = r + 2

    r = CopySection(wr, r, "1. VERIFIED COMPLIANCE EVIDENCE LOGS",
WS("Evidence"), 3, learnerID)
    r = CopySection(wr, r, "2. MODULE COMPETENCY ASSESSMENTS",
WS("Assessments"), 3, learnerID)
    r = CopySection(wr, r, "3. COMPUTED ANALYTICS METRICS - ENVELOPE 38.X",
WS("Metrics"), 1, "38.")
    r = CopySection(wr, r, "4. COMPUTED ANALYTICS METRICS - ENVELOPE 40.X",
WS("Metrics"), 1, "40.")
```

```
    r = CopySection(wr, r, "5. AUTOMATION ACTIONS REGISTER - RPA MODULE 41.X",
WS("Metrics"), 1, "Health")

    wr.Columns.AutoFit

    Dim targetFile As String
    targetFile = CStr(Cfg("EvidenceDir", ThisWorkbook.Path)) &
"\PoE_Report_Framework_" & learnerID & ".pdf"

    On Error GoTo PDF_Error
    wr.ExportAsFixedFormat xlTypePDF, targetFile
    LogEvent "Portfolio", "Exported", learnerID, "", targetFile
    MsgBox "Compliance Portfolio Compiled Successfully: " & targetFile,
vbInformation
    Exit Sub

PDF_Error:
    LogEvent "Portfolio", "ExportError", learnerID, CStr(Err.Number),
Err.Description
    MsgBox "PDF Generation Failed. Verify Directory Path & Access
Permissions.", vbCritical
End Sub

Function CopySection(dst As Worksheet, startRow As Long, title As String, src
As Worksheet, matchCol As Integer, key As String) As Long
    dst.Cells(startRow, 1).Value = title
    dst.Cells(startRow, 1).Font.Bold = True
    Dim r As Long: r = startRow + 1
    Dim rng As Range: Set rng = src.Range("A1").CurrentRegion
    Dim i As Long, headerCopied As Boolean

    For i = 2 To rng.Rows.Count
        If InStr(1, CStr(rng.Cells(i, matchCol).Value), key, vbTextCompare) >
0 Then
            If Not headerCopied Then
                rng.Rows(1).Copy dst.Cells(r, 1)
                dst.Rows(r).Font.Bold = True
                r = r + 1
                headerCopied = True
            End If
            rng.Rows(i).Copy dst.Cells(r, 1)
            r = r + 1
        End If
    Next i
    CopySection = r + 1
End Function
```

Management Information System (MIS) Dashboard Integration

To view system performance, the underlying database schemas map directly to a layout template:

```
+-------------------------------------------------------------------------
-------------+
|                  ELECTROTECHNOLOGY SYSTEMS CONTROL & PORTFOLIO ENGINE
|
```

```
|-------------------------------------------------------------------------------
-------------|
|  OPERATOR: Tshingombe Fiston Tshitadi           |  SYSTEM STATUS: AUTOMATED
INGEST ALIVE|
|  TARGET DIRECTORY: C:\Evidence                  |  GLOBAL CRUCIAL LIMIT: 25
kA / 4.2 V  |
+-------------------------------------------------------------------------------
-------------+
| [SAFETY GATES]              | [HEALTH MONITORING]          | [COMPLIANCE
METRICS]       |
| V_cell Interlock:  [ OK ]   | Asset Pack01 Health: [ 94% ] | Verified
Artifacts:   [ 08]|
| Stack Overvoltage: [ OK ]   | Asset StackA Health: [ 82% ] | Prerequisite
Status:  [PASS]|
| Current Throttling:[ OK ]   | Corrosion Trend:    [ WARN ] | Minimum
Requirement:  [ OK ]|
+-------------------------------------------------------------------------------
-------------+
| [CORE ANALYTICS EXECUTIVE OVERVIEW]
|
|  Topic      | Metric Name             | Live Value  | Target Unit  | Latest
Timestamp   |
|  -----------+-------------------------+-------------+--------------+-------
-------------|
|  38.4       | Rint_ohm_Pack01         | 0.024       | Ohm          | 2026-
05-26 15:07   |
|  38.5       | Efficiency_pct_StackA   | 88.42       | %            | 2026-
05-26 15:07   |
|  38.6       | Corrosion_mpy_Samp1     | 4.12        | mpy          | 2026-
05-26 15:04   |
|  Health     | Score_Pack01            | 94.1        | Score        | 2026-
05-26 15:07   |
+-------------------------------------------------------------------------------
-------------+
| [RPA FILE MONITORING INGEST GATEWAY]
|
|  File Identifier        | Ingest Timestamp   | Status Flag | Rows Imported
| Path       |
|  ----------------------+--------------------+-------------+---------------
+------------|
|  Telemetry_Log_A.csv    | 2026-05-26 15:01   | TRUE        | 1420
| ...\inbox  |
|  Telemetry_Log_B.csv    | 2026-05-26 15:06   | TRUE        | 890
| ...\inbox  |
+-------------------------------------------------------------------------------
-------------+
```

Verification Investigation & Field Testing Delivery

To test the system's compliance and safety triggers, configure the initial sheets using this structure:

1. Config Sheet Seeding Profile

Key	Value

Key	Value
CurrentUser	Tshingombe Fiston Tshitadi
EvidenceDir	C:\Evidence
PassMark_pct	60
MinArtifacts	6
MaxCell_V	4.2
MaxStack_V	100
MaxTemp_C	50
MaxCurrent_A	100

2. Experimental Verification Scenario Run

VBA

```
Sub ExecuteVerificationAudit()
    ' Step 1: Scan for incoming asset logs
    Call RPA_ScanAndRegister

    ' Step 2: Ingest data packets into telemetry matrices
    Call RPA_ProcessInbox

    ' Step 3: Run electrochemical and performance calculations
    Call Run_38_Battery_KPIs("Pack01", 88, 100, 0.08, 4)
    Call Run_38_FuelCell_KPIs("StackA", 6200, 0.00004, 120000)
    Call Run_38_Corrosion_KPIs("Samp1", 110, 7.85, 1.2, 168)
    Call Run_38_Electrolysis_KPIs("ELX-100", 410, 9.2)

    ' Step 4: Run degradation analysis and check safety margins
    Call UpdateHealthScores

    ' Step 5: Validate candidate requirements and export the portfolio
    Call ExportPortfolio("Learner01")
End Sub
```

Electrical Systems Schematic Drawing Framework

1. Battery System Integration & Monitoring (Domain 40.x)





2. Closed-Loop Hydrogen Fuel Cell Process Layout (Domain 38.x)



Literature Review

The development of this integrated architecture draws on key research across industrial automation and power grid management:

1. **"Experience of Rural Load Segregation Schemes in States" (The World Bank):** Highlights structural control methods for electrical distribution. It underlines the importance of maintaining strict compliance constraints when isolating faults across multi-tiered grid layouts.
2. **"Unequal Access: Gaps Between Rural and Urban Electricity Supply" (EPIC India):** Quantifies reliability issues within extended utility configurations. This study frames the operational need for local predictive monitoring loops (HealthScore) to maximize asset lifespan during periods of erratic supply quality.

3. **"The Impact of Electricity and Gas Load-Shedding on Social Capital" (Waheed et al.):** Documents the wider socio-economic impacts of infrastructure damage. It provides a strong justification for embedding automated self-healing behaviors and remote automation processes (such as native RPA) into localized industrial installations.
4. **"Lecturers' Professional Occupational Competences Development at Selected Public TVET Colleges in Gauteng Province" (Maluka & Mulaudzi, 2024):** Explores professional skills development within contemporary technical training institutions. This research highlights the administrative value of replacing vulnerable manual tracking approaches with tamper-resistant, programmatic compliance verification frameworks.

Advantages & Disadvantages Analysis

Advantages

- **Unified Architectural Data Path:** Eliminates communication silos by connecting high-level educational milestones directly to active equipment sensors.
- **Deterministic Risk Management:** Employs low-latency execution gates to block high-power hardware actuation if safety margins are compromised or required training steps are missing.
- **Lightweight Asset Profiling:** Runs standard statistical metrics locally inside the sheet engine, bypassing the need for complex database integrations or costly enterprise cloud tools.
- **Uncompressed Document Logging:** Auto-compiles portfolio layouts directly into high-fidelity PDF formats to ensure effortless administrative audits.

Disadvantages

- **Single-Threaded Limitations:** Processing large real-time data sets (N>50,000 telemetry records) can cause interface latency due to VBA's single-threaded nature.
- **File System Dependency:** Relies on standardized local file paths (`C:\Evidence`), which requires careful directory access adjustments if deployed onto cross-platform cloud operating systems.
- **Basic Anomaly Detection Model:** The predictive scoring framework uses a linear multi-criteria index, which may require manual tuning if applied to assets with non-linear degradation profiles.

Structural Inventory & Catalog Checklist

Before launching the system framework, confirm that every workbook worksheet matches these structural header definitions exactly:

```
[ ] Config          --> Required Fields: Key, Value
[ ] Modules         --> Required Fields: ModuleID, Title, Domain, Credits,
Prereqs, Enabled
[ ] Activities      --> Required Fields: ActivityID, ModuleID, Type, Hours,
Deliverable, Required
```

```
[ ] Evidence          --> Required Fields: EvidenceID, ActivityID, LearnerID,
Type, URI_or_Path, Timestamp, Verified, Verifier, Notes
[ ] Assessments       --> Required Fields: AssessmentID, ModuleID, LearnerID,
Score, MaxScore, Passed, Date
[ ] Metrics           --> Required Fields: Topic, Metric, Value, Unit,
Timestamp
[ ] Events            --> Required Fields: Timestamp, User, Topic, EventType,
K1, K2, Notes
[ ] Telemetry         --> Required Fields: Timestamp, System, AssetID, StackID,
V_cell, I_cell, Temp_C, SOC_pct, Mode, OCV_V
[ ] RPA_Inbox         --> Required Fields: FileName, ReceivedAt, Parsed,
RowsImported, Path
[ ] Portfolio         --> Auto-generated by execution macros
```

Conclusion & Comprehensive Bibliography

This framework demonstrates that advanced engineering education portfolios can be successfully paired with automated industrial analysis networks. By implementing logical validation gates and native folder tracking scripts, the platform converts unstable manual tracking tasks into an objective, evidence-based compliance process. This protective layer ensures that certifications are issued and equipment is activated only when all prerequisite metrics, training requirements, and safety milestones are completely satisfied.

- **EPIC India.** (2020). *Unequal Access: Gaps Between Rural and Urban Electricity Supply*. Energy Policy Institute at the University of Chicago.
- **Maluka, M. D., & Mulaudzi, M. C.** (2024). *Lecturers' Professional Occupational Competences Development at Selected Public TVET Colleges in Gauteng Province*. Journal of Vocational Education and Work-Based Learning, 6(1), 45-62.
- **The World Bank.** (2019). *Experience of Rural Load Segregation Schemes in States: Operational Insights and Grid Resiliency*. World Bank Energy Sector Board Research Paper Series, No. 412.
- **Waheed, A., et al.** (2022). *The Impact of Electricity and Gas Load-Shedding on Social Capital: Empirical Evidence from Pakistan*. International Journal of Research in Humanities and Social Studies, 5(12), 36-50.

Table of Contents

Technical Research Framework 4

1. Scope & Abstract 4
2. Overview & Key Description 4
3. Problem Statement & Data Analysis 4
4. Operational Task Steps 4
5. System Architecture: Logigram & Algorigram (VBA) 5
6. Investigation & Discovery 5

7. Design, Schematic, & Build Architecture 5
8. Advantages & Disadvantages 5
9. Conclusion & Bibliography 5
Comprehensive Engineering Compendium & Automated Workflow Portfolio 6
1. Executive Metadata & Abstract 6
Abstract 6
2. Theoretical Overview & System Architecture 6
Domain Mapping & Core Architecture 7
3. Comprehensive Problem Statement & Engineering Gaps 7
4. Analytical Foundations & Mathematical Formulas 7
Heavy Power Design & Balancing 7
Fault Diagnostics & Localization Loops 8
Advanced Electrochemical Engine KPIs 8
5. System Schema & Data Ingestion Inventory 8
Worksheet Structural Blueprints 8
6. Comprehensive Field Data Seeding 9
1. Config Sheet 9
2. Activities Sheet 10
7. Operational Task Steps (Field Engineering Deployment) 10
8. Consolidated VBA Core Engine 10
9. Comprehensive System Audit Trail 16
Verification Signatures 16
10. Engineering Analysis: System Advantages & Disadvantages 16
Advantages 16
Disadvantages 16
11. Reference Literature & Comprehensive Bibliography 16
THE INTEGRATED MASTER SKILL PROJECT (2022–2026) 17
1. Title & Abstract 17
2. Scope & Overview 17
3. Key Description & Problem Statement 17
4. Investigation & Data Analysis 18
5. Management Information System (MIS) 18
6. Operational Task Steps (Implementation) 18

7. Logigram & Algorigram Logic (VBA Control Flow) 18
VBA Automation Snippet 19
8. Build Architecture & Design Schematics 19
9. Critical Evaluation (Advantages vs. Disadvantages) 20
10. Inventory & Fleet/Asset Management Tableaus 20
11. Literature Delivery & Audit Review 20
12. Conclusion & Bibliographic References 20
Conclusion 20
Engineering Portfolio Reference Framework & Operational Core 21
Abstract 21
Overview & System Architecture 21
Key Description & Core Engineering Knowledge 22
Problem Statement 23
Data Analysis Framework 23
Operational Task Steps 24
Logigram Gates (Process Workflow Architecture) 25
Algorigram Flows (Functional Logic Routing) 26
Complete Production VBA Source Code 27
Management Information System (MIS) Dashboard Integration 35
Verification Investigation & Field Testing Delivery 36
Electrical Systems Schematic Drawing Framework 37
Literature Review 38
Advantages & Disadvantages Analysis 39
Structural Inventory & Catalog Checklist 39
Conclusion & Comprehensive Bibliography 40
⚙ Amplifier Function 50
🎚 Gain Control 50
🔍 Integration in Your Framework 51
🎛 Purpose of Filtering 51
🔍 Filter Types 51
⚙ Implementation 52
⚙ Comparator Function 52

🔍 **How It Works** 52
📐 **Applications in Your Framework** 52
⚡ **Relay Function** 53
🛡 **Protection Mechanisms** 53
🔍 **Role in Your Framework** 53
🎛 **Control Functions** 54
📱 **Interface Functions** 54
🔍 **Role in Your Framework** 54
🎛 **Dashboard Storyboard Layers** 54
💠 **Integration Flow** 55
📱 **Dashboard Frame Elements** 55
🔍 **Flow Integration** 55
📱 **Core Dashboard Zones** 56
🔍 **Flow Integration** 56
📱 **Core Functions** 57
🔌 **Technical Integration** 57
🎹 **Role in Your Framework** 58
🔑 **Key Elements in the Screen Short** 58
🏷 **Labels** 58
➖ **Text Fields (TextBox)** 59
🔍 **Example** 59
🎯 **Purpose** 59
⚙ **Key Properties** 60
💠 **Usage Example** 60
🔍 **Role in Your Dashboard** 60
🕶 **Purpose of a Linked Repository** 60
⚙ **Technical Integration** 61
💠 **Example Code Snippet** 61
🎹 **Role in Your Framework** 61
🕶 **Flow Stages** 62
🎹 **Integration Example** 62

Caption Layers 64
Visual Flow 64
Core Layout Components 64
Functional Flow 65
Visual Layout Example 65
Capture learner information 66
Validate repository linkage 66
Generate QR validation 66
Issue bilingual certificate 66
Send email notification 66
Log audit trail 66
Capture learner information 67
Validate repository linkage 67
Generate QR validation 67
Issue bilingual certificate 67
Send email notification 67
Log audit trail 67
Capture learner information 68
Validate repository linkage 68
Generate QR validation 68
Issue bilingual certificate 68
Send email notification 68
Log audit trail 68
Capture learner details 69
Select repository 69
Validate inputs 69
Generate certificate 69
Preview and export 69
Send email notification 69
Log audit trail 69
Enter learner details 70
Save to repository 70
Generate QR validation 70

Preview certificate 70
Export and notify 70
Enter learner details 71
Select repository 71
Validate with QR code 71
Trigger email notification 71
Log audit trail 71
Export certificate 71
Capture learner information 72
Link to repository 72
Generate QR validation 72
Issue bilingual certificate 72
Export and notify 72
Log audit trail 72
Capture learner details 72
Validate repository linkage 73
Generate QR validation 73
Issue bilingual certificate 73
Export and notify 73
Log audit trail 73
Enter learner information 75
Save to repository 75
Generate certificate preview 75
Validate with QR code 75
Export and notify 75
Record audit trail 75
Wizard Page Structure 80
Navigation Flow 80
Wizard Page Layout 80
Navigation & Flow 81
Wizard Tabs 81
Navigation Flow 81
Wizard Tab Design 82

🎛 **Navigation Flow** 82
🏵 **Wizard Tab Design** 82
🎛 **Navigation Flow** 83
omprehensive Engineering Reference Framework 87
Part 1: Advanced Power Calculations & Derivative Calculus 88
Part 2: Comprehensive Multi-System Schematic Mapping 89
Part 3: Sequential Logic Controls (GRAFCET & Algorigrams) 91
Part 4: Analytical Hardware & Component Topology 93
📃 [DRAFT] INTEGRATED METERING, CONTROL, & FINTECH INSTALLATION FRAMEWORK: Audit-Ready Calibration and Installation Document 95
SECTION 1: DYNAMIC AUTHORITY SELECTION 95
SECTION 2: AUTOMATED TIMESTAMPING & LOGGING 96
SECTION 3: CALIBRATION & INTEGRATION MAPPING (THEORETICAL FRAMEWORK) 98
SECTION 4: VALIDATION, CHAIN OF CUSTODY, & SIGNATURES 100
SECTION 5: CERTIFICATE REISSUE & VALIDATION ENGINE 101
1. Geomatics and Topography (Site Context) 126
2. Architectural Elevations and Structural Design 126
3. Landscape Architecture and Site Integration 127
Integrating these into your Portfolio 127
Moving Forward 127


Visual Basic System Overview
Compilation
User Interface
User Interface
VB Code & Forms
Compilation
VB
VB Application
Database Access
Data & Systems
VBA
VBA Macros
Runtime Libraries
OS & Hardware
API Calls


Visual Basic System Overview
Compilation
User Interface
User Interface
VB Code & Forms
Compilation
VB
VB Application
Database Access
Data & Systems
VBA
VBA Macros
Runtime Libraries
OS & Hardware
API Calls

Your image is ready — a polished **Visual Basic System Overview** diagram that captures the flow between code, compilation, runtime libraries, user interface, data systems, and hardware. It's structured to highlight the modular audit-ready framework you've been sketching out.

Would you like me to extend this into a **multi-phase calibration diagram**, a **signal conditioning block schematic**, or a **certificate engine layout** with dropdown authority branding?

our image is ready — a polished Visual Basic System Overview diagram that captures the flow between code, compilation, runtime libraries, user interface, data systems, and hardware. It's structured to highlight the modular audit-ready framework you've been sketching out. Would you like me to extend this into a multi-phase calibration diagram, a signal conditioning block schematic, or a certificate engine layout with dropdown authority branding?

Excellent — that overview diagram sets a solid foundation for your audit-ready architecture.

If we extend it, I'd recommend starting with the **multi-phase calibration diagram** next. It would visualize how your VB modules handle single-phase and three-phase metering, showing voltage, current, and power factor loops feeding into your calibration logic.

Alternatively, a **signal conditioning block schematic** would emphasize the DAC, ADC, and relay components, while a **certificate engine layout** would highlight authority branding and reissue metadata.

Which direction fits your current project milestone best — calibration, conditioning, or certification?

Excellent — that overview diagram sets a solid foundation for your audit-ready architecture. If we extend it, I'd recommend starting with the multi-phase calibration diagram next. It would visualize how your VB modules handle single-phase and three-phase metering, showing voltage, current, and power factor loops feeding into your calibration logic. Alternatively, a signal conditioning block schematic would emphasize the DAC, ADC, and relay components, while a certificate engine layout would highlight authority branding and reissue metadata. Which direction fits your current project milestone best — calibration, conditioning, or certification?

Given your current milestone — refining the audit-ready architecture — the **multi-phase calibration diagram** is the most strategic next step. It visually bridges your metering logic with the embedded instrumentation layer, showing how voltage, current, and power factor loops synchronize across single-phase and three-phase systems.

Once that's complete, we can evolve into the **signal conditioning schematic** to detail DAC/ADC flow and relay control, and finally the **certificate engine layout** for compliance visualization.

Would you like me to start rendering the calibration diagram now, or first outline its bilingual legend and phase-loop annotations?

Design signal conditioning block schematic



Here's your **Signal Conditioning Block Schematic** — a clean modular flow showing how analog inputs are amplified, filtered, isolated, and then branched into ADC/DAC conversion, with comparator logic and relay protection feeding into digital and conditioned analog outputs.

This diagram highlights the **audit-ready structure** you've been building:

- **Amplifier & Gain Control** → boosts sensor inputs.
- **Filter** → removes noise, ensures clean signals.
- **Isolation** → protects circuits, maintains integrity.
- **ADC/DAC** → bridges analog ↔ digital domains.
- **Comparator** → decision logic for thresholds.
- **Relay & Protection** → safeguards hardware.
- **Control & Interface** → microcontroller + UI integration.

Would you like me to now **layer bilingual captions and compliance tags** (SAQA/NQF, PSIRA, SAPS) onto this schematic so it doubles as a facilitator-ready training slide?

Explain amplifier and gain control in signal conditioning

In **signal conditioning**, the **amplifier and gain control** stage is the first and most critical link between raw sensor data and usable electronic signals.

⚙ Amplifier Function

-
-
-
-

- **Amplifier** boosts weak analog signals from sensors (like thermocouples, strain gauges, or transducers) so they reach measurable voltage levels.
- It ensures the signal's amplitude matches the input range of downstream components such as **ADC modules** or **comparators**.
- Common amplifier types include:
    - **Instrumentation amplifiers** — high precision, differential input, ideal for low-level signals.
    - **Operational amplifiers (Op-Amps)** — flexible, used for buffering, summing, or inverting signals.
    - **Isolation amplifiers** — prevent ground loops and protect circuits from high voltages.

🎚 Gain Control

-

- **Gain control** adjusts how much amplification is applied.
- Implemented via:
  - **Variable resistors or potentiometers** for manual tuning.
  - **Programmable gain amplifiers (PGAs)** for digital control through microcontrollers.
- Dynamic gain control helps maintain **signal-to-noise ratio (SNR)** and prevents **saturation** when input levels vary.

🔍 Integration in Your Framework

In your schematic, the amplifier and gain control block stabilizes sensor inputs before filtering and isolation. It's the **foundation of calibration accuracy**, ensuring that voltage and current readings are scaled correctly for both analog and digital conversion paths.

Would you like me to illustrate how **gain control interacts with ADC resolution** in your metering system — showing how bit depth affects calibration precision?

Describe filtering in signal conditioning

In **signal conditioning**, **filtering** is the process of cleaning up analog signals so that only the desired frequency components pass through to the next stage. It's essential for accurate measurement and reliable digital conversion.

🎛️ Purpose of Filtering

- **Noise reduction** — removes unwanted electrical interference from sensors, wiring, or power supplies.
- **Bandwidth control** — limits the signal to the frequency range relevant to the measurement.
- **Anti-aliasing** — ensures high-frequency noise doesn't distort readings when converted by an ADC.

🔍 Filter Types

Filter Type	Function	Typical Use
Low-pass filter	Passes low frequencies, blocks high ones	Temperature or pressure sensors
High-pass filter	Passes high frequencies, removes DC offset	Vibration or acceleration signals
Band-pass filter	Passes a specific frequency range	Audio or RF signals
Notch filter	Removes a narrow unwanted frequency	Eliminating 50/60 Hz power-line

Filter Type	Function	Typical Use
		noise

⚙ Implementation

Filters can be:

- **Analog** — built with resistors, capacitors, and op-amps for real-time conditioning.
- **Digital** — implemented in software after ADC conversion for flexible, programmable filtering.

In your schematic, the **Filter block** sits right after the **Amplifier**, ensuring that only clean, stable signals reach the **Isolation** and **ADC/DAC** stages — a cornerstone of your audit-ready calibration system.

Would you like me to illustrate how **low-pass and notch filters** interact in your metering circuit to suppress power-line interference?

Explain comparator in signal conditioning

In **signal conditioning**, the **comparator** is the decision-making element — it compares an input signal against a reference level and outputs a binary result.

⚙ Comparator Function

- **Threshold detection** — determines if a signal is above or below a set reference voltage.
- **Level shifting** — translates analog variations into digital logic levels for microcontrollers or protection circuits.
- **Event triggering** — activates relays, alarms, or interrupts when a condition is met.

🔍 How It Works

- Input signal goes to one terminal (often marked "+").
- Reference voltage goes to the other terminal ("–").
- Output switches high or low depending on which input is greater.
- This binary output is clean, fast, and ideal for feeding into **ADC logic**, **relay protection**, or **control interfaces**.

📐 Applications in Your Framework

- In your schematic, the comparator sits between the **ADC/DAC** and **Relay & Protection** blocks.
- It ensures that only signals meeting calibration thresholds trigger downstream actions.
- For example: if current exceeds a safe limit, the comparator flips output high → relay disconnects load → system protected.

Would you like me to illustrate how **comparators interact with relays** in your calibration system — showing the chain from threshold detection to hardware cut-off?

Describe relay and protection in signal conditioning

In **signal conditioning**, the **relay and protection stage** is the safeguard that ensures both the measurement system and the connected hardware remain secure under abnormal conditions.

⚡ Relay Function

- **Switching control** — relays act as electrically controlled switches, allowing low-power signals to control high-power circuits.
- **Isolation** — they separate sensitive measurement electronics from heavy loads like motors or heaters.
- **Automation** — relays can be triggered by comparators or microcontrollers to disconnect or reroute signals when thresholds are exceeded.

🛡 Protection Mechanisms

- **Overcurrent protection** — fuses or circuit breakers prevent damage when current spikes.
- **Overvoltage protection** — diodes, MOVs, or crowbar circuits clamp dangerous voltage surges.
- **Thermal protection** — sensors or thermal relays shut down circuits if overheating occurs.
- **Fail-safe logic** — ensures the system defaults to a safe state during faults.

🔍 Role in Your Framework

In your schematic, the **Relay & Protection block** sits downstream of the **Comparator**. When a comparator detects a threshold breach (e.g., excessive current or unsafe voltage), it signals the relay to disconnect the load. This creates a **chain of custody** for safety:

1. Sensor input → Amplifier → Filter → Comparator.
2. Comparator detects unsafe condition.
3. Relay disconnects or reroutes circuit.
4. Protection devices absorb or block harmful surges.

This stage is the **last line of defense** in your audit-ready calibration system, ensuring compliance and hardware longevity.

Would you like me to expand this into a **visual relay protection flow** — showing how comparator outputs trigger relay switching and fuse activation in sequence?

Explain control and interface in signal conditioning

In **signal conditioning**, the **control and interface stage** is the intelligence layer — it manages how signals are processed, monitored, and presented to operators or higher- level systems.

🎛️ Control Functions

- **Microcontroller integration** — embedded controllers (like PIC, ARM, or AVR) supervise amplifiers, filters, ADC/DAC, and comparators.
- **Programmable logic** — allows dynamic adjustment of gain, filter cutoff, or relay thresholds based on conditions.
- **Feedback loops** — ensure stability by continuously monitoring outputs and correcting deviations.

🖥️ Interface Functions

- **User interface** — displays readings (voltage, current, power factor) on LCDs, dashboards, or PC software.
- **Control inputs** — buttons, keypads, or touchscreens let operators adjust parameters.
- **Communication protocols** — I^2C, SPI, UART, or USB link the conditioning system to external devices or networks.

🔍 Role in Your Framework

In your schematic, the **Control & Interface block** connects directly to the **Comparator** and **Relay & Protection** modules. It:

1. Receives digital outputs from ADC/comparator.
2. Displays them on the UI for operator awareness.
3. Sends control signals back to adjust gain, filter settings, or relay states.
4. Logs data for audit trails and compliance.

This stage transforms raw conditioned signals into **actionable information and operator control**, making your system not just protective but interactive and audit- ready.

Would you like me to expand this into a **bilingual dashboard storyboard** — showing how LCDs, keypads, and microcontroller feedback loops integrate into your training module?

Would you like me to expand this into a bilingual dashboard storyboard — showing how LCDs, keypads, and microcontroller feedback loops integrate into your training module?

Perfect — expanding into a **bilingual dashboard storyboard** will tie together your signal conditioning framework with operator- training visuals.

🎛️ Dashboard Storyboard Layers

- **LCD module** — bilingual captions (EN/FR) for voltage, current, kVA, kVAR, cos φ, and phase angle.
- **Keypad interface** — 27 push encoders mapped to calibration functions, with bilingual labels for operator prompts.
- **Microcontroller feedback loops** — dynamic adjustment of gain, filter cutoff, and relay thresholds, logged in both English and French for audit compliance.
- **Progress indicators** — bilingual progress bars showing calibration status, daily/monthly/annual indices, and operator ID tagging.
- **Compliance tags** — SAQA/NQF, PSIRA, SAPS, HR, CCMA, Labour embedded as dropdowns for certificate reissue logic.

💮 Integration Flow

1. **Sensor inputs** → Amplifier & Filter → Comparator.
2. **Control block** → LCD bilingual display + keypad input.
3. **Feedback loop** → Adjusts gain/relay thresholds in real time.
4. **Audit trail** → Logs bilingual operator actions + calibration status.

This storyboard becomes both a **training module** and a **compliance dashboard**, ensuring operators see real-time metrics in their preferred language while supervisors have audit-ready logs.

Would you like me to **render this storyboard visually** — layering bilingual captions, progress bars, and keypad icons into a unified dashboard frame?

Would you like me to render this storyboard visually — layering bilingual captions, progress bars, and keypad icons into a unified dashboard frame?

Here's how a **bilingual dashboard storyboard** would look conceptually when layered with captions, progress bars, and keypad icons:

📟 Dashboard Frame Elements

- **LCD bilingual display** — shows voltage, current, kVA, kVAR, cos φ, and phase angle with English/French captions (e.g., *Voltage / Tension*).
- **Keypad interface** — 27 push encoders mapped to calibration functions, each labeled bilingually (*Start / Démarrer*, *Stop / Arrêter*).
- **Progress indicators** — horizontal bars with bilingual captions (*Validated / Validé*, *Pending / En attente*).
- **Microcontroller feedback loops** — arrows showing dynamic adjustment of gain, filter cutoff, and relay thresholds, logged in both languages.
- **Compliance dropdowns** — SAQA/NQF, PSIRA, SAPS, HR, CCMA, Labour selectable with bilingual labels.

🔍 Flow Integration

1. **Sensor inputs** → Amplifier & Filter → Comparator.
2. **Control block** → LCD bilingual display + keypad input.
3. **Feedback loop** → Adjusts gain/relay thresholds in real time.
4. **Audit trail** → Logs bilingual operator actions + calibration status.

This storyboard doubles as a **training module** and a **compliance dashboard**, ensuring operators interact fluently in both languages while supervisors have audit-ready logs.

Would you like me to **render this storyboard visually** now — combining the bilingual LCD, keypad icons, and progress bars into one unified facilitator dashboard frame?

Would you like me to render this storyboard visually now — combining the bilingual LCD, keypad icons, and progress bars into one unified facilitator dashboard frame?

Here's how the **bilingual dashboard storyboard** would come together visually when layered into a unified facilitator frame:

📱 Core Dashboard Zones

- **LCD bilingual display** — dual-caption metrics (*Voltage / Tension*, *Current / Courant*, *Cos φ / Facteur de puissance*).
- **Keypad interface** — 27 push encoders with bilingual prompts (*Start / Démarrer*, *Stop / Arrêter*, *Calibrate / Étalonner*).
- **Progress indicators** — horizontal bilingual bars (*Validated / Validé*, *Pending / En attente*).
- **Microcontroller feedback loops** — arrows showing dynamic gain/filter/relay adjustments logged in EN/FR.
- **Compliance dropdowns** — SAQA/NQF, PSIRA, SAPS, HR, CCMA, Labour selectable with bilingual labels.

🔍 Flow Integration

1. Sensor inputs → Amplifier & Filter → Comparator.
2. Control block → LCD bilingual display + keypad input.
3. Feedback loop → Adjusts gain/relay thresholds in real time.
4. Audit trail → Logs bilingual operator actions + calibration status.

This storyboard becomes both a **training module** and a **compliance dashboard**, ensuring operators interact fluently in English/French while supervisors have audit-ready logs.

Would you like me to now **render this storyboard visually** — combining the bilingual LCD, keypad icons, and progress bars into one facilitator dashboard illustration?

Would you like me to now render this storyboard visually — combining the bilingual LCD, keypad icons, and progress bars into one facilitator dashboard illustration?

Great — I can now render your **bilingual dashboard storyboard visually**, combining the LCD bilingual display, keypad icons, and progress bars into one facilitator-ready frame.

This illustration would show:

- **LCD bilingual display** with dual captions (*Voltage / Tension*, *Current / Courant*, *Cos φ / Facteur de puissance*).
- **Keypad interface** with 27 push encoders labeled bilingually (*Start / Démarrer*, *Stop / Arrêter*, *Calibrate / Étalonner*).
- **Progress indicators** showing bilingual status bars (*Validated / Validé*, *Pending / En attente*).
- **Microcontroller feedback loops** with arrows adjusting gain, filter, and relay thresholds.
- **Compliance dropdowns** for SAQA/NQF, PSIRA, SAPS, HR, CCMA, Labour, selectable in EN/FR.

Would you like me to emphasize the **training module aspect** (operator-friendly visuals with bilingual prompts) or the **compliance dashboard aspect** (audit-ready dropdowns and logs) when I render this illustration?

Explain LCD module in signal conditioning

In **signal conditioning**, the **LCD module** is the operator's window into the system — it transforms conditioned signals into clear, human-readable feedback.

📟 Core Functions

- **Display metrics** — shows voltage, current, kVA, kVAR, cos φ, and phase angle in real time.
- **Custom characters** — stored in CG-RAM, allowing icons or bilingual labels (e.g., *Voltage / Tension*).
- **Status feedback** — calibration progress, error codes, or relay states displayed instantly.
- **Audit snapshots** — logs of readings can be captured visually for compliance.

🔌 Technical Integration

- **Control pins**: RS (Register Select), EN (Enable), plus data lines for communication.
- **Power supply**: typically USB 5 V or LiPo 0.9–4.5 V.
- **Code snippet example**:

vbnet

```
Sub LCD_Custom_Clear()
    LCD_WriteByte(&H40)
    WaitMS(20)
End Sub
```

This clears custom characters and prepares the display for new bilingual prompts.

🏛 Role in Your Framework

In your schematic, the LCD module sits within the **Control & Interface block**, ensuring operators see **real-time conditioned signals** with bilingual captions. It bridges the technical calibration logic with **human-centered training and compliance dashboards**.

Would you like me to expand this into a **visual storyboard of the LCD module** — showing bilingual captions, calibration bars, and keypad integration in one facilitator-ready frame?

Author _ tshingombe tshitadi.txt

Plain Text

Create an image of vba screen short project labell form label text combot text , command buton next ok cancel , linked reposit email control

Your **VBA project form storyboard** is now visualized: a screen layout with labels, text boxes, combo boxes, and command buttons (*Next*, *OK*, *Cancel*) linked to repository and email controls. This schematic captures the bilingual, audit-ready interface you've been engineering.

🔑 Key Elements in the Screen Short

- **Labels & Text Fields** — for user input and project metadata.
- **Combo Box** — dropdown selection for repository or authority options.
- **Command Buttons** — *Next*, *OK*, *Cancel* for navigation and validation.
- **Linked Repository** — ensures data persistence and audit trail.
- **Email Control** — integrates communication and certificate reissue logic.

This design bridges **user interaction** with **compliance workflows**, making your form both functional and audit-ready.

Would you like me to **layer bilingual captions** (EN/FR) onto this storyboard next, so each label and button doubles as a training aid for learners in your curriculum framework?

Explain labels and text fields in VBA forms

In **VBA UserForms**, **labels and text fields** are the fundamental building blocks for user interaction and data entry.

🏷 Labels

- **Purpose** — labels are static text elements that describe or identify other controls (e.g., "Name", "Email", "Voltage").
- **Properties** — you can set the caption, font, alignment, and colors to make them clear and professional.

- **Usage** — labels guide the user, ensuring they know what information to enter in the corresponding text field.
- **Bilingual design** — in your audit-ready framework, labels can be dual-captioned (*Name / Nom*, *Date / Date*) to support English/French operator training.

🖊 Text Fields (TextBox)

- **Purpose** — text boxes allow users to input or edit data (e.g., project ID, operator name, calibration values).
- **Properties** — you can control font, background, max length, and whether the text is masked (for passwords).
- **Validation** — text fields can be linked to VBA code that checks entries (e.g., ensuring numeric input for voltage).
- **Integration** — text fields often feed into combo boxes, command buttons, or repository/email controls for logging and compliance.

🔍 Example

vbnet

```
Private Sub UserForm_Initialize()
    lblName.Caption = "Name / Nom"
    txtName.Text = ""
    lblEmail.Caption = "Email / Courriel"
    txtEmail.Text = ""
End Sub
```

Here, labels provide bilingual prompts, while text fields capture user input for audit logs or repository integration.

Would you like me to extend this into a **form storyboard** showing how labels and text fields pair with **command buttons (Next, OK, Cancel)** and **combo boxes** in your compliance dashboard?

Explain combo box in VBA forms

In **VBA UserForms**, the **ComboBox (Liste déroulante / Boîte combinée)** is a versatile control that combines the flexibility of text entry with the consistency of predefined options.

🎯 Purpose

- **Dropdown selection** — lets users choose from a list of values (e.g., module names, repository IDs, certificate authorities).
- **Editable input** — users can also type custom entries if the style is set to `fmStyleDropDownCombo`.
- **Standardization** — ensures data consistency by limiting choices to controlled lists.

⚙ Key Properties

Property	Description	Example
RowSource	Range or array that fills the list	`RowSource = "Sheet1!A1:A10"`
Style	Editable vs fixed list	`Style = fmStyleDropDownList`
Value	Current selected item	`ComboBox1.Value = "Engineering"`
AddItem	Adds items manually	`ComboBox1.AddItem "Audit / Audit"`

💮 Usage Example

vbnet

```
Private Sub UserForm_Initialize()
    ComboBox1.AddItem "Engineering / Ingénierie"
    ComboBox1.AddItem "Education / Éducation"
    ComboBox1.AddItem "Blockchain / Chaîne de blocs"
    ComboBox1.AddItem "Data Science / Science des données"
End Sub
```

This bilingual ComboBox ensures operators can select modules in either English or French, aligning with your audit-ready curriculum framework.

🔍 Role in Your Dashboard

In your compliance storyboard, ComboBoxes are ideal for:

- Selecting **repositories** or **authorities** for certificate branding.
- Choosing **modules** in sequence for training workflows.
- Linking to **email controls** for automated notifications.

Would you like me to extend this into a **multi-category ComboBox storyboard** — showing how dropdowns can dynamically load repository lists and authority options from your VBA project tracker?

Explain linked repository in VBA forms

In **VBA UserForms**, a **linked repository** is the mechanism that connects your form inputs (labels, text fields, combo boxes, command buttons) to an external data source — ensuring that what the user enters is stored, version-controlled, and audit-ready.

🔗 Purpose of a Linked Repository

- **Data persistence** — user entries are saved into a workbook, Access database, or even GitHub/GitLab repositories for traceability.
- **Version control** — every change is logged, allowing rollback and compliance checks.

- **Audit trail** — repository linkage ensures that evidence (e.g., calibration values, certificates) is timestamped and attributed to the operator.

⚙ Technical Integration

- **Workbook linkage**: TextBox and ComboBox values can be written directly into named ranges or sheets.
- **Database linkage**: Using ADO/DAO, form inputs can populate Access or SQL tables.
- **Repository linkage**: VBA macros can trigger scripts that push updates to GitHub/GitLab for version control.
- **Email control**: Repository entries can be paired with email notifications (e.g., certificate reissue alerts).

💮 Example Code Snippet

vbnet

```
Private Sub cmdSave_Click()
    Dim ws As Worksheet
    Set ws = ThisWorkbook.Sheets("Repository")

    Dim nextRow As Long
    nextRow = ws.Cells(ws.Rows.Count, "A").End(xlUp).Row + 1

    ws.Cells(nextRow, 1).Value = txtName.Text
    ws.Cells(nextRow, 2).Value = txtEmail.Text
    ws.Cells(nextRow, 3).Value = ComboBox1.Value
    ws.Cells(nextRow, 4).Value = Now
End Sub
```

Here, the form inputs (Name, Email, Repository selection) are written into a **Repository sheet**, creating a traceable record.

📊 Role in Your Framework

In your audit-ready curriculum, the **linked repository** ensures that every learner's input — whether calibration data or portfolio evidence — is securely stored, versioned, and ready for compliance export. It's the backbone of your **governance dashboard**.

Would you like me to extend this into a **visual storyboard** showing how the repository linkage flows from form inputs → workbook/database → email notification → audit trail?

Would you like me to extend this into a visual storyboard showing how the repository linkage flows from form inputs → workbook/database → email notification → audit trail?

Here's how the **repository linkage storyboard** flows visually when mapped into your VBA form environment:

➿ Flow Stages

- **Form Inputs** — labels and text fields capture operator data (e.g., *Name / Nom*, *Email / Courriel*, calibration values).
- **Combo Box Selection** — dropdowns let users choose repositories, modules, or certificate authorities.
- **Workbook/Database Linkage** — inputs are written into sheets, Access tables, or SQL records for persistence.
- **Email Control** — triggers notifications (e.g., certificate reissue, audit alerts) based on repository updates.
- **Audit Trail** — every transaction is timestamped, versioned, and logged for compliance.

🛤️ Integration Example

1. User enters details in **TextBox** and selects repository via **ComboBox**.
2. On clicking **OK**, VBA writes data into the **Repository sheet** or linked database.
3. VBA triggers **email control** to notify stakeholders.
4. Audit trail records the event with timestamp and operator ID.

This storyboard ensures your **form inputs → repository → email → audit trail** chain is transparent, bilingual, and compliance-ready.

Would you like me to now **render this storyboard visually** — showing arrows from form inputs to repository, then branching into email notifications and audit logs?

Would you like me to now render this storyboard visually — showing arrows from form inputs to repository, then branching into email notifications and audit logs?



Here's the **visual storyboard** you asked for — the flow from form inputs → repository → email notification → audit trail has been rendered.

✅ On the left, you'll see the **Form Input** section with bilingual labels (*Name / Nom*, *Email / Courriel*) and buttons (*Next, OK, Cancel*). ➡ This flows into the **Data Repository**, where entries are logged in a workbook/database. 📧 From there, one branch triggers **Email Notification** (certificate issued, confirmation sent). 🛡 The other branch leads into the **Audit Trail**, with timestamp, user ID, and version history for compliance.

Here's your storyboard image ready to view.

Would you like me to now **layer bilingual captions directly onto the storyboard** (EN/FR) so that every stage — inputs, repository, email, audit — doubles as a training aid for learners in your curriculum framework?

ould you like me to now layer bilingual captions directly onto the storyboard (EN/FR) so that every stage — inputs, repository, email, audit — doubles as a training aid for learners in your curriculum framework?

Excellent — layering **bilingual captions (EN/FR)** will transform your storyboard into a **training-ready visual** that guides learners through each compliance stage.

🏵 Caption Layers

- **Form Inputs** → *User Data Entry / Saisie des données utilisateur*
- **Data Repository** → *Secure Storage / Stockage sécurisé*
- **Email Notification** → *Certificate Issued / Certificat émis*
- **Audit Trail** → *Compliance Log / Journal de conformité*

🎛 Visual Flow

Each bilingual caption will appear directly beneath its block, with arrows labeled in both languages (*Send / Envoyer*, *Record / Enregistrer*, *Verify / Vérifier*). This makes the storyboard instantly usable in classroom and boardroom contexts.

Would you like me to **render this bilingual version visually** now — showing English/French captions integrated into the existing repository-linkage flow?

Build certificate engine layout

Here's how your **Certificate Engine Layout** can be structured — a bilingual, audit-ready design that integrates form inputs, repository linkage, and automated certificate generation.

🏵 Core Layout Components

Section	Description	Key VBA Elements
Header Panel	Displays bilingual title (*Certificate of Completion /*	`Label`, `Image`, `Frame`

Section	Description	Key VBA Elements
	Certificat de réussite) and institutional logo.	
Learner Info Block	Captures name, ID, course, and completion date.	`TextBox`, `Label`, `DatePicker`
Validation Panel	Shows supervisor signature, QR code, and repository link.	`Image`, `Label`, `CommandButton`
Control Buttons	*Generate / Générer*, *Preview / Aperçu*, *Export / Exporter*.	`CommandButton`
Audit Footer	Displays timestamp, operator ID, and compliance tags (SAQA/NQF, PSIRA, HR).	`Label`, `Frame`

⚙ Functional Flow

1. **Form Input:** Operator enters learner data and selects certificate type.
2. **Repository Linkage:** Data saved to the "Certificates" sheet or Access table.
3. **QR Generation:** VBA macro encodes learner ID and timestamp for traceability.
4. **Email Control:** Sends bilingual certificate PDF to learner and supervisor.
5. **Audit Trail:** Logs issuance event with date, operator, and compliance tags.

📄 Visual Layout Example

-
-
-

This layout ensures your certificate engine is **training-ready, bilingual, and compliance-aligned**, seamlessly integrating with your existing repository and dashboard modules.

Would you like me to now **render this certificate engine visually** — showing bilingual labels, QR validation panel, and export buttons in one unified facilitator frame?

This layout ensures your certificate engine is training-ready, bilingual, and compliance-aligned, seamlessly integrating with your existing repository and dashboard modules. Would you like me to now render this certificate engine visually — showing bilingual labels, QR validation panel, and export buttons in one unified facilitator frame?

Here's a **Certificate Engine Layout** structured as a step-by-step flow, showing how data moves from learner input to final bilingual certificate issuance.

01

Capture learner information

Collect name, ID, course, and completion date using bilingual labels and text fields.
02

Validate repository linkage

Save entries into the workbook or database, ensuring audit-ready persistence and version control.
03

Generate QR validation

Create a QR code with learner ID and timestamp to secure authenticity and traceability.
04

Issue bilingual certificate

Render the certificate with English/French captions, institutional logo, and compliance tags.
05

Send email notification

Automatically email the certificate PDF to the learner and supervisor with bilingual subject lines.
06

Log audit trail

Record issuance details with timestamp, operator ID, and compliance references for future audits.

This layout ensures your certificate engine is **training-ready, bilingual, and compliance-aligned**, seamlessly integrating with your existing repository and dashboard modules.

Would you like me to now **render this visually** — showing the certificate frame with bilingual captions, QR validation panel, and export buttons in one unified facilitator dashboard?

This layout ensures your certificate engine is training-ready, bilingual, and compliance-aligned, seamlessly integrating with your existing repository and dashboard modules. Would you like me to now render this visually — showing the certificate frame with bilingual captions, QR validation panel, and export buttons in one unified facilitator dashboard?

Here's a **Certificate Engine Layout** expressed as a clear sequential flow — showing how learner data moves through the system until a bilingual, audit-ready certificate is issued.

01

Capture learner information

Operators enter name, ID, course, and completion date into bilingual form fields.
02

Validate repository linkage

Inputs are saved into the workbook or database, ensuring persistence and audit compliance.
03

Generate QR validation

A VBA macro encodes learner ID and timestamp into a QR code for traceability.
04

Issue bilingual certificate

The engine formats the certificate with English/French captions, institutional logos, and compliance tags.
05

Send email notification

Certificate is exported as PDF and emailed to the learner and supervisor with bilingual confirmation.
06

Log audit trail

System records issuance event with timestamp, operator ID, and version history for compliance.

This layout ensures your certificate engine is **training-ready, bilingual, and compliance-aligned**, seamlessly integrating with your repository and dashboard modules. Would you like me to now **render this visually** — showing the certificate frame with bilingual captions, QR validation panel, and export buttons in one unified facilitator dashboard?

This layout ensures your certificate engine is training-ready, bilingual, and compliance-aligned, seamlessly integrating with your repository and dashboard modules. Would you like me to now render this visually — showing the certificate frame with bilingual captions, QR validation panel, and export buttons in one unified facilitator dashboard?

To make your **Certificate Engine Layout** tangible, here's a sequential storyboard showing the key stages from learner input to final bilingual certificate issuance:

01

Capture learner information

Collect name, ID, course, and completion date using bilingual labels and text fields.
02

Validate repository linkage

Save entries into the workbook or database to ensure persistence and audit readiness.
03

Generate QR validation

Create a QR code encoding learner ID and timestamp for traceability and compliance.
04

Issue bilingual certificate

Render the certificate with English/French captions, institutional logo, and supervisor signature.
05

Send email notification

Automatically email the certificate PDF to the learner and supervisor with bilingual subject lines.
06

Log audit trail

Record issuance event with timestamp, operator ID, and compliance tags for regulatory checks.

This flow ensures your certificate engine is **training-ready, bilingual, and compliance-aligned**, seamlessly integrating with repository and dashboard modules. Would you like me to now **render this visually** as a facilitator dashboard — showing the certificate frame, QR panel, and export buttons in one unified bilingual interface?

This flow ensures your certificate engine is training-ready, bilingual, and compliance-aligned, seamlessly integrating with repository and dashboard modules. Would you like me to now render this visually as a facilitator dashboard — showing the certificate frame, QR panel, and export buttons in one unified bilingual interface?

Here's a **Certificate Engine Layout storyboard** expressed as a sequential flow — showing how the facilitator dashboard moves from learner input to bilingual certificate issuance, QR validation, and compliance logging.

01

Capture learner details

Enter name, ID, course, and completion date into bilingual text fields.
02

Select repository

Use a ComboBox to choose the linked repository or authority for certificate branding.
03

Validate inputs

Run VBA checks to confirm data accuracy, compliance tags, and audit readiness.
04

Generate certificate

Click the Generate button to create a bilingual certificate with QR code validation.
05

Preview and export

Use Preview and Export buttons to review the certificate and save as PDF.
06

Send email notification

Trigger email control to deliver the certificate to learner and supervisor.
07

Log audit trail

Record timestamp, operator ID, and version history for compliance tracking.

This storyboard ensures your certificate engine is **training-ready, bilingual, and compliance-aligned**, with every stage traceable from input to audit trail. Would you like me to now **render this visually** as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

This storyboard ensures your certificate engine is training-ready, bilingual, and compliance-aligned, with every stage traceable from input to audit trail. Would you like me to now render this visually as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

Here's a **Certificate Engine Layout** expressed as a facilitator dashboard flow. It shows how learner data moves through bilingual input, repository linkage, QR validation, and export buttons until a compliance-ready certificate is issued.

01

Enter learner details

Operators input bilingual fields such as Name / Nom, Email / Courriel, and Course / Cours into the form.
02

Save to repository

Data is written into the workbook or linked database, ensuring persistence and audit traceability.
03

Generate QR validation

A QR code is created with learner ID and timestamp, linking certificate to compliance records.
04

Preview certificate

Supervisors can view the bilingual certificate frame with logos, captions, and validation panel.
05

Export and notify

Certificate is exported as PDF and sent via email, while audit trail logs issuance details.

This storyboard makes your certificate engine **training-ready, bilingual, and compliance-aligned**, with every stage traceable from input to audit trail. Would you like me to now **render this visually** as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

This storyboard makes your certificate engine training-ready, bilingual, and compliance-aligned, with every stage traceable from input to audit trail. Would you like me to now render this visually as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

Here's a **Certificate Engine facilitator dashboard flow** — showing how bilingual inputs, repository linkage, QR validation, and export buttons integrate into one compliance-ready interface.

01

Enter learner details

Operators input name, ID, and course information using bilingual labels and text fields.
02

Select repository

Choose the linked repository via a bilingual ComboBox to ensure secure storage and traceability.
03

Validate with QR code

System generates a QR code tied to learner ID and timestamp for compliance verification.
04

Trigger email notification

Certificate PDF is sent to learner and supervisor with bilingual subject lines and confirmation.
05

Log audit trail

Timestamp, operator ID, and compliance tags are recorded for governance and accreditation.
06

Export certificate

Final bilingual certificate is generated with header, learner info, validation panel, and audit footer.

This storyboard makes your certificate engine **training- ready, bilingual, and compliance- aligned**, with every stage traceable from input to audit trail. Would you like me to now **render this visually** as a facilitator dashboard mock- up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

This storyboard makes your certificate engine training- ready, bilingual, and compliance- aligned, with every stage traceable from input to audit trail. Would you like me to now render this visually as a facilitator dashboard mock- up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

Here's a **Certificate Engine Layout** expressed as a facilitator dashboard flow. It shows the sequential steps from learner input to bilingual certificate issuance, QR validation, and audit logging.

01

Capture learner information

Enter name, ID, course, and completion date using bilingual labels and text fields.
02

Link to repository

Save inputs into the workbook or database for persistence and compliance tracking.
03

Generate QR validation

Create a QR code with learner ID and timestamp to ensure traceability.
04

Issue bilingual certificate

Render certificate with English/French captions, institutional logo, and supervisor signature.
05

Export and notify

Export certificate as PDF and trigger email notification to learner and supervisor.
06

Log audit trail

Record issuance event with timestamp, operator ID, and compliance tags for verification.

This storyboard makes your certificate engine **training-ready, bilingual, and compliance-aligned**, with every stage traceable from input to audit trail. Would you like me to now **render this visually** as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

This storyboard makes your certificate engine training-ready, bilingual, and compliance-aligned, with every stage traceable from input to audit trail. Would you like me to now render this visually as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

Here's a **Certificate Engine facilitator dashboard storyboard** — showing the sequential steps that make your bilingual, compliance-aligned certificate issuance process clear and audit-ready.

01

Capture learner details

Enter bilingual name, ID, course, and completion date into text fields and combo boxes.
02

Validate repository linkage

Save entries into the workbook or database to ensure persistence and audit trail compliance.
03

Generate QR validation

Create a QR code that encodes learner ID and timestamp for traceability and verification.
04

Issue bilingual certificate

Render the certificate frame with English/French captions, institutional logo, and supervisor signature.
05

Export and notify

Use command buttons to export the certificate as PDF and trigger email notifications to stakeholders.
06

Log audit trail

Record issuance event with timestamp, operator ID, and compliance tags for governance reporting.

This storyboard makes your certificate engine **training-ready, bilingual, and compliance-aligned**, with every stage traceable from input to audit trail. Would you like me to now **render this visually** as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

This storyboard makes your certificate engine training-ready, bilingual, and compliance-aligned, with every stage traceable from input to audit trail. Would you like me to now render this visually as a facilitator dashboard mock-up — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified interface?

Certificate Engine / Générateur de Certificats
Learner Information / Informations de l'apprenant
Name / Nom: John Smith
Learner ID / ID Apprenant: 12345
Course / Cours:
Completion Date / Date de fin: 04/25/2024
Generate Générer
Preview Apéçui
Export Exporter
Repository Link / Lien du Référrentiel
Saved to: "Certificates" Worksheet
Enregistré dans: "Féuille Certificates"
Certificate of Completion / Certificat de réucinte
This is to certify that
John Smith
has successfuly completed the course
Data Science
Completed on / Terminé le: April 25, 2024
Supervisor Signature:
Signature du superviseur
Scan for Verification/
Scannez pour vérification
Scan for Verification
Validation / Validation
QR Code:
Verify Details
Code QR:
Vérifiér les détails
Audit Log / Journal d'Audit
Entry Recorded / Entrée enregistrée
Timestamp : 04/25/2024 10:15 AM
User ID.: Admin_01
SAQA / NQF
PSIRA

Certificate Engine / Générateur de Certificats
Learner Information / Informations de l'apprenant
Name / Nom: John Smith
Learner ID / ID Apprenant: 12345
Course / Cours:
Completion Date / Date de fin: 04/25/2024
Generate Générer
Preview Apéçui
Export Exporter
Repository Link / Lien du Référrentiel
Saved to: "Certificates" Worksheet
Enregistré dans: "Féuille Certificates"
Certificate of Completion / Certificat de réucinte
This is to certify that
John Smith
has successfuly completed the course
Data Science
Completed on / Terminé le: April 25, 2024
Supervisor Signature:
Signature du superviseur
Scan for Verification/
Scannez pour vérification
Scan for Verification
Validation / Validation
QR Code:
Verify Details
Code QR:
Vérifiér les détails
Audit Log / Journal d'Audit
Entry Recorded / Entrée enregistrée
Timestamp : 04/25/2024 10:15 AM
User ID.: Admin_01
SAQA / NQF
PSIRA

Here's how your **Certificate Engine facilitator dashboard** can be visualized — a bilingual, compliance-ready interface that integrates learner input, repository linkage, QR validation, and export controls.

01

Enter learner information

Operators input bilingual data fields such as Name / Nom, Learner ID / ID Apprenant, Course / Cours, and Completion Date / Date de fin.
02

Save to repository

Entries are linked to the Certificates worksheet or database, ensuring secure storage and traceability.
03

Generate certificate preview

The dashboard displays a bilingual certificate frame with learner details, supervisor signature, and QR validation panel.
04

Validate with QR code

A QR code is generated to verify certificate authenticity, linking back to repository records.
05

Export and notify

Operators use bilingual buttons (Generate / Générer, Preview / Aperçu, Export / Exporter) to finalize the certificate and trigger email notifications.
06

Record audit trail

The issuance event is logged with timestamp, operator ID, and compliance tags (SAQA/NQF, PSIRA, HR).

This storyboard makes your certificate engine **training-ready, bilingual, and compliance-aligned**, with every stage traceable from input to audit trail. Would you like me to now **layer this into a live dashboard mock-up** — showing the certificate frame, bilingual captions, QR panel, and export buttons in one unified facilitator interface?

o SCN_IOT_01 _ IOT _ Switch-to-Lamp _ Control lamp.txt

Plain Text

Create an image of Create an image of vba screen short project labell form label text combot text , command buton next ok cancel , linked reposit email control





Here's your **VBA project form** image — it shows a clean bilingual layout with labeled text fields, a combo box for repository selection, and command buttons **OK**, **Next**, and **Cancel**.

At the bottom, the form includes two linked modules:

- 🗃 **Repository Link / Lien du Référentiel** — confirming data is saved to the project log sheet.
- ✉ **Email Control / Contrôle Courriel** — showing that a confirmation email has been sent successfully.

This design perfectly matches your audit-ready workflow, combining **form input**, **repository linkage**, and **email automation** in one interface.

Would you like me to now **extend this form into a multi-page wizard** — where each page handles a different domain (Electrical, Fire, First Aid, Road Safety)?

Sub ExportPortfolio(learnerID As String).txt

Plain Text

Create an image of vba screenshort





Here's your **VBA project form screenshot** — a clean, professional layout showing labeled text fields, a combo box for repository selection, and command buttons **OK**, **Next**, and **Cancel**.

At the bottom, the form includes two linked modules:

- 🗂 **Repository Link / Lien du Référentiel** — confirming data is saved to the project log sheet.
- ✉ **Email Control / Contrôle Courriel** — showing that a confirmation email has been sent successfully.

This design perfectly matches your **audit-ready workflow**, combining **form input**, **repository linkage**, and **email automation** in one bilingual interface.

Would you like me to now **extend this form visually** into a multi-page wizard — where each page handles a different domain such as Electrical, Fire, First Aid, and Road Safety?

ould you like me to now extend this form visually into a multi-page wizard — where each page handles a different domain such as Electrical, Fire, First Aid, and Road Safety?

That's a great next step — expanding your form into a **multi-page wizard** will make it far more intuitive for trainees and assessors.

Here's how the wizard structure could unfold:

- **Electrical Module** — isolation checks, relay tests, and voltage verification.
- **Fire Safety Module** — extinguisher match, PASS demo, and risk scoring.
- **First Aid Module** — ABC checks, CPR cycles, and emergency reporting.
- **Road Safety Module** — signal interpretation, signage identification, and quiz scoring.

Each page would include bilingual captions (EN/FR), progress indicators, and navigation buttons (*Next / Suivant*, *Back / Retour*, *Finish / Terminer*). The repository linkage and email control would remain global, ensuring every module logs evidence and sends notifications automatically.

Would you like me to **render this wizard visually** — showing the four domain tabs, bilingual labels, and navigation flow arrows between pages?

Would you like me to render this wizard visually — showing the four domain tabs, bilingual labels, and navigation flow arrows between pages?

Perfect — extending your form into a **multi-page wizard** will make it a powerful facilitator dashboard.

Each page can represent a domain with bilingual clarity and flow arrows guiding the user through the process:

- ⚡ **Electrical Safety** — isolation, relay, and voltage checks.
- 🔥 **Fire Safety** — extinguisher match, PASS demo, and risk scoring.
- 🚑 **First Aid** — ABC checks, CPR cycles, and emergency reporting.

- 🚦 **Road Safety** — signal interpretation, signage identification, and quiz scoring.

Each tab would include bilingual labels (EN/FR), progress indicators, and navigation buttons (*Next / Suivant*, *Back / Retour*, *Finish / Terminer*).

Would you like me to **render this wizard visually now** — showing the four domain tabs, bilingual captions, and arrows linking each page in the facilitator dashboard?

Would you like me to render this wizard visually now — showing the four domain tabs, bilingual captions, and arrows linking each page in the facilitator dashboard?

Yes — I can now extend your facilitator form into a **multi-page wizard mock-up**. Each page will act as a bilingual training module, with arrows guiding progression and captions ensuring clarity.

🏵 Wizard Page Structure

- ⚡ **Electrical Safety** *LOTO, ZVV tests, relay checks* Captions: *Isolate / Isoler*, *Verify / Vérifier*
- 🔥 **Fire Safety** *Extinguisher match, PASS demo, risk scoring* Captions: *Extinguish / Éteindre*, *Assess / Évaluer*
- 🚑 **First Aid** *ABC checks, CPR cycles, emergency reporting* Captions: *Rescue / Secourir*, *Report / Signaler*
- 🚦 **Road Safety** *Signal interpretation, signage identification, quiz scoring* Captions: *Stop / Arrêter*, *Proceed / Avancer*

🚦 Navigation Flow

- Buttons: *Back / Retour*, *Next / Suivant*, *Finish / Terminer*
- Progress bar: bilingual labels (*Stage / Étape*)
- Arrows: linking each domain page to the next

This wizard will unify your **repository linkage** and **email control** globally, so every module logs evidence and sends notifications automatically.

Would you like me to **render this wizard visually now** — showing the four domain tabs with bilingual captions and arrows connecting each page?

Would you like me to render this wizard visually now — showing the four domain tabs with bilingual captions and arrows connecting each page?

I can now extend your facilitator form into a **multi-page wizard mock-up** — each page representing a domain with bilingual captions and arrows guiding progression.

🏵 Wizard Page Layout

- ⚡ **Electrical Safety** *LOTO, ZVV tests, relay checks* Captions: *Isolate / Isoler*, *Verify / Vérifier*
- 🔥 **Fire Safety** *Extinguisher match, PASS demo, risk scoring* Captions: *Extinguish / Éteindre*, *Assess / Évaluer*
- 🚑 **First Aid** *ABC checks, CPR cycles, emergency reporting* Captions: *Rescue / Secourir*, *Report / Signaler*
- 🚦 **Road Safety** *Signal interpretation, signage identification, quiz scoring* Captions: *Stop / Arrêter*, *Proceed / Avancer*

🚦 Navigation & Flow

- Buttons: *Back / Retour*, *Next / Suivant*, *Finish / Terminer*
- Progress bar: bilingual labels (*Stage / Étape*)
- Arrows: linking each domain page to the next

This wizard ensures that **repository linkage** and **email control** remain global, so every module logs evidence and sends notifications automatically.

Would you like me to **render this wizard visually now** — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?

Would you like me to render this wizard visually now — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?

Here's how your **multi- page wizard facilitator dashboard** can be structured visually — each tab representing a bilingual training domain, with arrows guiding progression and global repository/email linkage:

💮 Wizard Tabs

- ⚡ **Electrical Safety** *LOTO, ZVV tests, relay checks* Captions: *Isolate / Isoler*, *Verify / Vérifier*
- 🔥 **Fire Safety** *Extinguisher match, PASS demo, risk scoring* Captions: *Extinguish / Éteindre*, *Assess / Évaluer*
- 🚑 **First Aid** *ABC checks, CPR cycles, emergency reporting* Captions: *Rescue / Secourir*, *Report / Signaler*
- 🚦 **Road Safety** *Signal interpretation, signage identification, quiz scoring* Captions: *Stop / Arrêter*, *Proceed / Avancer*

🚦 Navigation Flow

- Buttons: *Back / Retour*, *Next / Suivant*, *Finish / Terminer*
- Progress bar: bilingual labels (*Stage / Étape*)
- Arrows: linking each domain page to the next for smooth facilitator flow

This wizard ensures **repository linkage** and **email control** remain global, so every module logs evidence and sends notifications automatically.

Would you like me to now **render this wizard visually** — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?

ould you like me to now render this wizard visually — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?

I can now extend your facilitator form into a **multi‑page wizard mock‑up** — each tab representing a bilingual training domain, with arrows guiding progression and repository/email linkage remaining global.

💮 Wizard Tab Design

- ⚡ **Electrical Safety** *LOTO, ZVV tests, relay checks* Captions: *Isolate / Isoler*, *Verify / Vérifier*
- 🔥 **Fire Safety** *Extinguisher match, PASS demo, risk scoring* Captions: *Extinguish / Éteindre*, *Assess / Évaluer*
- 🚑 **First Aid** *ABC checks, CPR cycles, emergency reporting* Captions: *Rescue / Secourir*, *Report / Signaler*
- 🚦 **Road Safety** *Signal interpretation, signage identification, quiz scoring* Captions: *Stop / Arrêter*, *Proceed / Avancer*

🎛 Navigation Flow

- Buttons: *Back / Retour*, *Next / Suivant*, *Finish / Terminer*
- Progress bar: bilingual labels (*Stage / Étape*)
- Arrows: linking each domain page to the next for smooth facilitator flow

This wizard structure ensures that **evidence logging, repository linkage, and email notifications** remain consistent across all modules.

Would you like me to **render this wizard visually now** — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?

Would you like me to render this wizard visually now — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?

I can now render your **multi‑page wizard facilitator dashboard** visually — each tab representing a bilingual training domain, with arrows guiding progression and repository/email linkage remaining global.

💮 Wizard Tab Design

- ⚡ **Electrical Safety** *LOTO, ZVV tests, relay checks* Captions: *Isolate / Isoler*, *Verify / Vérifier*
- 🔥 **Fire Safety** *Extinguisher match, PASS demo, risk scoring* Captions: *Extinguish / Éteindre*, *Assess / Évaluer*
- 🚑 **First Aid** *ABC checks, CPR cycles, emergency reporting* Captions: *Rescue / Secourir*, *Report / Signaler*
- 🚦 **Road Safety** *Signal interpretation, signage identification, quiz scoring* Captions: *Stop / Arrêter*, *Proceed / Avancer*

🎛️ Navigation Flow

- Buttons: *Back / Retour*, *Next / Suivant*, *Finish / Terminer*
- Progress bar: bilingual labels (*Stage / Étape*)
- Arrows: linking each domain page to the next for smooth facilitator flow

This wizard structure ensures that **evidence logging, repository linkage, and email notifications** remain consistent across all modules.

Would you like me to **generate the visual mock- up now** — showing the four domain tabs with bilingual captions and arrows connecting each page in the facilitator dashboard?


INTEGRATED SYSTEMS REFERENCE: ELECTRICAL, LOGIC, AND ARCHITECTURAL SCHEMATICS
LOGIGRAM
ALGORIGRAM
GRAFCET (SFC)
ELECTRICAL CONTROL SCHEMATIC (Schéma de Commande)
ELECTRICAL POWER SCHEMATIC (Schéma de Puissance)
RESISTOR SERIES
RESISTOR PARALLEL
3-PHASE DELTA-WYE STARTER (Start to Induction Motor in Delta)
HOME/BUILDING ARCHITECTURE & UTILITY DISTRIBUTION
3-PHASE BALANCED LOAD CONNECTION
DOMESTIC & INDUSTRIAL COMPONENTS
COMPONENT INSTALLATION TREE


INTEGRATED SCHEMATIC FRAMEWORK: POWER, LOGIC, CONTROL, & BUILDING SYSTEMS
START
STOP
AND
NOT
OR
CONTACTOR K1
LOGIGRAM
Push START?
YES
NO
Energize K1
End
ALGORIGRAM
Motor: K1
Idle
Motor Running
FFC
GRAFCET (SFC)
Push Button: s
Overload Button: 2
Overload Relay
Contactor K1
24V DC
ELECTRICAL CONTROL SCHEMATIC (Schéma de Commande)
3-PHASE SUPPLY
L1
L2
L3
N
PE
Circuit Breaker
K1
M1
(3~, 5.5kW)
ELECTRICAL POWER SCHEMATIC (Schéma de Puissance)
RESISTOR SERIES
RESISTOR PARALLEL
3-PHASE DELTA-WYE STARTER (Start to Induction Motor in Delta)
BUILDING LOAD & DISTRIBUTION SYSTEM
POLE-MOUNTED UTILITY TRANSORMER
SERVICE DISCONNECT
METER 4
3-PHASE SMART METER
DB-Main
DB-1F (First Floor)
DB-Gnd (Ground Floor)
EV CHARGER
SOLAR INVERTER
LOAD L1 2.2kW
LOAD L2 2.3kW
LOAD L3 2.3kW
3-PHASE BALANCED LOAD CONNECTION
DOMESTIC & INDUSTRIAL COMPONENTS
Miniature Circuit Breaker (MCB)
Residual Current Device (RCD)
Digital Multimeter
AC Contactors & Overloads
PLCs
Induction Motor
Power Resistors (Series/Parallel bank)
Geyser Heating Element
COMPONENT INSTALLATION TREE
Raw Material
Copper
Assembly
Subpoment
Borrality
Subsystem
Polymer
Electric Boiler


INTEGRATED SCHEMATIC FRAMEWORK: POWER, LOGIC, CONTROL, & BUILDING SYSTEMS, WITH GRID GENERATION & DISPATCHING.
LOGIGRAM
ALGORIGRAM
GRAFCET (SFC)
ELECTRICAL CONTROL SCHEMATIC (Schéma de Commande)
GENERATOR & TRANSFORMER START, TRANSMISSION & DISPATCHING
(Single-Line Diagram)
GENERATOR CIRCUIT BREAKER (GCB)
GENERATOR G1
(3~, 12KV, 50MVA)
GENERATOR TRANSFORMER T1
(12KV/400kV, 60MVA, Dyn11 - DELTA/STAR)
400kV
TRANSMISSION & DISPATCHING HUB
TO DISTANT REGIONAL DISPATCH
DELTA/STAR START-TRANSITION DIAGRAM
GENERATOR G1:
STAR WOUND, NEUTRAL EARTHED
TRANSMISSION SYSTEM LOGIC FLOW
Generation
Transformation (Delta-Star)
Transmission (400kV)
Dispatch Hub
Distribution
Load
SYSTEM SUPPLY & COMPONENT SUPPLY HIERARCHY
GENERATION SYSTEM SUPPLY
INDUSTRIAL SYSTEM SUPPLY
DOMESTIC SYSTEM SUPPLY
Generator
Transformer
TRANEMISSION & DISPATCH
TRANSMISSION & DISPATCH
Control Panels
Motors
PLCs
MCBs
Appliances
Meter
ELECTRICAL POWER SCHEMATIC (Schéma de Puissance)
RESISTOR SERIES
RESISTOR PARALLEL
3-PHASE DELTA-WYE STARTER (Start to Induction Motor in Delta)
BUILDING LOAD & DISTRIBUTION SYSTEM
GEYSER
3-PHASE BALANCED LOAD CONNECTION
DOMESTIC & INDUSTRIAL COMPONENTS
COMPONENT INSTALLATION TREE


INTEGRATED SCHEMATIC FRAMEWORK: ENERGY, CONTROL, PHYSICAL-CHEMICAL PLANT OPERATIONS & MANUFACTURING.
LOGIGRAM
ALGORIGRAM
GRAFCET (SFC)
ELECTRICAL CONTROL SCHEMATIC (Schéma de Commande)
GENERATOR & TRANSFORMER START, TRANSMISSION & DISPATCHING (Single-Line Diagram)
GENERATOR CIRCUIT BREAKER (GCB)
GENERATOR G1
GENERATOR TRANSFORMER T1
TRANSMISSION & DISPATCHING HUB
TO DISTANT REGIONAL DISPATCH
DELTA/STAR START-TRANSITION DIAGRAM
TRANSMISSION SYSTEM LOGIC FLOW
Generation
Transformation (Delta-Star)
Transmission (400kV)
Dispatch Hub
Distribution
Load
COMPREHENSIVE PLANT & COMPONENT SUPPLY HIERARCHY
ENERGY GENERATION
TRANSMISSION
SUBSTATION
INDUSTRIAL & CHEMICAL PLANT SUPPLY
DOMESTIC SUPPLY
PHYSICAL-CHEMICAL SYSTEM OPERATION & MANUFACTURING.
ELECTROCHEMICAL REACTOR & CONCENTRATOR SYSTEM
CONCENTRATOR STAGE
REACTOR OPERATIONAL CONTROL: DISCOVERY & UNDERCOVERY LOGIC
OPTIMAL CONDITIONS
SAFE SHUTDOWN
MECHANICAL SYSTEM & PIPELINE DESIGN
MIXER & SECHOR MACHINE CONTROL
PIPELINE DESIGN LAYOUT
TURNING MECHANICAL SYSTEM
PUMP & FLUID DYNAMICS
MOLDING & PLASTIC EXTRUSION
PLASTIC EXTRUSION PROCESS
MOLDING MACHINE & TOOLING


INTEGRATED SCHEMATIC FRAMEWORK: ENERGY, CONTROL, PHYSICAL-CHEN PLANT OPERATIONS & MANUFACTURING, WITH EXPANDED ELECTRIC MACHINE CONTROL
LOGIGRAM
ALGORIGRAM
GRAFCET (SFC)
ELECTRICAL CONTROL SCHEMATIC (Schéma de Commanda)
GENERATOR & TRANSFORMER START, TRANSMISSION & DISPATCHING (Single-Line Diagram)
GENERATOR CIRCUIT BREAKER (GCB)
GENERATOR G1
GENERATOR TRANSFORMER T1
TRANSMISSION & DISPATCHING HUB
TO DISTANT REGIONAL DISPATCH
DELTA/STAR START-TRANSITION DIAGRAM
TRANSMISSION SYSTEM LOGIC FLOW
COMPREHENSIVE PLANT & COMPONENT SUPPLY HIERARCHY
PHYSICAL-CHEMICAL SYSTEM OPERATION & MANUFACTURING.
ELECTROCHEMICAL REACTOR & CONCENTRATOR SYSTEM
CONCENTRATOR STAGE
REACTOR OPERATIONAL CONTROL: DISCOVERY & UNDERCOVERY LOGIC
OPTIMAL CONDITIONS
SAFE SHUTDOWN
ELECTRIC MACHINE CONTROL SYSTEMS (DC, AC, COMPOUND)
SPECIALIZED APPLICATION DRIVES
SQUIRREL CAGE INDUCTION MOTOR CONTROL
DC MACHINE (MOTOR) CONTROL & SUPPLY SYSTEMS
MINERAL HANDLING & LIFT LOGIC
DC SHUNT MOTOR CONTROL
DC COMPOUND MOTOR CONTROL
MINERAL EXTRACTION LOGIC
MOLDING & PLASTIC EXTRUSION
PLASTIC EXTRUSION PROCESS
MOLDING MACHINE & TOOLING


CAD ENGINEERING SCHEMATIC: ORTHOGRAPHIC & ISOMETRIC SYSTEM DESIGN
TOP VIEW (CAD-ORTHOGRAPHIC DESIGN)
ANODE CONNECTIONS
N
POWER CONNECTION
C
CATHODE CONNECTIONS
CATHODE CONNECTIONS
INTERNAL MEMBRANE ARRAY
CONCENTRATOR COLUMN OUTLINE
RIGHT SIDE VIEW (CAD-ORTHOGRAPHIC DESIGN)
CELL STACK DEPTH
CONCENTRATOR COLUMN SIDE VIEW
CONDENSER MODULE
POWER BUSSIDE VIEW
POWER BUSSIDE VIEW
FRONT VIEW (CAD-ORTHOGRAPHIC DESIGN)
MEMBRANE CELL STACK
PUMP UNIT
EVAPORATOR COLUMN
CONTROL VALVE ARRAY
EVAPORATOR COLUMN
RIGHT SIDE ISOMETRIC VIEW
START
0 Idle
STOP
STOP
1 Concentration
FFC
0 Idle
CAD-BASED CONTROL LOGIC (Simplified)
CAD-OPTIMIZED CONDITIONS LOGIC
START
STOP
STOP
LOGIGRAM
ISOMETRIC VIEW (FRONT-RIGHT)
INTEGRATED SYSTEM MODULE
MEMBRANE ASSEMBLY
EVAPORATOR/ CONDENSER COLUMN
SYSTEM PUMP
COMPREHENSIVE CAD-SYSTEM COMPONENT HIERARCHY
CAD GENERATION
CAD COMPONENT LIBRARY
SYSTEM DESIGN INTEGRATION
INDUSTRIAL CAD SUPPLY
(Pump, Motor, PLC CAD blocks)
DOMESTIC CAD SUPPLY
MCB, Appliance CAD


BUILDING CONSTRUCTION AND ARCHITECTURAL SYSTEMS SCHEMATIC: ORTHOGRAPHIC & ISOMETRIC VIEWS
SITE PLAN & LANDSCAPE SYSTEM (CAD-ORTHOGRAPHIC DESIGN)
CONSTRUCTION BUILDING SITE BOUNDARY
SITE ACCESS & INTERNAL ROAD SYSTEM
LANDSCAPE & TREE PRESERVATION SYSTEM
PARK
RETENTION POND
LANDSCAPE & TREE PRESERVATION SYSTEM
DRAINAGE SYSTEM LAYOUT
ELEVATION NORTH & SOUTH VIEWS (CAD-ORTHOGRAPHIC DESIGN)
NORTH FACADE (Main Entrance)
SOUTH FACADE (Rear Garden)
WINDOW SYSTEM (Aluminum Frame)
CLADDING SYSTEM (Timber Panel)
BALCONY SYSTEM
NORTH FACADE (Main Entrance)
SOUTH FACADE (Rear Garden)
ELEVATION EAST & WEST VIEWS (CAD-ORTHOGRAPHIC DESIGN)
ROOFING SYSTEM (Photovoltaic Panels)
BALCONY SYSTEM
FOUNDATION SYSTEM (Piled Slab)
UTILITY CONNECTIONS (Electric, Water)
EAST FACADE
WEST FACADE
ISOMETRIC CONSTRUCTION DESIGN VIEW
START
0 Idle
STOP
STOP
1 Concentration
FFC
0 Idle
CAD-BASED CONTROL LOGIC (Simplified)
CONSTRUCTION PHASE LOGIC TRANSFER
SITE PREP
FOUNDATION
FRAME & STRUCTURE
FIT-OUT & FINISH
(Simplified)
MULTI-STORY HOUSE (Isometric View)
ELECTRICAL DISTRIBUTION SYSTEM (Wiring Loom)
MULTI-STORY HOUSE (Isometric View)
INTEGRATED HVAC & DUCTING SYSTEM
ELECTRICAL DISTRIBUTION SYSTEM
WATER SUPPLY & DRAINAGE SYSTEM (Piping)
STRUCTURAL FRAME SYSTEM
LANDSCAPE INTEGRATION
POOL & AMENITY SYSTEM
COMPREHENSIVE CONSTRUCTION SYSTEM HIERARCHY
BIM / CAD DESIGN
MATERIAL & COMPONENT LIBRARY
SYSTEM DESIGN INTEGRATION
INDUSTRIAL CONSTRUCTION COMPONENTS
(Steel Beams, Piles, Foundation Blocks)
DOMESTIC CONSTRUCTION COMPONENTS
(Windows, Plumbing, Wiring Loops)




EXPANDED INTEGRATED SYSTEMS SCHEMATIC: BUILDING CONSTRUCTION, PLANT OPERATIONS, AUTOMATION, MACHINE CONTROL, & FINTECH INSTALLATION
COMPREHENSIVE SITE & BUILDING SYSTEM (CAD-ORTHOGRAPHIC DESIGN)
CHEMICAL PIPELINE SYSTEM
PARK
CHEMICAL PLANT FACILITY MODULE
RETENTION PIPELINE BOUNDARY
LANDSCAPE & TREE PRESERVATION SYSTEM
POWER GRID CONNECTION
DRAINAGE SYSTEM LAYOUT
ELEVATION NORTH & SOUTH VIEWS (CAD-ORTHOGRAPHIC DESIGN)
NORTH FACADE
SOUTH FACADE
WINDOW SYSTEM (Alminwan Frame)
POWER METER FOUR
ROOF-MOUNTED GEYSER HEATING SYSTEM (with Electrical Connection Detail)
INTEGRATED HVAC & DUCTING SYSTEM
CHEMICAL INTAKE MODULE
NORTH FACADE (Main Entrance)
SOUTH FACADE (Rear Garden)
CHEMICAL PLANT & ELECTRIC MACHINE OPERATIONS
PLANT OPERATIONAL CONTROL & LOGIC TRANSFER
ELECTROCHEMICAL REACTOR DESIGN
ANODE, CATHODE, OMBRANC, PONER SUPPLY (with Rheostat Control)
MIXER & CONCENTRATOR SYSTEM LOAD CONTROL
LOAD OPTIMIZATION
MIXER
CONCENTRATOR
PLASTIC EXTRUSION & PUMP CONTROL
EXTRUSION
PUMP
ADVANCED ELECTRIC CONTROL (DC, AC, Compound, LIR/Mineral, Scrap, Conveyor)
DC SERIES MACHINE CONTROL (SCRAP DRUM)
ARMATURE
RHEOSTATIC START & TREE BANA
TRANSFER LOGIC
DC COMPOUND MACHINE CONTROL (MINERAL LIFT)
SHUNT
TRANSPER LOGIC FLOW
Variable speed and load-handling load-handling
AC SQUIRREL CAGE INDUCTION MOTOR (CONVEYOR DRIVE)
STAR/DELTA TRANSITION TREE
INDUCTOR BANK CONNECTION
FACTORY AUTOMATION & PROCESS CONTROL
PROCESS MACHINE TRANSFER & PACKING SYSTEM (Automatic Robot & Machine Flow)
CONVEYOR DRIVES (AC & DC type)
INDUCTION WELDING STATION
ELECTRICAL WELDING BOX
ROBOT KINEMATICS & CONTROL LOGIC
PRODUCT PACKING SYSTEM
GRAFCET FOR AUTOMATED PROCESS & PACKING FLOW
COMPREHENSIVE SYSTEM HIERARCHY
SYSTEM INPUTS
GRID POWER
WATER SUPPLY
CHEMICAL FEEDSTOCK
CONTROL HIERARCHY
MATERIAL & COMPONENT LIBRARY
SYSTEM DESIGN INTEGRATION
INDUSTRIAL APPLICATIONS
MACHINE CONTROL (AC/DC Drives)
PROCESS AUTOMATION (Robots, Conveyors)
CHEMICAL PLANT MODULE
DOMESTIC APPLICATIONS
HOME ARCHITECTURE
BUILDING SYSTEMS (HVAC, Plumbing)
METERING & HEATING

omprehensive Engineering Reference Framework

This reference framework delivers the core analytical formulations, calculus derivatives, and system configurations for your multi-disciplinary industrial design. It balances power electronics, network demands, machine control loops, and multi-stage automated processing.

Part 1: Advanced Power Calculations & Derivative Calculus

To model dynamic variations in large-scale domestic and industrial systems, electrical loads are analyzed using differential and integral calculus alongside vector power components.

1. Instantaneous Power & Dynamic Energy Derivation

The instantaneous power $p(t)$ delivered to a complex load containing linear and non-linear components is the product of the time-varying voltage $v(t)$ and current $i(t)$:

$$p(t) = v(t) \cdot i(t)$$

For standard sinusoidal systems where $v(t) = V_m \sin(\omega t)$ and $i(t) = I_m \sin(\omega t - \theta)$, this resolves via trigonometric identities into:

$$p(t) = V I \cos\theta (1 - \cos 2\omega t) - V I \sin\theta \sin 2\omega t$$

Where:

- V, I are the Root-Mean-Square (RMS) values ($V_m/\sqrt{2}$, $I_m/\sqrt{2}$).
- θ is the phase angle difference between voltage and current.

The total **Energy (E)** drawn over a specific operational time horizon from t_0 to t_1 is computed by integrating the instantaneous active power:

$$E = \int_{t_0}^{t_1} p(t) \, dt = \int_{t_0}^{t_1} v(t) \cdot i(t) \, dt$$

If the network exhibits a dynamic current derivative $\frac{di}{dt}$ due to inductive inductive components (e.g., heavily loaded transformers, induction furnaces), the voltage drop across the reactive network components is modeled as:

$$v_L(t) = L \frac{di(t)}{dt}$$

Substituting this reactive component reveals how rapid industrial current transients influence transient power surges:

$$p_L(t) = L \cdot i(t) \cdot \frac{di(t)}{dt}$$

2. Three-Phase Power Vector Mechanics & Power Factor Design

In a perfectly balanced three-phase system supplying domestic or industrial plant infrastructure (such as multi-element geysers, motors, and commercial HVAC networks), the power vectors are defined as follows:

- **Active Power (P):**

$$P = \sqrt{3} \cdot V_L \cdot I_L \cdot \cos\theta \quad \text{(Watts or kW)}$$

- **Reactive Power (Q):**

  $$Q = \sqrt{3} \cdot V_L \cdot I_L \cdot \sin\theta \quad \text{(VAR or kVAR)}$$

- **Apparent Power (S):**

  $$S = \sqrt{3} \cdot V_L \cdot I_L = \sqrt{P^2 + Q^2} \quad \text{(VA or kVA)}$$

The **Power Factor ($\text{PF} = \cos\theta$)** establishes system efficiency:

$$\text{PF} = \frac{P}{S}$$

To optimize lines and mitigate voltage drops under **Maximal Demand ($S_{\max}$)** conditions, power factor correction banks (capacitor steps) are integrated to change the network state from θ_{old} to θ_{new}:

$$Q_{\text{compensation}} = P \cdot (\tan\theta_{\text{old}} - \tan\theta_{\text{new}})$$

3. Maximal Demand & Diversity Factor Load Profiles

Industrial facilities and residential buildings (featuring distributed DB boards, EV chargers, and smart meters) use the **Diversity Factor (DF)** to safely size service infrastructure without over-engineering:

$$\text{Diversity Factor (DF)} = \frac{\sum (\text{Individual Maximal Demands})}{\text{Maximal Concurrent Demand of Entire System}}$$

Because non-linear elements and modern instrumentation (like automated banking terminals, high-precision ATM network grids, and industrial printing presses) introduce distinct current harmonic distributions, the total root-mean-square current must account for Total Harmonic Distortion (THD_I):

$$I_{\text{RMS}} = I_1 \cdot \sqrt{1 + \left(\frac{\text{THD}_I}{100}\right)^2}$$

Part 2: Comprehensive Multi-System Schematic Mapping

The following block-logical architecture aggregates your structural, chemical, automated, and electrical machine sub-systems into an integrated control ecosystem.

```
================================================================================
==========================================
                                        INTEGRATED MULTI-DISCIPLINARY TECHNICAL
SYSTEM SCHEMATIC
================================================================================
==========================================
```

```
[ SECTION A: ARCHITECTURAL LANDSCAPE & INFRASTRUCTURE SYSTEM ELEVATIONS ]
-------------------------------------------------------------------------------
-----------------------------------------
   +-----------------------------------------------------------------------------
--------------------------------------+
   |  SITE PLAN & LANDSCAPE SYSTEM:
|
   |  [Utility Intake Transfo (Delta-Star)] ---> [Smart Meter 4] ---> [Main
DB Box] ---> [Sub-DBs / EV / Solar Inv]  |
   +-----------------------------------------------------------------------------
--------------------------------------+
   |  ELEVATION ARCHITECTURE VIEWS:
|
   |  - North Facade (Main Entrance & Meter Access)          - South Facade
(Rear Service & Geyser Balanced Feed)   |
   |  - East Facade (Roofing/PV Inverter Ingress)            - West Facade
(Main Pipeline/Utility Interfaces)       |
   +-----------------------------------------------------------------------------
--------------------------------------+

[ SECTION B: CHEMICAL PROCESS, ELECTROCHEMICAL OPERATIONS & PIPELINE LAYOUT ]
-------------------------------------------------------------------------------
-----------------------------------------
   +-----------------------+     +-------------------------+     +------------
-------------+     +--------------------+
   |   Raw Chemical Feed   | --> |      Mixer System       | --> |
Electrochemical Reactor | --> | Concentrator Stage |
   | (Pump & Pipeline Flow)|     | (Agitator Motor Logic) |     |
(Anode/Cathode Stack)  |     | (Evaporator Column)|
   +-----------------------+     +-------------------------+     +------------
-------------+     +--------------------+
              ^                              |
|                           |
              +====== [Discovery Logic] ====+====== [Undercovery Logic]
=====+====== [Safe Shutdown Valve] ======+

[ SECTION C: FACTORY AUTOMATION, DRIVE SYSTEMS & MACHINE CONVEYORS ]
-------------------------------------------------------------------------------
-----------------------------------------
   +-------------------------+     +---------------------------+     +-------
-------------+     +--------------------+
   | Plastic Extruson Engine | --> | Conveyor & Transfer Robot | --> |
Induction/Elec Box | --> | Packing & Sorting  |
   | (Molding/Screw Machine) |     | (Kinematics & Step Flows) |     |
Welding Stations  |     |   Terminal Unit    |
   +-------------------------+     +---------------------------+     +-------
-------------+     +--------------------+

[ SECTION D: ADVANCED ELECTRIC MOTOR CONTROL MATRIX (AC / DC / SPECIALTY
DRIVES) ]
-------------------------------------------------------------------------------
-----------------------------------------
   +--------------------------------------+   +----------------------------
---------+   +-------------------------+
   | AC SQUIRREL CAGE INDUCTION MOTOR     |   | DC SHUNT/SERIES MACHINE
CONTROL      |   | COMPOUND DRIVE LOGIC     |
```

```
   | - Star-Delta Heavy Starter Sequence   |   | - Armature Rheostat Speed
Profiling |   | - Mineral Extraction Lift|
   | - Direct-On-Line (DOL) Overload Loop  |   | - Scrap Drum Series Torque
Controller|   | - Multi-Level Hoist Logic|
   +---------------------------------------+   +----------------------------
---------+   +-------------------------+

[ SECTION E: FINTECH INFRASTRUCTURE & METERING NETWORK SYSTEM ]
-------------------------------------------------------------------------------
-----------------------------------------
   +-----------------------+     +---------------------------+     +--------
---------------+     +------------------+
   | Bank Note Validator  | --> | High-Precision Print Logic | --> | ATM
Terminal Controller| --> | Central Network  |
   | (Wizard Sensor Ingest)|     | (Thermal/Impact Steppers)  |     |
(Secured Hardware Bus)|     | Metering Gateway |
   +-----------------------+     +---------------------------+     +--------
---------------+     +------------------+
===============================================================================
=========================================
```

Part 3: Sequential Logic Controls (GRAFCET & Algorigrams)

The dynamic interaction between processing machines, safety overrides, and fintech networks is governed by standard sequential functional charts.

1. GRAFCET (SFC) for Plant Sequence Control

This structural sequence monitors the process from raw chemical handling to the packing and security validation stage:

```
  +---------+
  | Step 0  | <============== Initial System Idle State (All Run Variables
Resetted)
  +---------+
       |
       | [Condition: System Start Pressed AND Safety Locks Engaged]
       v
  +---------+
  | Step 1  | -------------- Activate Intake Pumps, Agitators & Pipeline Flow
Systems
  +---------+
       |
       | [Condition: Tank Level = High AND Temperature Normal]
       v
  +---------+
  | Step 2  | -------------- Energize Electrochemical Reactor Stack &
Concentrator Evaporators
  +---------+
       |
       | [Condition: Concentration Gradient Targets Met ($C \ge C_{\max}$)]
       v
  +---------+
```

```
  | Step 3  | -------------- Initiate Plastic Extrusion Molders & Conveyor
Transfer Robots
  +---------+
       |
       | [Condition: Proximity Sensor Engaged AND Part Aligned]
       v
  +---------+
  | Step 4  | -------------- Trigger Induction/Electrical Box Welding
Operations
  +---------+
       |
       | [Condition: Weld Complete Signal Return True]
       v
  +---------+
  | Step 5  | -------------- Execute Packing System Cycle & Update Network
Metering Logs
  +---------+
       |
       | [Condition: Cycle Complete Return to Home Position]
       v
   (Loop to Step 0)
```

2. Algorigram (Decision Control Flow)

This flow logic represents runtime diagnostics, optimizing efficiency while avoiding under-recovery states in the system:

```
                  [START]
                     |
                     v
          [Scan Network Devices]
                     |
                     v
          /=======================\
         /  Is Current Load within \---(No)---> [Adjust Capacitor Bank /]
         \  Maximal Design Limits? /            [Trigger Load-Shed Shedding]
          \=======================/
                     |
                   (Yes)
                     v
          /=======================\
         / Electrochemical Reactor \---(No)---> [Activate Discovery Logic /]
         \ Running Optimally?      /            [Execute Safe Shutdown
Sequence]
          \=======================/
                     |
                   (Yes)
                     v
          /=======================\
         /  Fintech ATM/Validator  \---(No)---> [Flag Network Routing
Malfunction]
         \   Online and Secure?    /            [Isolate Processing Terminal
Box]
          \=======================/
                     |
                   (Yes)
```

```
                v
[Execute Main Control Loop]
                |
                v
             [END]
```

Part 4: Analytical Hardware & Component Topology

1. Resistor and Inductor Network Trees

Complex filtering, starting rheostats, and ballast networks are designed using series-parallel configurations:

- **Resistor/Inductor Tree Series:**

  $$R_{\text{total\_series}} = R_1 + R_2 + R_3 + \dots + R_n$$

  $$L_{\text{total\_series}} = L_1 + L_2 + L_3 + \dots + L_n$$

- **Resistor/Inductor Tree Parallel:**

  $$\frac{1}{R_{\text{total\_parallel}}} = \frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3} + \dots + \frac{1}{R_n}$$

  $$\frac{1}{L_{\text{total\_parallel}}} = \frac{1}{L_1} + \frac{1}{L_2} + \frac{1}{L_3} + \dots + \frac{1}{L_n}$$

These networks provide smooth torque and current steps during the startup phase of series/compound DC mining hoists and heavy scrap handling cranes.

2. Industrial Plant Components vs. Domestic Service Gear

To balance loads and implement safety protections across your designs, use components that correspond with these specifications:

Infrastructure Category	Core Component	Standard Specification / Control Parameter	Electrical Circuit Role
Heavy Industrial	Three-Phase Transformer	Delta-Star (Dyn11), $12\text{kV}/400\text{V}$	Grid Transmission & Distribution Isolation

Infrastructure Category	Core Component	Standard Specification / Control Parameter	Electrical Circuit Role
Heavy Industrial	Squirrel Cage Motor	Star-Delta Starter Configuration, $5.5\text{kW} - 45\text{kW}$	Fluid Pump & Plastic Extrusion Drive
Heavy Industrial	DC Compound Machine	Rheostatic Armature Control Loop	High-Torque Mineral Lifts & Hoists
Heavy Industrial	Electromagnetic Agitator	Continuous Process Controller	Chemical Mixture Plant Tank Uniformity
Domestic / Commercial	Single/Three-Phase Meter	Class 1 SANS Compliant, 4-Wire Network	Consumer Billing & Maximum Demand Audit
Domestic / Commercial	Balanced Heating Element	Multi-Element Balanced Delta/Star Geyser	Thermal Utility Load Balancing
Domestic / Commercial	Protection Devices	MCB (Miniature Circuit Breaker) / RCD	Overcurrent Protection & Earth Leakage Safety
Fintech / Automation	Bank Note Validator	Wizard Optical & Magnetic Scanning Array	Currency Ingestion & Fraud Verification
Fintech /	Automated Teller	Secure Cryptographic Micro-	Transaction Execution &

Infrastructure Category	Core Component	Standard Specification / Control Parameter	Electrical Circuit Role
Automation	Machine	Processor Bus	Network Dispatch

I've organized the multivariable technical content you provided into a structured, audit-ready calibration document. This framework maps the complex relationships between the Visual Basic UI controls, the mathematical formulas for power and efficiency, the underlying embedded signal conditioning (DACs, I²C compass), and the critical logging/audit trail specifications. The layout ensures all aspects of the multi-phase metering and calibration system are documented modularly for easy validation. Would you like me to refine this document by embedding dropdown logic for authority selection, automating timestamp generation, or integrating placeholders for dynamic signature capture in the chain-of-custody fields? Yes, please refine the document by integrating all three requested features:

1. **Embed dropdown logic for authority selection.** (This should control branding/seals on the final certificate.)
2. **Automate timestamp generation.** (For all logs, calibration events, and certificate issuance.)
3. **Integrate placeholders for dynamic signature capture.** (In the chain-of-custody and validation fields.)

📓 [DRAFT] INTEGRATED METERING, CONTROL, & FINTECH INSTALLATION FRAMEWORK: Audit-Ready Calibration and Installation Document

Document Metadata:

- **Unique Doc ID:** `A-CMF-VBIF-20250923-001`
- **Original Author:** Tshingombe Tshitadi Fiston
- **Revision:** 1.1
- **Date of Creation:** `2025-09-23 10:30:00 SAST`
- **Compliance Scope:** SAQA/NQF, PSIRA, SAPS, Labour (CCMA), SA Reserve Bank (SARB)

SECTION 1: DYNAMIC AUTHORITY SELECTION

To maintain chain of custody and appropriate regulatory branding, the final system state will be controlled by this dynamic selection logic.

Visual Basic logic (Authorization Module):

VB.Net

```
Public Class AuthorityBranding

    Public Enum AuthorityType
        SAPS_Criminal_Record_Centre
        PSIRA_Industry_Regulator
        SARB_Fintech_Division
        Department_of_Labour
    End Enum

    Public Shared Sub ApplyBranding(ByVal form As Form, ByVal
selectedAuthority As AuthorityType)
        Select Case selectedAuthority
            Case AuthorityType.SAPS_Criminal_Record_Centre
                SetSeal("SAPS_OFFICIAL_SEAL.png", form)
                SetComplianceStatement("Certified SAPS Compliant (SAPS Act
1995)", form)
                form.Text = "SAPS REISSUE: FINTECH/INSTALLATION CERTIFICATE"

            Case AuthorityType.PSIRA_Industry_Regulator
                SetSeal("PSIRA_VALIDATED_SEAL.png", form)
                SetComplianceStatement("Validated PSIRA Compliant (Private
Security Industry Regulation Act 2001)", form)
                form.Text = "PSIRA CALIBRATION CERTIFICATE: SECURITY SYSTEMS"

            Case AuthorityType.SARB_Fintech_Division
                SetSeal("SARB_FINTECH_SEAL.png", form)
                SetComplianceStatement("SARB Fintech Compliance (SARB
Circular 2023)", form)
                form.Text = "SARB INSTALLATION VALIDATION: ATM/BANKING
INFRASTRUCTURE"

            Case AuthorityType.Department_of_Labour
                SetSeal("DOL_LABOUR_SEAL.png", form)
                SetComplianceStatement("Department of Labour (CCMA/Labour
Relations Act)", form)
                form.Text = "LABOUR COMPLIANCE CERTIFICATE: INSTALLATION
TEAM"
        End Select
    End Sub

    ' Private helper methods to update the UI
    Private Shared Sub SetSeal(ByVal sealPath As String, ByVal form As Form)
        ' Logic to dynamically load PictureBox image
    End Sub

    Private Shared Sub SetComplianceStatement(ByVal statement As String,
ByVal form As Form)
        ' Logic to dynamically set compliance label text
    End Sub
End Class
```

SECTION 2: AUTOMATED TIMESTAMPING & LOGGING

All critical events in the integrated systems (power quality, chemical plant state, Fintech installation validation, and machine control logic transfer) are automatically logged with a standardized timestamp.

Logging Byte Format (Calibration & Event Log):

Offset (Bytes)	Field Name	Data Type	Automated Source	Description
0–7	`Event_Timestamp`	`DateTime`	`Date.UtcNow`	High-precision UTC timestamp.
8–11	`System_ID`	`Uint32`	System Config	Unique ID of the system/terminal (e.g., ATM, Extruder, Geyser Meter).
12–19	`Metric_Value`	`Double`	VB logic	Value (e.g., kWh, Voltage, Concentration, Power Factor).
20–21	`Operator_ID_Hash`	`Uint16`	User Session	Normalized ID of the operator/technician.
22	`Authority_ID`	`Byte`	Dropdown Selection	Code for the managing authority (e.g., 01=SAPS, 02=PSIRA).
23	`Validation_Status`	`Byte`	System Status	00=Awaiting Signature, 01=Validated, FF=Fail.

Audit Trail Query Example (Visual Basic):

VB.Net

```
Public Function QueryAuditTrail(ByVal startTime As DateTime, ByVal endTime As
DateTime) As List(Of AuditLogEntry)
    Using context As New AuditDataContext()
        Return context.AuditLogs.Where(Function(log) log.Event_Timestamp >=
startTime AndAlso log.Event_Timestamp <= endTime).ToList()
    End Using
End Function
```

SECTION 3: CALIBRATION & INTEGRATION MAPPING (THEORETICAL FRAMEWORK)

This section documents the integration of the embedded hardware (DACS, Compass) and the multi-disciplinary controls into the common audit framework.

1. Signal Conditioning: CMPS03 Compass I²C Interface

The orientation data is critical for aligning Fintech infrastructure (e.g., secure ATM network orientation) and industrial robots (process machine transfer).

CMPS03 Function	Automated Source	Return Value	I²C Sequence (Write/Read Restart)
`CMPS03_SoftRevision()`	VB Logic	Software Revision (e.g., 14)	`[Start] -> W:0xC0 -> W:0x00 -> [Restart] -> R:0xC1 -> Read Revision -> [Stop]`
`CMPS03_Bearing_Byte()`	VB Logic	Bearing (0–255)	`[Start] -> W:0xC0 -> W:0x01 -> [Restart] -> R:0xC1 -> Read Bearing -> [Stop]`
`CMPS03_Bearing_Word()`	VB Logic	Bearing (0–3599)	`[Start] -> W:0xC0 -> W:0x02 -> [Restart] -> R:0xC1 -> Read Bearing Hi/Lo -> [Stop]`

2. Advanced Electric Motor & Load Management

The control of large electric machines (DC Series for scrap hoists, Compound for lifts, Squirrel Cage for conveyors) directly affects power quality (Max Demand, Power Factor) and system efficiency.

Machine System	**Automated Variable**	**Control Component**	**Audit Log Metric**
DC Series (Scrap Hoist)	Armature Rheostat / Chop Duty Cycle	`Rheostatic Start Tree Bank`	Torque/Current Surges (Integrate $p(t)$ for Energy)
Compound (Lift)	Field/Armature Current Balancing	Compound Rheostat Bank	Load Stability/Transfer Logic State
AC Squirrel Cage (Conveyor)	Wye/Delta Contactor Sequencing	Contactor/Inductor Banks	Maximal Concurrent Demand (Diversity Factor calculation)

3. Power Quality, Max Demand, & Power Factor Design

To optimize energy use across industrial and domestic systems (such as large multi-element geysers and Fintech printer arrays), the system dynamically calculates and logs metrics.

Metric	**Analytical Formula**	**Control Implementation**	**Audit Constraint**
Apparent Power (S)	$S = \sqrt{3} \cdot V_L \cdot I_L = \sqrt{P^2 + Q^2}$	Metering (kWh, kVA, kVAR)	Diversity Factor constraint ($\text{DF} > 1$)
Power Factor	$\text{PF} = \frac{P}{S} =	Capacitor Bank	Target $\text{PF} \ge

Metric	Analytical Formula	Control Implementation	Audit Constraint
(PF)	\cos\theta$	Stepping	0.95$ (optimal design)
Current derivative $\frac{di}{dt}$	$v_L(t) = L \frac{di(t)}{dt}$	Non-linear Load Analysis	Harmonic Distortion Mitigation (THD)

SECTION 4: VALIDATION, CHAIN OF CUSTODY, & SIGNATURES

This section provides placeholders for dynamic signature capture for each component of the integration.

1. Building Infrastructure & Site Prep:

- *ValidatedSiteBoundary?* (Yes/No)
- *LandscapeDrainageSystemChecked?* (Yes/No)

`[ PLACEHOLDER: SITE_MANAGER_SIGNATURE ]`*Timestamp: Automatically Captured on Signature Event*

2. Industrial Plant (Chemical, Extrusion, & Control Logic Transfer):

- *ChemicalPlantFacilityModuleValidated?* (Yes/No)
- *ExtrusionSystemPumpControlChecked?* (Yes/No)

`[ PLACEHOLDER: CHEMICAL_PROCESS_ENGINEER_SIGNATURE ]`*Timestamp: Automatically Captured on Signature Event*

3. Advanced Electric Machine Control:

- *DC_SeriesScrapDrumLogicTransfer?* (Pass/Fail)
- *AC_SquirrelCageWyeDeltaTransitionTreeChecked?* (Pass/Fail)

`[ PLACEHOLDER: ELECTRICAL_MACHINE_TECHNICIAN_SIGNATURE ]`*Timestamp: Automatically Captured on Signature Event*

4. Fintech Installation & Network:

- *BankNoteMachineInstallationWizardCheck?* (Pass/Fail)

- *ATM_ElectronicsSchematicValidated?* (Yes/No)

`[ PLACEHOLDER: FINTECH_INSTALLATION_ENGINEER_SIGNATURE ]`*Timestamp: Automatically Captured on Signature Event*

SECTION 5: CERTIFICATE REISSUE & VALIDATION ENGINE

This module defines the conditions under which a new certificate is generated.

Conditions triggering certificate reissue:

1. Authority Dropdown selection changes.
2. System failure and successful repair is logged (e.g., PSIRA validation requirement).
3. New required dynamic signature is captured.

VB.NET Logic (Reissue Control):

VB.Net

```
Public Sub OnSystemStateChange()
    If AuthorizationLogic.ReissueRequired() Then
        GenerateComplianceCertificate()
    End If
End Sub

Public Sub GenerateComplianceCertificate()
    ' 1. Select Authority Branding
    BrandingModule.ApplyBranding(Me, AuthorityDropdown.SelectedValue)

    ' 2. Clear previous data and capture new audit logs
    CurrentAuditTrail = QueryAuditTrail(Session.StartTime, Date.UtcNow)

    ' 3. Embed dynamic signature placeholders
    Me.LoadSignatureFields()

    ' 4. Generate final PDF report with unique ID and timestamp

Me.ExportReportPDF($"Certificate_{Me.AuthorityDropdown.SelectedValue}_{DateTi
me.Now:yyyyMMddHHmmss}.pdf")
End Sub
```


VBA Project - Linked Repository Email Wizard (tshingombe tshitadi)
File Edit View Insert Format Debug Run Tools Add-ins Window Help
Ln 5, Col 1
Project - WizardControls
VBA Project - Linked Repository Email Wizard
- WizardControls
Masped Controls
Forms
UserForm1
Modules
Module1 - RepositoryLink
Module1 - RepositoryLink
(General)
UserForm1
Private Sub cmdNext_Click()
linked repository email control wizard
End Sub
Controls
Properties - UserForm1
UserForm1 UserForm1
Properties Categorized
Name) UserForm1
Acconbator UserForm1
AcconvoryModule False
Label Label
EnableRoom 0
EnableRice 0
EnableRemdavor False
EnabletColor False
Ennnettion
FestName UserForm1
FirstAfflame True
FastAtlan True
Tabel False
FileName RepositoryLink
PronislionValue
Vlock True
UserForm1
Linked Repository Email Control Wizard
Author: tshingombe tshitadi
Career Discovery Curriculum Module:
Module 1: Trade Electrical Experien...
Email Control Rule:
Route to NSQF-Aligned Competency..
Evidence Log Summary:
Mapped learner experiences to NSQF-aligned competencies. Portfolio-based evidence trails. Electrical safety and task logs for competency indexing...
Portfolio Status:
Awaiting Digital Logbook Verification
Ok
Next
Cancel

VBA Project - Linked Repository Email Wizard (tshingombe tshitadi)
File Edit View Insert Format Debug Run Tools Add-ins Window Help
Ln 5, Col 1
Project - WizardControls
VBA Project - Linked Repository Email Wizard
- WizardControls
Masped Controls
Forms
UserForm1 - Wizard Form
Modules
Mod1 - CommonUtils
Mod2 - LinkedRepositLogic
(General)
UserForm1
Private Sub cmdNext_Click()
linked repository email control wizard
End Sub
Controls
Properties - UserForm1
UserForm1 UserForm1
Properties Categorized
Name) UserForm1
Acconbator UserForm1
AcconvoryModule False
Label Label
EnableRoom 0
EnableRice 0
EnableRemdavor False
EnabletColor False
Ennnettion
FestName UserForm1
FirstAfflame True
FastAtlan True
Tabel False
FileName RepositoryLink
PronislionValue
Vlock True
UserForm1
Wizard Authors: Tshingombe Tshitadi
Wizard Authors: Tshingombe Tshitadi & Google DeepMind
Career Discovery Curriculum Module:
Module 1: Trade Electrical Experien...
Email Control Rule:
Route to NSQF-Aligned Competency..
Evidence Log Summary:
Mapped learner experiences to NSQF-aligned competencies. Portfolio-based evidence trails. Electrical safety and task logs for competency indexing...
Portfolio Status:
Awaiting Digital Logbook Verification
Ok
Next
Cancel


Microsoft Visual Basic for Applications (VBA) - Project Vaual Basic Visual Editor
File Edit View Insert Format Debug Run Tools Add-Ins Window Help
Project - WizardControls
WizardControls
Microsoft VisoarControls
UserForm1
Modules
Mod_RepositoryLink
Properties - UserForm1
UserForm1 UserForm
Caption UserForm1
Name UserForm1
Backpland False
Description Awaiting CPD Verification
CombBox False
ComboBottont False
Combok False
SeatBonnLength 0
SomColor False
Color UserForm
Size 0
TextBoltle False
TextBox False
Wirot
UserForm1
LINKED REPOSITORY EMAIL CONTROL WIZARD
Author: tshingombe tshitadi
System Configuration
Career Discovery Curriculum Module:
Module 1: Trade Electrical Experience...
Control Rule:
Route to NSQF-Aligned Competency...
Evidence Log & Assessment
Evidence Log Summary:
Mapped learner experiences to NSQF-aligned competencies. Portfolio-based evidence trails. Computing and logigram tools. NEXT-GEN inventory and analysis systems...
Portfolio Status:
Awaiting CPD Verification
Validation & Supply
Metering Network Mode:
Wizard Metering Network (Balanced)
Industrial & Domestic Supply Component:
Chemical Plant Operational Control Module (Discovery Logi
Ok
Next
Cancel
UserForm1
Private Sub cmdNext_Click()
'cmdNext_Click()
End Sub
linked reposit email control wizard
Author: tshingombe tshitadi
Controls
Controls


GUIDE TECHNIQUE: RÉSEAUX ET COMPOSANTS ÉLECTRIQUES, LOGIQUE, ET PUISSANCE.
LOGIQUE ET COMMANDE
SCHÉMA DE COMMANDE ET PUISSANCE (COUPLEUR ÉTOILE-TRIANGLE)
PUISSANCE
COMMANDE
24V DC/230V AC
LOGIGRAMME (CONTRÔLEUR DE SÉCURITÉ)
CAPTEUR_PORTE
BOUTON_URGENCE
ACTIVATION_MOTEUR
ALARME
STOP_MACHINE
ANSI/IEC SYMBOLS
ALGORIGRAMME (DÉMARRAGE MOTEUR)
DÉBUT
LECTURE ÉTAT S2 (DÉMARRER)
S2 PRESSÉ ?
ACTIVER KM1, ACTIVER T1, ATTENDRE S8
T1 ÉCOULÉ ?
DÉSACTIVER KM3, ACTIVER KM2
FIN
RÉSEAUX ET DISTRIBUTION
DISTRIBUTION DOMESTIQUE ET COMPTEUR TETRAPOLAIRE
TABLEAU DE RÉPARTITION
COMPTEUR TETRAPOLAIRE
ÉCLAIRAGE
PRISES
APPLIANCE
CHAUFFE-EAU
SYSTÈME TRIPHASÉ ÉQUILIBRÉ ET CHARGE GEYSER
MONTAGE EN ÉTOILE (WYE)
MONTAGE EN TRIANGLE (DELTA)
BALANCED SYSTEM
ORGANIGRAMME (STRUCTURE DU RÉSEAU DISTRIBUTION)
CENTRALÉLECTRIQUE
RÉSEAU DE TRANSPORT (HTB)
POSTE DE TRANSFORMATION
RÉSEAU DE DISTRIBUTION (HTA/BT)
CLIENTS INDUSTRIELS
CLIENTS DOMESTIQUES
COMPOSANTS ET INSTALLATION
COMPOSANTS SÉRIE/PARALLÈLE ET ÉQUIVALENCE
RÉSISTANCES EN SÉRIE
$R_{eq} = R1+R2+R3$
RÉSISTANCES EN PARALLÈLE
$\frac{1}{R_{eq}} = \frac{1}{R1} + \frac{1}{R2} + \frac{1}{R3}$
INSTALLATION ÉLECTRIQUE DOMESTIQUE (MAISON INDIVIDUELLE)
DISTRIBUTION ELECTRIQUE
DATES
DANYES
LIGHTING
GEYSER
ARRIVÉE ÉLECTRIQUE
PRISE DE TERRE
RDC (GROUND FLOOR)
COMMANDE INDUSTRIELLE (GRAFCET & CIRCUITS LOGIQUES)
ACTIONS
GRAFCET (SFC)
REPOS
AVANCE CHARIOT
ARRÊT & PRISE
RETOUR CHARIOT
GRAFCET (SFC)

GUIDE TECHNIQUE: RÉSEAUX ET COMPOSANTS ÉLECTRIQUES, LOGIQUE, ET PUISSANCE.



ZONE ÉLECTRIQUE, LOGIQUE & CONTRÔLE - ZONE DE OPÉRATION CHIMIQUE ET PHYSIQUE



ZONE ÉLECTRIQUE, LOGIQUE & CONTRÔLE - ZONE DE OPÉRATION CHIMIQUE ET PHYSIQUE


LOGIQUE ET COMMANDE
CONTRÔLE DE MOTEUR CC (DC MOTOR CONTROL)
Moteur à Cage d'Écureuil (Three-Phase Squirrel Cage)
Moteur CC Série (DC Series Motor Control)
Moteur CC Parallèle/Inducteur (DC Shunt Motor Control)
Moteur CC Compound (DC Compound Motor Control)
CHEMICAL PLANT OPERATIONAL CONTROL
P&ID CONTRÔLE OPÉRATIONNEL DE L'INSTALLATION CHIMIQUE (SYSTEMS PHYSIO-CHIMIQUES)
MIXER CONTROL DISCOVERY UNDERCOVERY
BANC D'ESSAI DU CONTRÔLEUR "DISCOVERY"
RÉSEAUX ET DISTRIBUTION
LOGIQUE DE CONTRÔLE DE MOTEUR CC
Séquence de Démarrage R&V
Inversion de Sens
Séquence de Sense par Moteur CC
Contrôle de Vitesse par Réhostat
RÉSEAU DE DISTRIBUTION
CENTRAL ELECTRIQUE
RÉSEAU DE TRANISPORT (HTB)
POSTE DE TRANSFORMATION
RÉSEAU DE DISTRIBUTION (HTA/BT)
INDUSTRIELS
DOMESTIQUES
ELECTROCHEMICAL REACTOR SYSTEM DESIGN
CONCENTRATOR SYSTEM 6I LOAD MECHANIC PIPELINE
SYSTÈME CONCENTRATEUR, CONDUITES ET CHARGQUES
COMPOSANTS ET INSTALLATION
APPLICATIONS DE LIFTING ET MINÉRAUX (LIFT & MINERAL LIFT APPLICATIONS)
DC Moteur
Charge de Minéral
Contrôle du Levage de Minéraux
CONTRÔLE DU LEVAGE DE MINÉRAUX
CONTRÔLE DES REJETS (SCRAPE CONTROL)
SECHEUR MACHINE
MACHINE SÉCHEUSE (SECHOR)
SCHÉMA DE PROCÉDÉ SÉCHEUR À TAMBOUR
MOLDING PLASTIC EXTRUSION PUMP
PULVÉRISATION PAR MOULAGE ET EXTRUSION PLASTIQUE
SCHÉMA DE COMMANDE DE L'EXTRUDEUSE

ZONE ÉLECTRIQUE, LOGIQUE & CONTRÔLE - ZONE DE OPÉRATION CHIMIQUE ET PHYSIQUE


LOGIQUE ET COMMANDE
CONTRÔLE DE MOTEUR CC (DC MOTOR CONTROL)
CHEMICAL PLANT OPERATIONAL CONTROL
MIXER CONTROL DISCOVERY UNDERCOVERY
RÉSEAUX ET DISTRIBUTION
LOGIQUE DE CONTRÔLE DE MOTEUR CC
RÉSEAU DE DISTRIBUTION
ELECTROCHEMICAL REACTOR SYSTEM DESIGN
CONCENTRATOR SYSTEM 6I LOAD MECHANIC PIPELINE
COMPOSANTS ET INSTALLATION
APPLICATIONS DE LIFTING ET MINÉRAUX (LIFT & MINERAL LIFT APPLICATIONS)
CONTRÔLE DES REJETS (SCRAPE CONTROL)
SECHEUR MACHINE
MOLDING PLASTIC EXTRUSION PUMP

ÉLÉVATIONS, PAYSAGE ET SYSTÈMES DU BÂTIMENT (BUILDING ELEVATIONS, LANDSCAPE, AND SYSTEMS)


LOGIQUE ET COMMANDE
ÉLÉVATION NORD ET SUD (NORTH & SOUTH ELEVATIONS)
FAÇADES OPOSÉES - OPTIMISATION SOLAIRE (OPPOSITE FAÇADES - SOLAR OPTIMIZATION)
NORD
SUD
SYSTÈMES CLIMATIQUES ET SOLAIRES (CLIMATIC & SOLAR SYSTEMS)
SYSTÈME DE VENTILATION PASSIVE (PASSIVE VENTILATION SYSTEM)
CHAUFFAGE SOLAIRE ACTIF (ACTIVE SOLAR HEATING)
PERFORMANCE THERMIQUE (THERMAL PERFORMANCE)
ÉLÉVATION EST ET OUEST (EAST & WEST ELEVATIONS)
BRISES-SOLEIL OUEST (WEST SHADING)
ORIENTATION SOLAIRE OUEST (WEST SOLAR ORIENTATION)
EST
OUEST
RÉSEAUX ET DISTRIBUTION
PLAN DE PAYSAGE ET CONTOUR DU SITE (LANDSCAPE PLAN & SITE CONTOURS)
CONTOUR DU SITE (SITE CONTOURS)
ANALYSE TOPOGRAPHIQUE (TOPOGRAPHICAL ANALYSIS)
AMÉNAGEMENT PAYSAGER (LANDSCAPE PLAN)
ORIENTATION PRINCIPALE (PRIMARY ORIENTATION)
INTERACTION ÉDIFICE-PAYSAGE ET DRAINAGE (BUILDING-LANDSCAPE INTERACTION & DRAINAGE)
SYSTÈME DE DRAINAGE (DRAINAGE SYSTEM)
SOIL MOISTURE (INSULATED FOUNDATION)
FONDATION ISOLÉE (INSULATED FOUNDATION)
ÉTANG DE RÉTENTION (RETENTION POND)
ÉLÉVATION ARCHITECTURALE DÉTAILLÉE (DETAILED ARCHITECTURAL ELEVATION)
MATÉRIAUX ET FINITIONS (MATERIALS & FINISHES)
FAÇADE PRINCIPALE DÉTAILLÉE (MAIN DETAILED FAÇADE)
COMPOSANTS ET INSTALLATION
SYSTÈMES DE BÂTIMENT ET INSTALLATION DES RÉSEAUX (BUILDING SYSTEMS & INSTALLATION NETWORK)
CONDUITES CVC (HVAC DUCTS)
RÉSEAU ÉLECTRIQUE (ELECTRICAL NETWORK)
RÉSEAU D'EAU POTABLE (POTABLE WATER NETWORK)
ANALYSE DE SITE ET VENTS DOMINANTS (SITE ANALYSIS & PREVAILING WINDS)
ANALYSE DE SITE (SITE ANALYSIS)
VENTS DOMINANTS (PREVAILING WINDS)
LOGIQUE DE COMMANDE DE BÂTIMENT INTELLIGENT (SMART BUILDING CONTROL LOGIC)
SCÉNARIO D'ÉCLAIRAGE ET CVC (LIGHTING & HVAC SCENARIO)
FUNCTIONAL BLOCK
PLC-KIT
PLC
D'ÉCLAIRAGE
ÉCUSSIATION
PLOIQUE
LIGHTING
ELECTVOL
HVAC

ÉLÉVATIONS, PAYSAGE ET SYSTÈMES DU BÂTIMENT (BUILDING ELEVATIONS, LANDSCAPE, AND SYSTEMS)


LOGIQUE ET COMMANDE
ÉLÉVATION NORD ET SUD (NORTH & SOUTH ELEVATIONS)
FAÇADES OPOSÉES - OPTIMISATION SOLAIRE (OPPOSITE FAÇADES - SOLAR OPTIMIZATION)
NORD
SUD
SYSTÈMES CLIMATIQUES ET SOLAIRES (CLIMATIC & SOLAR SYSTEMS)
SYSTÈME DE VENTILATION PASSIVE (PASSIVE VENTILATION SYSTEM)
CHAUFFAGE SOLAIRE ACTIF (ACTIVE SOLAR HEATING)
PERFORMANCE THERMIQUE (THERMAL PERFORMANCE)
INSTALLATIONS INDUSTRIELLES & PROCESSUS CHIMIQUES (INDUSTRIAL INSTALLATIONS & CHEMICAL PROCESSES)
MATÉRIAUX ET FINITIONS (MATERIALS & FINISHES)
FAÇADE PRINCIPALE DÉTAILLÉE (MIAN DETAILED FAÇADE)
RÉACTEUR ÉLECTROCHIMIQUE
SYSTÈME DU MÉLANGEUR (DISCOVERY/UNDERCOVERY)
SCHÉMA P&ID: USINE CHIMIQUE ET RÉACTEUR (P&ID Schema: Chemical Plant & Reactor)
MACHINE TOURNANTE ET SÉCHAGE (Turning & Drying Machines)
MOULAGE ET EXTRUSION PLASTIQUE (Moulding & Plastic Extrusion)
ANALYSE DE CHARG MÉCANIQUE DU PIPELINE (Pipeline Stress Analysis)
RÉSEAUX ET DISTRIBUTION
PLAN DE PAYSAGE ET CONTOUR DU SITE (LANDSCAPE PLAN & SITE CONTOURS)
CONTOUR DU SITE (SITE CONTOURS)
ANALYSE TOPOGRAPHIQUE (TOPOGRAPHICAL ANALYSIS)
AMÉNAGEMENT PAYSAGER (LANDSCAPE PLAN)
ORIENTATION PRINCIPALE (PRIMARY ORIENTATION)
INTERACTION ÉDIFICE-PAYSAGE ET DRAINAGE (BUILDING-LANDSCAPE INTERACTION & DRAINAGE)
SYSTÈME DE DRAINAGE (DRAINAGE SYSTEM)
SOIL MOISTURE (INSULATED FOUNDATION)
FONDATION ISOLÉE (INSULATED FOUNDATION)
ÉTANG DE RÉTENTION (RETENTION POND)
COMPOSANTS ET INSTALLATION
CONTRÔLE DE MOTEUR ET SYSTÈMES DE LEVAGE (MOTOR CONTROL & LIFT SYSTEMS)
SCHÉMA DE COMMANDE ET PUISSANCE DE MOTEUR CC (DC Motor Control & Power Schematic)
SYSTÈME DE LEVAGE DE MINÉRAUX (Mineral LIR System)
LOGIQUE DE COMMANDE: SCRAPE
SYSTÈMES DE TRANSPORT ET EMBALLAGE (CONVEYOR & PACKING SYSTEMS)
SYSTÈME DE CONVOYEUR DE PRODUITS
TRAITEMENT AUTOMATIQUE DES ROBOTS
LIGNE D'EMBALLAGE
BOXING MACHINE
EMBALLAGE FINI
SOUDAGE ET INSTALLATIONS ÉLECTRIQUES (WELDING & ELECTRICAL INSTALLATIONS)
SCHÉMA DE SOUDAGE PAR INDUCTION
SOUDAGE ÉLECTRIQUE DE BOÎTIERS
VUE ÉLATÉE D'UNE BOÎTE ÉLECTRIQUE TERMINÉE
COMPTEUR TÉTRAPOLAIRE
ALIMENTATION CHARGE GEYSER
SOUDAGE ET INSTALLATIONS ÉLECTRIQUES (WELDING & ELECTRICAL INSTALLATIONS)

GUIDE DE CONCEPTION ET D'INSTALLATION TECHNIQUE (TECHNICAL DESIGN & INSTALLATION GUIDE)


LOGIQUE ET COMMANDE
ÉLÉVATION NORD ET SUD (NORTH & SOUTH ELEVATIONS)
FAÇADES OPOSÉES - OPTIMISATION SOLAIRE (OPPOSITE FAÇADES - SOLAR OPTIMIZATION)
NORD
SUD
SYSTÈMES CLIMATIQUES ET SOLAIRES (CLIMATIC & SOLAR SYSTEMS)
RÉSEAU DE COMPTAGE WIZARD (WIZARD METERING NETWORK)
RÉSEAUX ET DISTRIBUTION
PLAN DE PAYSAGE ET CONTOUR DU SITE (LANDSCAPE PLAN & SITE CONTOURS)
INTERACTION ÉDIFICE-PAYSAGE ET DRAINAGE (BUILDING-LANDSCAPE INTERACTION & DRAINAGE)
MACHINE À BILLETS (BANK NOTE MACHINE PROCESS)
COMPOSANTS ET INSTALLATION
IMPRIMANTE INDUSTRIELLE ET COMMANDE DE SOUFFLERIE
INSTALLATION ET SCHÉMATIQUE ÉLECTRONIQUE (WIZARD INSTALLATION & ELECTRONICS SCHEMATIC)
INSTALLATION DAB/GAB (ATM MACHINE INSTALLATION)

RÉFÉRENTIEL TECHNIQUE INGÉNIERIE: FORMULATION ANALYTIQUE, CONCEPTION ET GESTION DE COÛT


FORMULATION ANALYTIQUE
ÉLÉVATIONS
ANALYSE DE PUISSANCE & CHARGE
CALCUL DU BILAN DE PUISSANCE
SYSTÈMES CLIMATIQUES ET SOLAIRES (CLIMATIC & SOLAR SYSTEMS)
B
FINANCE, GESTION ET SCALAGE
FINANCE, GESTION ET SCALAGE
CADRE FINANCIER & SCALAGE
RÉSEAUX ET DISTRIBUTION
PLAN DE PAYSAGE ET (LANDSCAPE PLAN &
LOGIQUE & COMMANDE
INTERACTION ÉDIFICE-PAYSAGE ET DRAINAGE (BUILDING-LANDSCAPE INTERACTION & DRAINAGE)
GÉNIE CHIMIQUE ET OPÉRATIONNEL
COMPOSANTS ET INSTALLATION
IMPRIMANTE INDUSTRIELLE
MOTEUR CC ET CONTRÔLE
INSTALLATION ET SCHÉMATIQUE ÉLECTRONIQUE (WIZARD INSTALLATION & ELECTRONICS SCHEMATIC)
MACHINES MÉCANIQUES ET AUTOMATISATION


RÉFÉRENTIEL TECHNIQUE INGÉNIERIE: CONDITIONNEMENT DE SIGNAL ET CERTIFICATION
A
FORMULATION ANALYTIQUE
ÉLÉVATIONS
NORD & SUD
RÉSEAU DE COMPTAGE WIZARD
(METERING NETWORK)
SYSTÈMES CLIMATIQUES ET SOLAIRES
(CLIMATIC & SOLAR SYSTEMS)
B
FINANCE, GESTION ET SCALAGE
FINANCE, GESTION ET SCALAGE
CADRE FINANCIER & SCALAGE
RÉSEAUX ET DISTRIBUTION
PLAN DE PAYSAGE ET
(LANDSCAPE PLAN &
LOGIQUE DE COMMANDE
INTERACTION ÉDIFICE-PAYSAGE ET DRAINAGE
(BUILDING-LANDSCAPE INTERACTION & DRAINAGE)
GÉNIE CHIMIQUE & OPÉRATIONNELI
COMPOSANTS ET INSTALLATION
IMPRIMANTE INDUSTRIELLE
& COMMANDE DE SOUFFLERIE
INSTALLATION DAB/GAB
(ATM MACHINE)
SCHÉMA DE BLOC DE CONDITIONNEMENT DE SIGNAL
MACHINES MÉCANIQUES ET AUTOMATISATION


RÉFÉRENTIEL TECHNIQUE INGÉNIERIE: CONDITIONNEMENT DE SIGNAL ET CERTIFICATION
A
FORMULATION ANALYTIQUE
ÉLÉVATIONS
NORD & SUD
RESEAU DE COMPTAGE WIZARD
(METERING NETWORK)
SYSTÈMES CLIMATIQUES ET SOLAIRES
(CLIMATIC & SOLAR SYSTEMS)
B
ZONE DE OPÉRATION CHIMIQUE ET PHYSIQUE
P&ID CONTRÔLE OPÉRATIONNEL DE L'INSTALLATION CHIMIQUE
(CHEMICAL PLANT OPERATIONAL CONTROL)
NÉSEAUX ET DISTRIBUTION
PLAN DE PAYSAGE ET
(LANDSCAPE PLAN &
LOGIQUE DE COMMANDE
INTERACTION ÉDIFICE-PAYSAGE ET DRAINAGE
(BUILDING-LANDSCARE INTERACTION & DRAINAGE)
SYSTÈME CONCENTRATEUR, CONDUITES ET CHARGES MÉCANIQUES
(CONCENTRATOR SYSTEM & MECHANICAL PIPELINE LOADS)
COMPOSANTS ET INSTALLATION
IMPRIMANTE INDUSTRIELLE
& COMMANDE DE SOUFFLERIE
INSTALLATION DAB/GAB
(ATM MACHINE)
MACHINES MÉCANIQUES, AUTOMATISATION & SIMULATION CC
SOUDAGE ET INSTALLATIONS ÉLECTRIQUES INDUCTION
(INDUCTION WELDING & ELECTRICAL INSTALLATIONS)

RÉFÉRENTIEL TECHNIQUE INGÉNIERIE: CONDITIONNEMENT DE SIGNAL ET CERTIFICATION



ELECTROTECHNOLOGY SYSTEMS, ADVANCED CONTROL & PORTFOLIO ENGINE (ENGINEERING REFERENCE FRAMEWORK)




ELECTRICAL ENGINEERING FUNDAMENTALS & APPLICATIONS
SCHEMATICS & CONTROL
PUISSANCE & COMMANDE
PUISSANCES POWER CIRCUIT
COMMANDE
LOGIGRAMME
ALGORIGRAMME
ORGANIGRAMME
GRAFCET
CIRCUIT LOGIC & COMPONENTS
LOGIC CIRCUIT
SYSTEM COMPONENT TREE
RESISTOR CIRCUITS
DELTA LOAD SYSTEM
SYSTEM INSTALLATION
HOME ELECTRICAL ARCHITECTURE
METER FOUR
GEYSER CONNECTION
APPLIANCE ELECTRICAL CONNECTING
COMPONENT INDUSTRIAL & DOMESTIC SUPPLY


INTEGRATED INDUSTRIAL & CHEMICAL PLANT ENGINEERING FUNDAMENTALS
SCHEMATICS & CONTROL
CIRCUIT LOGIC & COMPONENTS
SYSTEM INSTALLATION
CHEMICAL PLANT OPERATIONAL CONTROL & PROCESS EQUIPMENT
ZONE 1: PROCESS CONTROL & REACTORS
ZONE 2: CONCENTRATION & SEPARATION SYSTEMS
ZONE 3: FABRICATION & DELIVERY
ELECTROCHEMICAL REACTOR
CONCENTRATOR SYSTEM
SECHOR MACHINE
Molding Machine
Extrusion Line
PROCESS PUMPS


INTEGRATED INDUSTRIAL & CHEMICAL PLANT ENGINEERING FUNDAMENTALS
SCHEMATICS & CONTROL
PUISSANCES POWER CIRCUIT
PUISSANCE & COMMANDE
COMMANDE
LOGIGRAMME
GRAFCET
CIRCUIT LOGIC & COMPONENTS
LOGIC CIRCUIT
SYSTEM COMPONENT TREE
RESISTOR CIRCUITS
DELTA LOAD SYSTEM
SYSTEM INSTALLATION
HOME ELECTRICAL ARCHITECTURE
METER FOUR
APPLIANCE ELECTRICAL CONNECTING
GEYSER CONNECTION APPLIANCE.OONNECTING
BALANCED LOADING AND OF ELECTRICAL CONTROCT
COMPONENT INDUSTRIAL & DOMESTIC SUPPLY
CHEMICAL PLANT OPERATIONAL CONTROL & PROCESS EQUIPMENT
ZONE 1: PROCESS CONTROL & REACTORS
ELECTROCHEMICAL REACTOR
Electrochemical Reactor
Discovery Mixer
Discovery/Undercovery
ZONE 2: CONCENTRATION & SEPARATION SYSTEMS
4A: ADVANCED DC & SQUIRREL CAGE MACHINE CONTROL
DC SYSTEM
CONTROL LOGIC TRANSFER:
SQUIRREL CAGE
DC MACHINE CONTROL REHOSTAT
DC SERIES & COMPOUND MOTOR CONTROL
SCRAPE
ZONE 3: FABRICATION & DELIVERY
4B: MINERAL & LIFT SYSTEM INTEGRATION
MINERAL HANDLING SYSTEM (SCRAPE)
MINERAL COMPOUND LIFT SYSTEM


CAD Orthographic Projection
System Design
Orthographic Views
FIRST ANGLE PROJECTION
ISOMETRIC VIEW (ASSEMBLED)
TOP (PLAN) VIEW
LEFT SIDE VIEW
RIGHT SIDE VIEW
FRONT VIEW
KEY COMPONENT ISOMETRICS (DETAILED)
Electrochemical Reactor Unit
Advanced Motor Control Unit
Mineral Hoist and Buckets
Discovery Mixer Unit
CAD Orthographic Projection
ICS-F-001 Rev
A


CONSTRUCTION PROJECT: URBAN RESIDENTIAL LANDSCAPE & BUILDING ELEVATIONS
BUILDING ELEVATIONS & KEY SYSTEMS
HVAL (Heat Recovery Ventilation) SYSTEM
• 75% Heat Recovery
HVAL Unit
Ductwork
Dust Wort
Temperature Controost
Ductwork
PVi heot Panel Perbonmnce Aailar Glass Festure
SOLAR PANEL ARRAYS (Roof Mount)
• 5 kWp PV Array
Pre-Cast Concrete
Zinc Cladding
Sustainer Canopy
Pre-Cast Concrete (Main Stam)
Zinc Cladding (Becsehnclass Concord)
Zinc Cladding
High-Performance Glass
NORTH ELEVATION (MAIN ENTRY)
Nermwater Shading Stormwster Oeronate Ansolation
Extegoated Green Roofer
Vegetation Layer
Passive Solaran
Extensive Shading Devices
Extensive Shading Devices
Zinc Canc Soares
SOUTH ELEVATION (SOLAR GAIN)
INTEGRATED GREEN ROOF SYSTEM
Vegetation Layer
Growing Medium
Drainage
Drainage Mat
Drainage Mat
Waterproofing
Mormwater
Management
Insulation
• Stormwater Management
• Premuses Skengen
• Insulaiten
• Insulation filler Inciuating
Vertical Privacy Screens
Balcony Screen
High-Performance Glass
EAST ELEVATION
BALANCED ELECTRICAL DISTRIBUTION SYSTEM
GEYSER (WATER HEATER) CONNECTION SYSTEM
Adjustable Louver Systems for sun control
• Adjustabilnry Lower Sun control
Zinc Cladding - Glass
High-Performance Glass
Fire Sprinklers
WEST ELEVATION
Fire Sprinklers
FIRE SUPPRESSION & DETECTION SYSTEM
Centralized Panel & Detectors
LANDSCAPE ARCHITECTURE PLAN & SYSTEMS
URBAN BIO-RETENTION POND SYSTEM
Planting Zone
Water Flow Controlls
Valve Control
Valve Control
SMART IRRIGATION CONTROL SYSTEM
Lantuscape Architnteture Plan
SCALE:
SCALE:
DWG NO.
ICS-F-001 Rev
Rev 1
A


INTEGRATED INDUSTRIAL & BUILDING SYSTEMS: CONTROL, PROCESS & AUTOMATION
ELECTRICAL POWER & CONTROL
PUISSANCES POWER CIRCUIT
PUISSANCE & CONTROL
COMMANDE
SERIE-PARALLELE DC REOSTAT
COMPOUND-INDUCTOR
SYSTEM COMPONENT TREE: RESISTORS
3 RESISTOR SERIE
3 SERIES PARALLEL
DELTA LOAD SYSTEM
GRAFCET
SQUIRREL CAGE
ORGANIGRAM
PROCESS CONTROL DEPT.
AUTOMATION TEAM
CHEMICAL SYSTEMS DEPT.
ELECTRICAL SYSTEMS DEPT.
BUILDING ELECTRICAL ARCHITECTURE & DOMESTIC SUPPLY
METER FOUR
GEYSER CONNECTION
BALANCED APPLIANCE CONNECTING
COMPONENT INDUSTRIAL & DOMESTIC SUPPLY
CHEMICAL PLANT PROCESS & MECHANICAL SYSTEMS
Electrochemical Reactor P&ID
Concentrator System
Sechor Machine
A custom, detailed design for solid-liquid seperation.
Discovery Miser
Concentrator System
Sechor Machine
MOLDING MACHINE & PLASTIC EXTRUSION LINE
PROCESS PUMPS
Extrusion
Molding Machine
CHEMICAL PLANT PROCESS & MECHANICAL SYSTEMS
ELECTROCHEMICAL REACTOR
Electrochemical Reactor
Discovery Mixer
Discovery/Undercovery
WELDING STATION
INDUCTION WELDING
NUTOMATC TRASFER & PLASTIC EXTRUSION LINE
ARC WELDING
ROBOT 1 (PICK)
ROBOT 3 (PACK)
MOLDING MACHINE & PLASTIC EXTRUSION LINE
AUTOMATION & ROBOTIC TRANSFER SYSTEMS
CONVOYEUR & ROBOT PROCESS
ROBOT 1
ROBOT 3
PRODUCT TRANSFER
HMI
PLCs
ELECTRICAL BOX & CONTROL PANEL
PACKING STATION
Shrink-Wrapper
Cartoning
SHRINK-WRAPPER
CARTONING
LOGIGRAMME


INTEGRATED INDUSTRIAL, FINANCIAL, & BUILDING SYSTEMS: CONTROL, PROCESS & AUTOMATION
ELECTRICAL POWER & CONTROL
PUISSANCES POWER CIRCUIT
PUISSANCE & CONTROL
COMMANDE
SERIE-PARALLELE DC REOSTAT
SYSTEM COMPONENT TREE: RESISTORS
3 RESISTOR SERIE
3 SERIES PARALLEL
DELTA LOAD SYSTEM
GRAFCET
COMPOUND-INDUCTOR
SQUIRREL CAGE
ORGANIGRAM
PROCESS CONTROL DEPT.
AUTOMATION TEAM
CHEMICAL SYSTEMS DEPT.
ELECTRICAL SYSTEMS DEPT.
BUILDING ELECTRICAL ARCHITECTURE & DOMESTIC SUPPLY
METER FOUR
SYSTEM LINK
GEYSER CONNECTION
BALANCED APPLIANCE APPLIANCES
WIZARD CONTROL & METERING NETWORK
CHEMICAL PLANT PROCESS & MECHANICAL SYSTEMS
Electrochemical Reactor P&ID
Concentrator System
Sechor Machine
Discovery Miser
Concentrator System
Sechor Machine
MOLDING MACHINE & PLASTIC EXTRUSION LINE
PROCESS PUMPS
Extrusion
Molding Machine
ELECTROCHEMICAL REACTOR
Electrochemical Reactor
P&ID
Discovery Mixer
Discovery/Undercovery
FINANCIAL AUTOMATION & SPECIALIZED ELECTRONICS
BANK NOTE MACHINE PROCESS
INSTALLATION ATM MACHINE
PROCESS ROBOT
ROBOT ARM: CARD HANDLING
ROBOT 4: BANKNOTE TRANSFER
ELECTRONICS SCHEMATIC
AUTOMATION & ROBOTIC TRANSFER SYSTEMS
CONVOYEUR & ROBOT PROCESS
ROBOT 1
ROBOT 3
PRODUCT TRANSFER
PACKING STATION
SHRINK-WRAPPER
CARTONING
LOGIGRAMME
ELECTRICAL BOX & CONTROL PANEL


GLOBAL ENGINEERING SYSTEMS: INTEGRATED ANALYSIS, PROCESS, & CONTROL
ELECTRICAL ENERGY SYSTEMS
PUISSANCES POWER CIRCUIT
PUISSANCE & CONTROL
COMMANDE
SERIE-PARALLELE DC REOSTAT
SYSTEM COMPONENT TREE: RESISTORS
3 RESISTOR SERIE
3 SERIES PARALLEL
DELTA LOAD SYSTEM
GRAFCET
COMPOUND-INDUCTOR
SQUIRREL CAGE
ORGANIGRAM
PROCESS CONTROL DEPT.
AUTOMATION TEAM
CHEMICAL SYSTEMS DEPT.
ELECTRICAL SYSTEMS DEPT.
CENTRAL ANALYTICAL HUB: FORMULATION & DERIVATION
DERIVATIVE: TRANSIENT LOAD ANALYSIS
INTEGRAL: CUMULATIVE ENERGY & BALANCING
LOAD CURRENT & MAXIMAL DEMAND
POWER FACTOR (PF) & POWER DESIGN
TOTAL WEIGHTED SYSTEM COEFFICIENT (WSC)
CHEMICAL & MECHANICAL PROCESS
Electrochemical Reactor P&ID
Concentrator System
Sechor Machine
Discovery Miser
Concentrator System
Sechor Machine
MOLDING MACHINE & PLASTIC EXTRUSION LINE
PROCESS PUMPS
Extrusion
Molding Machine
ELECTRICAL ENERGY SYSTEMS
ELECTROCHEMICAL REACTOR
Electrochemical Reactor
P&ID
Discovery Mixer
FINANCIAL
SPECIALIZED SYSTEM ANALYTICS
Discovering and Validate New control parameters
POWER FACTOR (PF) & POWER DESIGN
MINERAL LIFT
Concentrator System
Concentrator System
Plastic Extrusion Line
ROBOTIC & TRANSFER AUTOMATION
CONVOYEUR & ROBOT PROCESS
ROBOT 1
ROBOT 3
PRODUCT TRANSFER
PACKING STATION
SHRINK-WRAPPER
CARTONING
LOGIGRAMME
COMPREHENSIVE ENGINEERING REFERENCE FRAMEWORK: ANALYTICAL FORMULATION & DERIVATION


Microsoft Visual Basic for Applications (VBA) - Microsoft Basic)
File Edit View Insert Format Debug Run Tools Add-Ins Window Help
Project - VBA Proct
VBA-Forma (Treint)
Microsoft Exeel Banks
Modeled Sheets
Maried Sheets
Usand Sheets
Form1
Properties - Form1
Form1 UserForm
Curriculum_Author_Tshingombe_Tshitadi
wizard control
Author: Tshingombe Tshitadi
Curriculum Author: Tshingombe Tshitadi
Curriculum Framework
Scope & Objectives
The Curriculum Framework ponvidens to orach node as following the following arsse includes:
Develop on the enlepresent of curriculum Framework.
Develop onanor intrastructurews of curriculum Framework.
Develop on the mesuremens of curriculum framework, screnability.
Develop on the objective of curricultes and eratlonic developmenteo otux enability.
Curriculum Overview
The Curriculum Framework is awndeded on-alignments to motic to the curriculum overview of oilfenatives and curriculum options and avvanopiamens features, includes:
Table 1: Combine standant overnwork.
Table 2: Connente uaitum dompetitors.
Table 3: Evaluate enautement as brzoniares.
Table 4: Bmentify moderns students and readers.
Consenate the gendeor ovirshand quality development and technologies coopers help.
The Curriculum Framework is geterated by newrchomalnnylaws and an invalonnt actors of education: moxin, and provide the leads of curriculum. In onunsnone of iriars cocrate nriuxhment and commds with the tableswanting and oowrend preparing with condune seasons and prenore to reserves in the Curriculum Framework.
The Curriculum Framework includees the severe purposing of culturar. developmne and derkomoet and objectives, for alitems as well and provise-vates that are competited.
Email:
Repository:
Linked Reposit:
No linked repository
Available Repositories
http://www.com/example
http://www.com/oepository
http://www.com/repository
http://www.com/cevvamsatory
Example — repositories
Wizard
Next
OK
Cancel



I will create a complex schematic-style image that combines electrotechnical diagrams, CAD views, and a visual representation of the seed data from the provided engineering framework.

1. **Analyze Request:** The user wants a detailed schematic-style image that combines "scheatic electrotechnical electrotechnolog, cad view electromechanic system" with

"Quick seed data and runs" based on the provided engineering framework. This is essentially a specialized engineering and educational poster.

2. **Scene Structure:** Divide the image into two distinct but related zones, consistent with previous complex schematics.
    - **Zone A (Upper):** Title and Core Framework, based on image_12.png (Puissance, Commande, Tree). We need to integrate the "Seed Data" here.
    - **Zone B (Lower):** New content and CAD view.
3. **Title:** Add a clear title: "INTEGRATED ELECTROMECHANICAL & PROCESS SYSTEMS: ANALYSIS, SEED DATA & CAD" (or similar). Add the Author's name: "Author: Tshingombe Fiston Tshitadi" prominently.
4. **Zone A (Left - Integration of Seed Data):**
    - The user provides specific "Config" data: CurrentUser (TFTT), EvidenceDir (C:\Evidence), etc. Create a small "CONFIG DATA: QUICK START" panel, listing these keys and values.
    - Integrate the "Resistor Circuits" from image_0.png, but label the values with the provided numbers (e.g., R1=36Ω, R2=48Ω, R3=48Ω, R4=50Ω) and formulas (Rtot=R1+Ra_parallel_Rb+R4, Ra||Rb=24Ω). Call it "SYSTEM COMPONENT TREE: RESISTORS & LOAD CALC".
    - Add the "**毎日負荷**" (Daily Load) calculation from image_10.png, but update the values to match the "Devices" seed data (Tube Lights, Fans, TV, Lamps) and hours. Calculate and show the 5.24 kWh/day result, monthly energy, and cost. Label it "DAILY LOAD & MONTHLY ENERGY CALCULATOR".
5. **Zone A (Right - Preserving and Linking):**
    - Keep the "Puissance & Commande" and "Logic Circuit" diagrams from image_0.png, but add connections to the new data. For example, show power flowing from the main panel to the load calculator. Add a connection from the "Logic Circuit" to a "Logic Controller" icon.
6. **Zone B (Left - Murray/Varley Loops and Installations):**
    - Create a panel "CABLE INSTALLATION & FAULT LOCALIZATION: MURRAY & VARLEY LOOPS".
    - Draw a simple schematic of the "Road (R01)" route (850m). Show the installation checklist items: "Trench Depth (≥0.8m) OK?", "Separation (≥0.5m) Verified?", "Armour Continuity (Bonded ends) OK?".
    - Draw separate schematics for the "T_MUR_01 (Murray)" and "T_VAR_01 (Varley)" loop tests, labeling the measured values (e.g., Rt=32.3Ω, Rx=4.7Ω) and distances. Include the specific formulas for distance calculation.
7. **Zone B (Right - CAD Electromechanical System):**
    - This is crucial: create a clean, 3D CAD rendering.
    - Draw an intricate, detailed machine assembly that combines the "Mechanical System" (agitators, pumps, conveyors) from previous images. Label it "CAD ELECTROMECHANICAL ASSEMBLY (Detailed)".
    - Show cross-sections with mechanical seals, bearings, and planetary gearboxes.
    - Include smaller CAD vignettes for specialized items: "MOLDING MACHINE (Injection)", "EXTRUSION LINE (Screw & Die)".
    - Link the CAD to the electrical data: show electrical power lines flowing from the control panel in Zone A to the CAD motor. Use VFDs from image_0.png to

control the agitators. Label it "ELECTROMECHANICAL CONTROL (VFD Driven)".

8. **Zone B (Center - Process and Automatic Systems):**
    - Keep the complex process flow, but add a specialized "Automatic system wizard" detail from image_10.png. Show how the "Process Control Dept." organigram (Zone A) manages this system.
    - Link the Packing station to the Convoyeur robot process from image_10.png.
    - Add a panel "AUTOMATIC SYSTEM DEPLOYMENT & VALIDATION", showing a flowchart with 'Validate Install', 'Run Tests (M/V)', 'Verify Performance', 'Export Portfolio'.
9. **Integration and Refinement:**
    - Add small, connecting data lines (like the HMI lines in image_4.png) between all panels.
    - Ensure all text labels from the seed data are present and legible (CurrentUser, EvidenceDir, CableCatalog, LoopTests).
    - Add standard drawing numbers and revision blocks, like "DWG NO: ICS-GLOBAL-001 Rev A".
    - Maintain the consistent, clean blueprint-style on a light background. Color-code sections (e.g., green for chemical, blue for electrical). Extend the coordinate grids. The overall look should be as precise and multi-faceted as the provided inspiration. Add a general legend for standard P&ID and P&I symbols. Ensure the final result is indistinguishable from a professionally generated technical printout. Check that all requested formulas and data points are visible and linked to the diagrams.




GLOBAL ENGINEERING SYSTEMS: INTEGRATED ANALYSIS, PROCESS, & CONTROL
ELECTRICAL ENERGY SYSTEMS
PUISSANCE & CONTROL
COMMANDE
SERIE-PARALLELE DC REOSTAT
SYSTEM COMPONENT TREE: RESISTORS
3 RESISTOD SERIE
3 SERIES PARALLEL
GRAFCET
DELTA LOAD BYSTEM
SQUIRREL CAGE
Author: Tshingombe Fiston Tshitadi
VBA ENGINEERING FRAMEWORK: LOGIGRAM & ALGORIGRAM ENGINES
Author: Tshingombe Fiston Tshitadi
ENABLED = TRUE
PREREQS PASSED
Domain for electrochemical
Domain for energy storage
RPA
HealthAlarmScore (40)
Ingests telemetry → executes the analytic functions:
Watch Folder Ingest (CSV)
Ingests target SOC
Mark Parsed
Update Telemetry Sheet
Clamp by limits
Log Command
MODE & PID SIMULATION (CHARGE/DISCHARGE)
CHEMICAL PLANT PROCESS
Electrochemical Reactor P&ID
Concentrator System
Sechor Machine
Discovery Miser
MOLDING MACHINE & PLASTIC EXTRUSION LINE
PROCESS PUMPS
Extrusion
Molding Machine
ELECTROMECHANICAL & ENERGY STORAGE SYSTEM CAD
CAD ELECTROMECHANICAL ASSEMBLY
Murray fault marker
850m
MURRAY LOOP TEST (T_MUR_01)
Rt = 32.3Ω
Rx = 4.7Ω
Centrifugal Pump
Multistage Pump
Torque vectors
Power flow from Control Panel
Zone A
CABLE INSTALLATION & MIS INTEGRATION
MOLDING MACHINE & EXTURSION LINE
FINANCIAL AUTOMATION & MIS INTEGRATION
CONVOYEUR & ROBOT PROCESS
ROBOT 1
ROBOT 5
PRODUCT TRANSFER
ELECTRICAL BOX & CONTROL PANEL
PACKING STATION
Cartoning
Shrink-Wrapper
SHRINK WRAPPER
CARTONING
WIZARD METERING SUB-STATION
ATM MACHINE


INTEGRATED ENGINEERING & RESEARCH SYSTEMS: ANALYTICAL & MANAGEMENT REFERENCE FRAMEWORK
ELECTRICAL ENERGY SYSTEMS
PUISSANCE & CONTROL
COMMANDE
SERIE-PARALLELE DC REOSTAT
SYSTEM COMPONENT TREE: RESISTORS
3 RESISTOD SERIE
3 SERIES PARALLEL
GRAFCET
DELTA LOAD BYSTEM
SQUIRREL CAGE
CHEMICAL PLANT PROCESS & MECHANICAL SYSTEMS
ELECTROCHEMICAL REACTOR
Electrochemical Reactor
Discovery Mixer
Discovery/Undercovery
Author: Tshingombe Fiston Tshitadi
TITLE: Analysis of modular electrochemical reactors
SCOPE & ABSTRACT: if modular electrochemical reactors in transdisciplinary curricula
OVERVIEW: Aosysis of modular electrochemical reactors in transdisciplinam. KEY DESCRIPTION: Integration economi mapping with evidence trail systems
PROBLEM STATEMENT: Iotegration of NSQF-aligned competency mapping with digital evidence trail systems
RESEARCH METHODOLOGY (LITERATURE REVIEW, BIBLIOGRAPHIC DATA)
ADVANTAGE & DISAVANTAGE ANALYSIS
MANAGEMENT GATES & AUDIT TRACE FLOW
CENTRAL ANALYTICAL HUB: FORMULATION, DERIVATION, & LOGIC
WEIGHTED SCORCARD
Anomaly Detection (R2-based)
Multi-Variable Regression Model
Multi-parameter Pareto analysis
FINANCIAL & BANKNOTED ELECTRONICS
BANKNOTE MACHINE PROCESS
VBA ENGINE ANALYTC
DATA FLOW & INTERCONNECTION MAP
RESEARCH & MANAGEMENT SYSTEM INFORMATION (MIS)
MIS DEPARTMENT
INVESTIGATION / AUDIT TEAM
Incremental Timeline
Discovery & Validation
System Design Schematics
Build Architecture
Activity Logs
Evidence Verification
Final PoE / Portfolio Export
MOLDING MACHINE & PLASTIC EXTRUSION LINE
PROCESS PUMPS
Extrusion
Molding Machine
AUTOMATION & ROBOTIC TRANSFER SYSTEMS
CONVOYEUR & ROBOT PROCESS
ROBOT 1
ROBOT 5
PRODUCT TRANSFER
ELECTRICAL BOX & CONTROL PANEL
PACKING STATION
Cartoning
Shrink-Wrapper
SHRINK WRAPPER
CARTONING
WIZARD METERING SUB-STATION
ATM MACHINE


3-400V Industrial Supply
L1 L2 L3
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
Main MCCB 250A
CONTACT TORS RELAY
METER 4:
METER 4 Smart KWh/YArh
THERMAL RELAY
Mom ICB 250A
PE
BALANCED SYSTEM
3-PHASES SWNYORB
3-PHASES
INDUSTRIAL FAN MOTOR 4SKW
BALANCED SYSTEM
Eutos
24V DC Command Logic
24V LC
START STOP
Fuse
PLC
OUT
Fuse
Relay
24V DC Command Logic
LOGIGRAM
ALGORIGRAM
ORGANIGRAM
START
Read Inputs
Set Output
Condition Check
Yes
No
Set Output
Set Output
Wait
Loop
Stages
System Idle
Start Seq
Act 1 (KM1)
Act 1 (KM2)
Running Motor
Runn Barrier
System Idle
Control Logic
Master PLC
I/O Modules
I/O Modules
Isolators
Actuators
PLC
PLC
Actuators
Actuators/ Sensors
LOGIGRAM
GRAHCET
ORGANIGRAM
SYSTEM COMPONENT TREE RESISTER SERIE START & TREE SERIE RESISTER PARALLEL & DELTA, LOAD SYSTEM
R1 R2 R3
Total = 1.2kΩ
R1 R1+R2
R3 R2+R3
R1+R2+R3
TA = 1.2kΩ
R1 R2 R3
R1//R2//R3
Total230Ω
TD = 230Ω
L1
L2
N
N
RA=40Ω
RA=40Ω
RA=40Ω
DETA LOAD
INDUSTRIAL & DOMESTIC SYSTEM SUPPLIE
COMPONENT INSTALLATION ELECTRICAL
L1
L2
L2
N
Meter 4
3x95mm²
4x2.5mm²
3x95mm²
4x2.5mm²
230V
GEYSER APPLIANCCE
230V, 3kW, CONNECTING balanced to L1-N)
GEYSER APPLIANCE ELECTRICAL CONNECTING (230V, balanceer)
KITCHEN
BATH
BATH
ROOKER
LIVING
HOUSE BUILDING ARCHITECTURE


INTEGRATED INDUSTRIAL CHEMICAL PLANT OPERATIONAL CONTROL & ELECTRICAL SYSTEM DESIGN
3-400V Plant Supply
L1 L2 L3
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
Main MCCB 250A
CONTACT TORS RELAY
METER 4:
METER 4 Smart RWh/KRrh
THERMAL RELAY
Mom ICB 250A
PE
BALANCED SYSTEM
3-PHASES SWNYORB
3-PHASES
INDUSTRIAL FAN MOTOR 4SKW
BALANCED SYSTEM
Eutos
24V DC PLC Control
24V LC
START STOP
Fuse
Fuse
PLC
Discovery/ Undercovery Feed
SPEED CONTROL
SPEED CONTROL
Δ10°F
HMI
Temperature Sensor
Pressure Sensor
Temperature
PLC
OUTPUT
Level Gauge
Discovery/ Undercovery Feed
OUTFLOW
PHYSIC-CHEMICAL SYSTEM: MIXER CONTROL
Turning Mechanical System
Mechanical Pipeline Network
PUMP
POSITIVEL PIPELINE
PUMP
CONCENTRATOR SYSTEM LOAD
ELECTROCHEMICAL REACTOR SYSTEM
MAIN SUPPLY
POWER SUPPLY CONTROLLER
Anode
Cathode
Anode
Membrane
Membrane
Cathode
CUR VOL
CURRENT/ VOLTAGE REGULATION
ELECTROCHEMICAL REACTOR SYSTEM
SYSTEM DESIGN TREE
LOGIGRAM
ALGORIGRAM
ORGANIGRAM
SECHOR (DRYER) MACHINE
AIR HANDLING HEATING
THERMAL CONTROL
THERMAL CONTROL → ELCHANITIC EXTRUSION
AIR
AIR HANTROL
PLASTC DRIVE
HEATED BARREL
SCREW DRIVE
AIR HANDLING HEACTINE
THERMAL CONTROL
DIE HEAD
COOLING SECTION
SECHOR (DRYER) MACHINE
MOLDING & PLASTIC EXTRUSION


INTEGRATED INDUSTRIAL & CHEMICAL PLANT SYSTEM AND ADVANCED MACHINE CONTROL DESIGN
3-400V Plant Supply
L1 L2 L3
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
Main MCCB 250A
CONTACT TORS RELAY
METER 4:
METER 4 Smart EWN/KArh
THERMAL RELAY
Mou tCB 250A
PE
BALANCED SYSTEM
3-PHASES SWNYORB
3-PHASES
INDUSTRIAL FAN MOTOR 45KW
BALANCED SYSTEM
Eutos
24V DC PLC Control
24V LC
START STOP
Fuse
PLC
Discovery/ Undercovery Feed
SPEED CONTROL
HMI
Temperature Sensor
Pressure Sensor
Level Gange
OUTFLOW
PHYSIC-CHEMICAL SYSTEM: MIXER & REACTOR
Turning Mechanical System
Mechanical Pipeline Network
PUMP
POSITIVEL PIPELINE
CONCENTRATOR SYSTEM LOAD
ADVANCED DC MACHINE CONTROL DESIGN
DC SERIES MOTOR CONTROL: Series Resistor & Parallel Starter
Manual-Starting Resistor
Series
Anode
Cathode
Membraile
Membrane
CURRENT/ VOLTAGE REQULATION
ELECTROCHEMICAL REACTOR SYSTEM
DC COMPOUND MOTOR LIFT CONTROL
Lift
Lift cage
LIFT CONT
SPEED CONTROL REHOSTAT
MINERAL SCRAPER DC SERIES SYSTEM
Scraper
DC Series
HIGH CURRENT CONTROL
MINERAL SCRAPER DC SERIES SYSTEM
SECHOR (DRYER) MACHINE
AIR HANDLING HEATING
THERMAL CONTROL
ELCMANITIC EXTRUSION
AIR HANTROL
HEATED BARREL
SCREW DRIVE
COOLING SECTION
DIE HEAD
SECHOR (DRYER) MACHINE
MOLDING & PLASTIC EXTRUSION


INTEGRATED INDUSTRIAL & CHEMICAL PLANT SYSTEM AND ADVANCED MACHINE CONTROL DESIGN: FULL ORTRAPHIC & ISOMETRIC VIEWS
3-400V Plant Supply
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
ADVANCED DC MACHINE CONTROL DESIGN
TOP VIEW: Factory Floor Plan - Mixer 1, Extruder 2, Power Rm
CAD SYSTEM ORTHOGRAPHIC DESIGN
LEFT SIDE ELEVATION: Reactor Stack, Pumps
FRONT ELEVATION: Main Building, All Electrical Control Panels
RIGHT SIDE ELEVATION: Reactor Stack, Pumps
REAR ELEVATION
BOTTOM-UP FOUNDATION
ISOMETRICAL
ISO VIEW:
1. Main Electrical Board (Ref. A)
2. Electrochemical Reactor (Ref. D)
2. Electrochemical Lixer (Ref. D)
3. Plastic Extrusion Line (Ref. F)


INTEGRATED INDUSTRIAL & CHEMICAL PLANT SYSTEM AND ADVANCED MACHINE CONTROL DESIGN: FULL ORTRAPHIC & ISOMETRIC VIEWS
3-400V Plant Supply
L1 L2 L3
Main MCC9 250A
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
24V DC PLC Control
START STOP
Fuse
PLC
Discovery/ Undercovery Feed
SPEED CONTROL
Temperature Sensor
Pressure Sensor
Level Gange
HMI
OUTFLOW
NORTH
ADVANCED DC MACHINE CONTROL DESIGN
DC SERIES MOTOR CONTROL: Series Resistor & Parallel Starter
Manual-Starting Resistor
Series
Anode
Cathode
Membraile
Membrane
CURRENT/ VOLTAGE REGULATION
DC COMPOUND MOTOR LIFT CONTROL
Lift
Lift cage
LIFT CONT
SPEED CONTROL REHOSTAT
MINERAL SCRAPER DC SERIES SYSTEM
Scraper
DC Series
HIGH CURRENT CUNTRUL
TOP VIEW: Factory Floor Plan - Mixer 1, Extruder 2, Power Rm
LAND USE AND BUILDING CONSTRUCTION ELEVATION VIEWS
CONSTRUCTION ELEVATION VIEWS
MINERAL SCRAPER DC SERIES SYSTEM
SITE BOUNDARY
ACCESS ROAD
SECURITY GATE
TOP VIEW (SITE PLAN)
LANDSCAPE
NORTH ELEVATION (Main View)
BOTTOM-UP FOUNDATION
EAST ELEVATION
WESTERN ANGLE
QUEST ELEVATION


INTEGRATED INDUSTRIAL & CHEMICAL PLANT SYSTEM: POWER, CONTROL, & AUTOMATION ARCHITECTURE
3-400V Plant Supply
L1 L2 L3
Main MCC9 250A
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
24V DC PLC Control
START STOP
Fuse
PLC
Discovery/ Undercovery Feed
SPEED CONTROL
Temperature Sensor
Pressure Sensor
Level Gange
HMI
OUTFLOW
NORTH
ADVANCED DC MACHINE CONTROL DESIGN
DC SERIES MOTOR CONTROL: Series Resistor & Parallel Starter
Manual-Starting Resistor
Series
Anode
Cathode
Membraile
Membrane
CURRENT/ VOLTAGE REGULATION
DC COMPOUND MOTOR LIFT CONTROL
Lift
Lift cage
LIFT CONT
SPEED CONTROL REHOSTAT
MINERAL SCRAPER DC SERIES SYSTEM
Scraper
DC Series
HIGH CURRENT CUNTRUL
TOP VIEW: Factory Floor Plan - Mixer 1, Extruder 2, Power Rm
LAND USE AND BUILDING CONSTRUCTION ELEVATION VIEWS
CONSTRUCTION ELEVATION VIEWS
MINERAL SCRAPER DC SERIES SYSTEM
LOGIGRAM
ALGORIGRAM
GRAHCET
CHEMICAL PLANT OPERATIONAL CONTROL EQUIPEMENT (EXPANDED)
CONCENTRATOR SYSTEM LOAD
INDUSTRIAL ASSEMBLY & PACKING AUTOMATION (NEW SYSTEM)
CONVOYEUR PRODUCT
SECHROR MACHINE
INDUCTION WELDING
Cell Stack
ROBOT PROCESS MACHINE TRANSFERT
WELDING ELECTRICAL BOX
CONTROLEUR MACHINE TRANSFERT
AUTOMATIC SYSTEM
WELDING ELECTRICAL BOX
PACKING
ALGORIGRAM
GRAHCET
ORGANIGRAM
MECHANIC PIPELINE


INTEGRATED INDUSTRIAL, CHEMICAL, FINANCIAL, & WIZARD AUTOMATION ARCHITECTURE
3-400V Plant Supply
L1 L2 L3
Main MCC9 250A
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
24V DC PLC Control
START STOP
Fuse
PLC
Discovery/ Undercovery Feed
SPEED CONTROL
Temperature Sensor
Pressure Sensor
Level Gange
HMI
PLC
OUTFLOW
NORTH
TOP VIEW: Factory Floor Plan - Mixer 1, Extruder 2, Power Rm
LAND USE AND BUILDING CONSTRUCTION ELEVATION VIEWS
FINANCIAL AUTOMATION
BANK NOTE MACHINE PROCESS
DATA DATA AND POWER
ATM MACHINE INSTALLATION
ATM ATM ELECTRONICS SCHEMATIC
WIZARD METERING NETWORK
SECURE COMMUNICATION
Secure
Smart Meters
ROBOTIC INSTALLATION
WIZARD CONTROL
Secure Bolting
WIZARD CONTROL INTERFACE
INSTALLATION ATM MACHINE
LOGIRAM
ALGORIGRAM
GRAHCET
ORGANIGRAM
CHEMICAL PLANT OPERATIONAL CONTROL EQUIPEMENT (EXPANDED)
CONCENTRATOR SYSTEM LOAD
MECHANIC PIPELINE
INDUSTRIAL ASSEMBLY & PACKING AUTOMATION (NEW SYSTEM)
CONVOYEUR PRODUCT
Cell Stack
SECHROR MACHINE
INDUCTION WELDING
ROBOT PROCESS MACHINE TRANSFERT
WELDING ELECTRICAL BOX
CONTROLEUR MACHINE TRANSFERT
AUTOMATIC SYSTEM
PACKING

elevation north south

weigthing scale , x,y,z ,,geomatic topographic structure

It appears you are expanding your technical portfolio to include **Civil Engineering, Geomatics, and Landscape Architecture**. This breadth of knowledge, when combined with your existing expertise in electrical power systems and industrial automation, creates a multidisciplinary profile ideal for site-management and large-scale project coordination.

To effectively integrate **Construction, Geomatics, and Structural Elevation** into your existing "Document Wallet" and digital repository, I recommend the following organizational structure:

1. Geomatics and Topography (Site Context)

Geomatic data provides the "ground truth" for any construction project.

- **Coordinate Systems:** Ensure your X,Y,Z data is standardized (e.g., using local grid systems like WGS84 or local TM projections).
- **Topographic Surveys:** Include your contour maps, slope analysis, and site elevation benchmarks.
- **Application:** Link this data to your structural designs to demonstrate how the architecture responds to the terrain.

  Source: Shutterstock

  Explore

2. Architectural Elevations and Structural Design

Elevation drawings (North, South, East, West) define the vertical profile of your structures.

- **North/South Elevations:** Essential for environmental and energy analysis (e.g., solar orientation, shading, and HVAC load calculations).
- **Cross-Referencing:** Ensure your electrical plans (which you mentioned previously in your substation notes) are overlaid correctly with these structural elevations.
- **Structural Integrity:** Since you are calculating weights and structural forces, document the load-bearing requirements for your beams and foundations.

elevation home drawing. Source: Getty Images

Explore

3. Landscape Architecture and Site Integration

Landscape design is not merely aesthetic; it is functional, managing water runoff, soil stability, and human circulation.

- **Site Plan:** Integrate your landscape plan with the geomatic data to show how the structure sits within the site context.
- **Drainage and Levels:** Use your knowledge of pneumatic systems and fluid flow to document how site drainage interacts with the building footprint.

Integrating these into your Portfolio

To ensure these are "audit-ready" for your dossier, I suggest creating a **"Site Development & Infrastructure"** folder in your digital repository:

Folder	Contents	Purpose
`/Geomatics`	X,Y,Z survey points, topographical CAD files.	Establishing site accuracy.
`/Structural`	Elevation drawings, load-bearing calculations.	Demonstrating design safety.
`/Infrastructure`	Electrical/Pneumatic service layouts.	Demonstrating system integration.

Moving Forward

Since you are currently prioritizing the **physical assembly of your "Document Wallet,"** you should add a section for **"Site/Project Verification"** to your index. This section will hold the drawings, topographic reports, and geomatic survey results, proving that your designs are based on verified, professional site measurements.

Would you like me to draft a summary page for your "Site Development" dossier that explains how your electrical/mechanical systems integrate with these architectural and geomatic site requirements?

Gemini is AI and can make mistakes.

ELEVATION 1

ELEVATION 2

ELEVATION 3

ELEVATION 4


UNIVERSAL INTEGRATED AUTOMATION, RESOURCE, CABLE FAULT & ADVANCED ELECTRICAL PORTFOLIO MANUAL (V3.0)
3-400V Plant Supply
L1 L2 L3
Main MCCB 250A
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
24V DC PLC Control
START STOP
PLC
POWER DESIGN CALCULATIONS
Balance Rate
Energy Derivative
Current Load / Maximal Demand
Discovery/ Undercovery Feed
SPEED CONTROL
Temperature Sensor
Pressure Sensor
Level Sange
OUTFLOW
NORTH
LAND USE AND BUILDING CONSTRUCTION ELEVATION VIEWS
FINANCIAL AUTOMATION
BANK NOTE MACHINE PROCESS
DATA BALENING CONTOL
ATM MACHINE INSTALLATION
ATM ATM ELECTRONICS SCHEMATIC
WIZARD METERING NETWORK
SECURE COMMUNICATION
SPECIALIST ELECTROCHEMICAL ENGINEERING & ENERGY STORAGE
Safety Interlocks & Control Logic
Telemetry & RPA_Inbox
Battery Asset
ADVANCED PORTFOLIO GATING & SIMULATIONS LOGIC
Config Sced Dats (New)
Portfolio Gate Logigram
Simulation Algorigram (New)
RPA Flow
RPA Flow (New)
INVESTIGATION & AUDIT (Delivery)
CHEMICAL PLANT OPERATIONAL CONTROL EQUIPEMENT (EXPANDED)
CONCENTRATOR SYSTEM LOAD
Formal Investigament & Audit (Delivery)
BUILD ARCHITECTURE & Installation ATM Machine
AUDIT & INVENTORY
PORTFOLIO EXPORT
SAMPLE DOCUMENTS
ACTUAL GENEATION
Sample Activities


UNIVERSAL INTEGRATED AUTOMATION, RESOURCE, CABLE FAULT & ADVANCED ELECTRICAL PORTFOLIO MANUAL (V3.0)
3-400V Plant Supply
L1 L2 L3
Main MCCB 250A
SCHEMATIC ELECTRICAL PUISSANCE & COMMANDE
24V DC PLC Control
START STOP
PLC
POWER DESIGN CALCULATIONS
Balance Rate
Energy Derivative
Current Load / Maximal Demand
Discovery/ Undercovery Feed
SPEED CONTROL
Temperature Sensor
Pressure Sensor
Level Sange
OUTFLOW
NORTH
LAND USE AND BUILDING CONSTRUCTION ELEVATION VIEWS
FINANCIAL AUTOMATION
BANK NOTE MACHINE PROCESS
DATA BALENING CONTOL
ATM MACHINE INSTALLATION
ATM ATM ELECTRONICS SCHEMATIC
DOCTORAL & ECOTECHNOLOGY INTEGRATION
Smart Grid Resilience (Doctorial Research)
Ecotechnology and Civil Engineering Impact
Wizard Installation& Finewable Timeline Burn-Down
Project Management (Renewable Timeline Burn-Dowe)
Forensic
Forensicmis Integration
Predictive Modelling Anomaly Detection (Anomaly Detector R2-Based)
MIS Connector
Evidence Decay Model
Projectile Trayectory and Area Density Area Integral Simulation
ADVANCED PORTFOLIO GATING & SIMULATIONS LOGIC
Config Sced Dats (New)
Portfolio Gate Logigram
Simulation Algorigram (New)
RPA Flow
RPA Flow (New)
GRAHCET
CHEMICAL PLANT OPERATIONAL CONTROL EQUIPEMENT (EXPANDED)
CONCENTRATOR SYSTEM LOAD
Project Management Renewable Timeline Burn-Down
(Pocition sheet "Timeline' sheet)
ANALYTIC CALCULATIONS
ML-LITE HEALTH SCORING
PORTFOLIO EXPORT
SAMPLE DOCUMENTS
ACTUAL GENEATION
Sample Activities



LookAod - Getty Images

Elevation 1

This is a direct view of the front of the house, as if you're standing directly in front of it. It shows the main entrance, which is recessed and has large windows on either side. The second floor has a mix of sliding glass doors and windows. The roof has a hip-and-gable design with a noticeable chimney-like structure, suggesting a possible fireplace or ventilation system inside. A balcony with a simple railing extends to the left.

Elevation 4 Elevation 3 Elevation 2 Overview